

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: WO 98/24799 (11) International Publication Number: **A1** C07H 21/04, C12N 1/20, 1/14, 5/00, 9/38, (43) International Publication Date: 11 June 1998 (11.06.98) 9/42, C08B 30/04 (81) Designated States: AU, CA, IL, JP, US, European patent (AT, PCT/US97/22623 (21) International Application Number: BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). 8 December 1997 (08.12.97) (22) International Filing Date: Published (30) Priority Data: With international search report. 6 December 1996 (06.12.96) US 60/056,916 Before the expiration of the time limit for amending the Not furnished 10 October 1997 (10.10.97) US

amendments.

(71) Applicant (for all designated States except US): DIVERSA CORPORATION [US/US]; 10665 Sorrento Valley Road, San Diego, CA 92121 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): BYLINA, Edward, J. [US/US]; Apartment A-1, West Court, Andalusia, PA 19020 (US). SWANSON, Ronald, V. [US/US]; Apartment A, 309 No. Lemon Street, Media, PA 19063 (US). MATHUR, Eric, J. [US/US]; 2654 Galicia Way, Carlsbad, CA 92009 (US). LAM, David, E. [US/US]; 1518 West 249th Street, Harbor City, CA 90710 (US).
- (74) Agent: HAILE, Lisa, A.; Fish & Richardson P.C., Suite 1400;

claims and to be republished in the event of the receipt of

4225 Executive Square, La Jolla, CA 92037 (US).

(54) Title: GLYCOSIDASE ENZYMES

(57) Abstract

Thermostable glycosidase enzymes derived from various Thermococcus, Staphylothermus and Pyrococcus organisms is disclosed. The enzymes are produced from native or recombinant host cells and can be utilized in the food processing industry, pharmaceutical industry and in the textile industry, detergent industry and in the baking industry.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑÜ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IТ	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
EE	Estonia	LR	Liberia	SG	Singapore		

GLYCOSIDASE ENZYMES

BACKGROUND OF THE INVENTION

1. Field of the Inventions

5

10

15

20

25

This invention relates to newly identified polynucleotides, polypeptides encoded by such polynucleotides, the use of such polynucleotides and polypeptides, as well as the production and isolation of such polynucleotides and polypeptides. More particularly, the polynucleotides and polypeptides of the present invention has been putatively identified as glucosidases, α -galactosidases, β -galactosidases, β -mannosidases, β -mannanases, endoglucanases, and pullalanases.

2. Description of Related Art

The glycosidic bond of β -galactosides can be cleaved by different classes of enzymes: (i) phospho-β-galactosidases (EC3.2.1.85) are specific for a phosphorylated substrate generated via phosphoenolpyruvate phosphotransferase system (PTS)-dependent uptake; (ii) typical β -galactosidases (EC 3.2.1.23), represented by the *Escherichia coli* LacZ enzyme, which are relatively specific for β -galactosides; and (iii) β -glucosidases (EC 3.2.1.21) such as the enzymes of Agrobacterium faecalis, Clostridium thermocellum, Pyrococcus furiosus or Sulfolobus solfataricus (Day, A.G. and Withers, S.G., (1986) Purification and characterization of a β -glucosidase from Alcaligenes faecalis. Can. J. Biochem. Cell. Biol. 64, 914-922; Kengen, S.W.M., et al. (1993) Eur. J. Biochem., 213, 305-312; Ait, N., Cruezet, N. and Cattaneo, J. (1982) Properties of β -glucosidase purified from Clostridium thermocellum. J. Gen. Microbiol. 128, 569-577; Grogan, D.W. (1991) Evidence that β-galactosidase of Sulfolobus solfataricus is only one of several activities of a thermostable β-D-glycodiase. Appl. Environ. Microbiol. 57, 1644-1649). Members of the latter group, although highly specific with respect to the \beta-anomeric configuration of the glycosidic linkage, often display a rather relaxed substrate specificity and hydrolyze β glucosides as well as $\beta\text{-fucosides}$ and $\beta\text{-galactosides}.$

Generally, α -galactosidases are enzymes that catalyze the hydrolysis of galactose groups on a polysaccharide backbone or hydrolyze the cleavage of di- or oligosaccharides comprising galactose.

Generally, \(\beta\)-mannanases are enzymes that catalyze the hydrolysis of mannose groups internally on a polysaccharide backbone or hydrolyze the cleavage of di- or oligosaccaharides comprising mannose groups. \(\beta\)-mannosidases hydrolyze non-reducing, terminal mannose residues on a mannose-containing polysaccharide and the cleavage of di- or oligosaccaharides comprising mannose groups.

5

10

15

20

25

Guar gum is a branched galactomannan polysaccharide composed of β -1,4 linked mannose backbone with α -1,6 linked galactose side chains. The enzymes required for the degradation of guar are β -mannanase, β -mannosidase and α -galactosidase. β -mannanase hydrolyses the mannose backbone internally and β -mannosidase hydrolyses non-reducing, terminal mannose residues. α -galactosidase hydrolyses α -linked galactose groups.

Galactomannan polysaccharides and the enzymes that degrade them have a variety of applications. Guar is commonly used as a thickening agent in food and is utilized in hydraulic fracturing in oil and gas recovery. Consequently, galactomannanases are industrially relevant for the degradation and modification of guar. Furthermore, a need exists for thermostable galactomannases that are active in extreme conditions associated with drilling and well stimulation.

There are other applications for these enzymes in various industries, such as in the beet sugar industry. 20-30% of the domestic U.S. sucrose consumption is sucrose from sugar beets. Raw beet sugar can contain a small amount of raffinose when the sugar beets are stored before processing and rotting begins to set in. Raffinose inhibits the crystallization of sucrose and also constitutes a hidden quantity of sucrose. Inus, there is merit to eliminating raffinose from raw beet sugar. α -Galactosidase has also been used as a digestive aid to break down raffinose, stachyose, and verbascose in such foods as beans and other gassy foods.

 β -galactosidases which are active and stable at high temperatures appear to be superior enzymes for the production of lactose-free dietary milk products (Chaplin, M.F.

and Bucke, C. (1990) In: Enzyme Technology, pp. 159-160. Cambridge University Press, Cambridge, UK). Also, several studies have demonstrated the applicability of β-galactosidases to the enzymatic synthesis of oligosaccharides via transglycosylation reactions (Nilsson, K.G.I. (1988) Enzymatic synthesis of oligosaccharides. Trends Biotechnol. 6, 156-264; Cote, G.L. and Tao, B.Y. (1990) Oligosaccharide synthesis by enzymatic transglycosylation. Glycoconjugate J. 7, 145-162). Despite the commercial potential, only a few β-galactosidases of thermophiles have been characterized so far. Two genes reported are β-galactoside-cleaving enzymes of the hyperthermophilic bacterium *Thermotoga maritima*, one of the most thermophilic organotrophic eubacteria described to date (Huber, R., Langworthy, T.A., König, H., Thomm, M., Woese, C.R., Sleytr, U.B. and Stetter, K.O. (1986) *T. martima* sp. nov. represents a new genus of unique extremely thermophilic eubacteria growing up to 90°C, Arch. Microbiol. 144, 324-333) one of the most thermophilic organotrophic eubacteria described to date. The gene products have been identified as a β-galactosidase and a β-glucosidase.

ś

10

15

20

25

Pullulanase is well known as a debranching enzyme of pullulan and starch. The enzyme hydrolyzes α -1,6-glucosidic linkages on these polymers. Starch degradation for the production or sweeteners (glucose or maltose) is a very important industrial application of this enzyme. The degradation of starch is developed in two stages. The first stage involves the liquefaction of the substrate with α -amylase, and the second stage, or saccharification stage, is performed by β -amylase with pullalanase added as a debranching enzyme, to obtain better yields.

Endoglucanases can be used in a variety of industrial applications. For instance, the endoglucanases of the present invention can hydrolyze the internal β-1,4-glycosidic bonds in cellulose, which may be used for the conversion of plant biomass into fuels and chemicals. Endoglucanases also have applications in detergent formulations, the textile industry, in animal feed, in waste treatment, and in the fruit juice and brewing industry for the clarification and extraction of juices.

Brief Description of the Drawings

The following drawings are illustrative of embodiments of the invention and are not meant to limit the scope of the invention as encompassed by the claims.

Figures 1a-b are the full-length DNA and corresponding deduced amino acid sequence of M11TL of the present invention. Sequencing was performed using a 378 automated DNA sequencer for all sequences of the present invention (Applied Biosystems, Inc.).

5

10

15

20

25

Figure 2 is an illustration of the full-length DNA and corresponding deduced amino acid sequence of OC1/4V-33B/G.

Figure 3 is an illustration of the full-length DNA and corresponding deduced amino acid sequence of F1-12G.

Figures 4a-b are the full-length DNA and corresponding deduced amino acid sequence of 9N2-31B/G.

Figures 5a-b are the full-length DNA and corresponding deduced amino acid sequence of MSB8-6G.

Figure 6 is the full-length DNA and corresponding deduced amino acid sequence of AEDII12RA-18B/G.

Figures 7a-b are the full-length DNA and corresponding deduced amino acid sequence of GC74-22G.

Figures 8a-b are the full-length DNA and corresponding deduced amino acid sequence of VC1-7G1.

Figures 9a-c are the full-length DNA and corresponding deduced amino acid sequence of 37GP1.

Figures 10a-c are the full-length DNA and corresponding deduced amino acid sequence of 6GC2.

Figures 11a-d are the full-length DNA and corresponding deduced amino acid sequence of 6GP2.

Figures 12a-c are the full-length DNA and corresponding deduced amino acid sequence of 63GB1.

Figures 13a-b are the full-length DNA and corresponding deduced amino acid sequence of OC1/4V.

Figures 14a-e are the full-length DNA and corresponding deduced amino acid sequence of 6GP3.

Figures 15a-d are the full-length DNA and corresponding deduced amino acid sequence of *Thermotoga maritima* MSB8-6GP2.

5

10

15

20

25

Figures 16a-c are the full-length DNA and corresponding deduced amino acid sequence of *Thermotoga maritima* MSB8-6GB4.

Figures 17a-d are the full-length DNA and corresponding deduced amino acid sequence of *Banki gouldi* 37GP4.

Figures 18a-b are the full-length DNA and corresponding deduced amino acid sequence of *Pyrococcus furiosus* VC1-7EG1.

SUMMARY OF THE INVENTION

In a preferred embodiment of the present invention, there are provided isolated nucleic acids (polynucleotides) which encode mature enzymes having the deduced amino acid sequences of Figures 1-18 (SEQ ID NOS: 15-28 and 61-64).

In another embodiment, the invention provides a method for producing a polypeptide including culturing host cells containing the polynucleotide of Figures 1-18 and expressing from the host cell a polypeptide encoded by the polynucleotide and isolating the polypeptide.

In another embodiment, the invention provides an enzyme selected from the group consisting of an enzyme having an amino acid sequence set forth in SEQ ID NOS: 15-28 or 61-64 and an enzyme which has at least 30 consecutive amino acid residue as an enzyme having an amino acid sequence set forth in SEQ ID NOS: 15-28 or 61-64.

In yet another embodiment, the invention provides a method for generating glucose from soluble cell oligosaccharides which includes contacting a sample containing oligosaccharides with an effective amount of an enzyme selected from the group of

enzymes having the amino acid sequence set forth in SEQ ID NOS: 15-28, 61-63 and 64 such that glucose is produced

The publications discussed herein are provided solely for their disclosure prior to the filing date of the present application. Nothing herein is to be construed as an admission that the invention is not entitled to antedate such disclosure by virtue of prior invention.

5

10

15

20

25

Definitions

"Monosaccharide", as used herein, refers to a single polyhydroxy aldehyde or ketone unit.

"Oligosaccharide", as used herein, consist of short chains of monosaccharide units joined together by covalent bonds. Of these, the most abundant are the disaccharides, which have two monosaccharide units.

"Polysaccharide", as used herein, consists of long chains having many monosaccharide units.

The term "gene" means the segment of DNA involved in producing a polypeptide chain; it includes regions preceding and following the coding region (leader and trailer) as well as intervening sequences (introns) between individual coding segments (exons).

A coding sequence is "operably linked to" another coding sequence when RNA polymerase will transcribe the two coding sequences into a single mRNA, which is then translated into a single polypeptide having amino acids derived from both coding sequences. The coding sequences need not be contiguous to one another so long as the expressed sequences ultimately process to produce the desired protein.

"Recombinant" enzymes refer to enzymes produced by recombinant DNA techniques; *i.e.*, produced from cells transformed by an exogenous DNA construct encoding the desired enzyme. "Synthetic" enzymes are those prepared by chemical synthesis.

A DNA "coding sequence of" or a "nucleotide sequence encoding" a particular enzyme, is a DNA sequence which is transcribed and translated into an enzyme when placed under the control of appropriate regulatory sequences.

Detailed Description of the Invention

The polynucleotides and polypeptides of the present invention have been identified as glucosidases. α -galactosidases, β -galactosidases, β -mannosidases, β -mannanases, endoglucanases, and pullalanases as a result of their enzymatic activity.

In accordance with one aspect of the present invention, there are provided novel enzymes, as well as active fragments, analogs and derivatives thereof.

5

10

15

20

25

In accordance with another aspect of the present invention, there are provided isolated nucleic acid molecules encoding the enzymes of the present invention including mRNAs, cDNAs, genomic DNAs as well as active analogs and fragments of such enzymes.

In accordance with yet a further aspect of the present invention, there is provided a process for producing such polypeptides by recombinant techniques comprising culturing recombinant prokaryotic and/or eukaryotic host cells, containing a nucleic acid sequence of the present invention, under conditions promoting expression of said enzymes and subsequent recovery of said enzymes.

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing such enzymes, or polynucleotides encoding such enzymes for hydrolyzing lactose to galactose and glucose for use in the food processing industry, the pharmaceutical industry, for example, to treat intolerance to lactose, as a diagnostic reporter molecule, in corn wet milling, in the fruit juice industry, in baking, in the textile industry and in the detergent industry.

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing such enzymes for hydrolyzing guar gum (a galactomannan polysaccharide) to remove non-reducing terminal mannose residues. Further polysaccharides such as galactomannan and the enzymes according to the invention that degrade them have a variety of applications. Guar gum is commonly used as a thickening agent in food and also is utilized in hydraulic fracturing in oil and gas recovery. Consequently, mannanases are industrially relevant for the degradation and modification of guar gums. Furthermore, a need exists for thermostable mannases that are active in extreme conditions associated with drilling and well stimulation.

In accordance with yet a further aspect of the present invention, there are also provided nucleic acid probes comprising nucleic acid molecules of sufficient length to specifically hybridize to a nucleic acid sequence of the present invention.

In accordance with yet a further aspect of the present invention, there is provided a process for utilizing such enzymes, or polynucleotides encoding such enzymes, for *in vitro* purposes related to scientific research. for example, to generate probes for identifying similar sequences which might encode similar enzymes from other organisms by using certain regions, *i.e.*, conserved sequence regions, of the nucleotide sequence.

5

10

15

20

25

These and other aspects of the present invention should be apparent to those skilled in the art from the teachings herein.

The polynucleotides of this invention were originally recovered from genomic gene libraries derived from the following organisms:

M11TL is a new species of *Desulfurococcus* isolated from Diamond Pool in Yellowstone National Park. The organism grows optimally at 85-88°C, pH 7.0 in a low salt medium containing yeast extract, peptone, and gelatin as substrates with a N_2/CO_2 gas phase.

OC1/4V is from the genus *Thermotoga*. The organism was isolated from Yellowstone National Park. It grows optimally at 75° C in a low salt medium with cellulose as a substrate and N_2 in gas phase.

Pyrococcus furiosus VC1 and (7EG1) is from the genus Pyrococcus. VC1 was isolated from Vulcano, Italy. It grows optimally at 100° C in a high salt medium (marine) containing elemental sulfur, yeast extract, peptone and starch as substrates and N_2 in gas phase.

Staphylothermus marinus F1 is a from the genus Staphylothermus. F1 was isolated from Vulcano, Italy. It grows optimally at 85°C, pH 6.5 in high salt medium (marine) containing elemental sulfur and yeast extract as substrates and N₂ in gas phase.

Thermococcus 9N-2 is from the genus Thermococcus 9N-2 was isolated from diffuse vent fluid in the East Pacific Rise. It is a strict anaerobe that grows optimally at 87°C.

Thermotoga maritima MSB8 and MSB8 (Clone # 6GP2 and 6GB4) is from the genus Thermotogo, and was isolated from Vulcano, Italy. MSB8 grows optimally at 85°C, pH 6.5 in a high salt medium (marine) containing starch and yeast extract as substrates and N₂ in gas phase.

5

10

15

20

25

Thermococcus alcaliphilus AEDII12RA is from the genus Thermococcus. AEDII12RA grows optimally at 85°C, pH 9.5 in a high salt medium (marine) containing polysulfides and yeast extract as substrates and N₂ in gas phase.

Thermococcus chitonophagus GC74 is from the genus Thermococcus. GC74 grows optimally at 85°C, pH 6.0 in a high salt medium (marine) containing chitin, meat extract, elemental sulfur and yeast extract as substrates and N₂ in gas phase. AEPII 1a grows optimally at 85°C at pH 6.5 in marine medium under anaerobic conditions. It has many substrates. Bankia gouldi is from the genus Bankia.

Accordingly, the polynucleotides and enzymes encoded thereby are identified by the organism from which they were isolated, and are sometimes hereinafter referred to as "M11TL" (Figure 1 and SEQ ID NOS:1 and 15), "OC1/4V-33B/G" (Figure 2 and SEQ ID NOS:2 and 16), "F1-12G" (Figure 3 and SEQ ID NOS:3 and 17), "9N2-31B/G" (Figure 4 and SEQ ID NOS:4 and 18), "MSB8" (Figure 5 and SEQ ID NOS:5 and 19), "AEDII12RA-18B/G" (Figure 6 and SEQ ID NOS:6 and 20), "GC74-22G" (Figure 7 and SEQ ID NOS:7 and 21), "VC1-7G1" (Figure 8 and SEQ ID NOS:8 and 22), "37GP1" (Figure 9 and SEQ ID NOS: 9 and 23), "6GC2" (Figure 10 and SEQ ID NOS: 10 and 24), "6GP2" (Figure 11 and SEQ ID NOS:11 and 25), "AEPII 1a" (Figure 12 and SEQ ID NOS:12 and 26), "OC1/4V" (Figure 13 and SEQ ID NOS:13 and 27), and "6GP3" (Figure 14 and SEQ ID NOS:28), "MSB8-6GP2" (Figure 15 and SEQ ID NOS:57 and 61), "MSB8-6GB4" (Figure 16 and SEQ ID NOS:58 and 62), "VC1-7EG1" (Figure 17 and SEQ ID NOS:59 and 63), and 37GP4 (Figure 18 and SEQ ID NOS:60 and 64).

The polynucleotides and polypeptides of the present invention show identity at the nucleotide and protein level to known genes and proteins encoded thereby as shown in Table 1.

Table 1

3

10

15

			Nucleic
	Gene/Protein with	Protein	Acid
Clone	Closest Homology	Identity	Identity
M11TL-29G	Sulfolobus sulfataricus	51%	55%
	DSM 1616/P1, β-		
	galactosidase		
OC1/4V-33B/G	Caldocellum	52%	57%
	saccharolyticum, β-		
	glucosidase		
Staphylothermus	Bacillus polymyxa, β-	36%	48%
marinus F1-12G	galactosidase		
Thermococcus 9N2-	Sulfolobus sulfataricus	51%	50%
31B/G	ATCC 49255/MT4, β-		
	galactosidase		
Thermotoga maritima	Clostridium thermoceilum	45%	53%
MSB8-6G	bglB		
Thermococcus	Bacillus polymyxa, β-	34%	48%
AEDII12RA-18B/G	galactosidase		
Thermococcus	Sulfolobus sulfataricus.	46%	54%
chitonophagus GC74-	ATCC 49255/MT4, β-		
22G	galactosidase		

Pyrococcus furiosus VC1-7G1	Sulfolobus sulfataricus/MT-4 β-galactosidase	46.4%	52.5%
Thermotoga maritima α-galactosidase (6GC2)	Pediococcus pentosaceaus α-galactosidase	49%	29%
Thermotoga maritima B-mannanase (6GP2)	Aspergillus aculeatus mannanase	56%	37%
AEPII 1a ß- mannosidase (63GB1)	Sulfolobus solfactaricus ß-galactosidase	78%	56%
OC1/4V endoglucanase (33GP1)	Clostridium thermocellum endo-1,4-ß-endoglucanase	65%	43%
Thermotoga maritima pullalanase (6GP3)	Caldocellum saccharolyticum α- destrom 6 glucanohydralase	72	53
Bankia gouldi mix Endoglucanase (37GP1)	None available		

The polynucleotides and enzymes of the present invention show homology to each other as shown in Table 2.

Table 2

Clone	Gene/Protein with Closest Homology	Protein Identity	Nucleic Acid Identity
Staphylothermus marinus F1-12G	Thermococcus AEDII12RA-18B/G, β- galactosidase, glucosidase	55%	57%
Thermococcus 9N2- 31B/G	The: mococcus chitonophagus GC74-22G-glucosidase`	74%	66%
Pyrococcus furiosus VC1-7G1	Pyrococcus furiosus VC1- 7B/G β-galactosidase	46.4%	54%

5

10

15

20

25

All the clones identified in Tables 1 and 2 encode polypeptides which have α -glycosidase or β -glycosidase activity.

This invention, in addition to the isolated nucleic acid molecules encoding the enzymes of the present invention, also provide substantially similar sequences. Isolated nucleic acid sequences are substantially similar if: (i) they are capable of hybridizing under conditions hereinafter described, to the polynucleotides of SEQ ID NOS: 1-14 and 57-60; (ii) or they encode DNA sequences which are degenerate to the polynucleotides of SEQ ID NOS: 1-14 and 57-60. Degenerate DNA sequences encode the amino acid sequences of SEQ ID NOS:15-28 and 61-64, but have variations in the nucleotide coding sequences. As used herein, substantially similar refers to the sequences having similar identity to the sequences of the instant invention. The nucleotide sequences that are substantially the same can be identified by hybridization or by sequence comparison. Enzyme sequences that are substantially the same can be identified by one or more of the following: proteolytic digestion, gel electrophoresis and/or microsequencing.

One means for isolating the nucleic acid molecules encoding the enzymes of the present invention is to probe a gene library with a natural or artificially designed probe using art recognized procedures (see, for example: Current Protocols in Molecular Biology,

Ausubel F.M. *et al.* (EDS.) Green Publishing Company Assoc. and John Wiley Interscience, New York, 1989, 1992). It is appreciated to one skilled in the art that the polynucleotides of SEQ ID NOS: 1-14 and 57-60 or fragments thereof (comprising at least 12 contiguous nucleotides), are particularly useful probes. Other particular useful probes for this purpose are hybridizable fragments to the sequences of SEQ ID NOS: 1-14 and 57-60 (*i.e.*, comprising at least 12 contiguous nucleotides).

5

10

15

20

25

With respect to nucleic acid sequences which hybridize to specific nucleic acid sequences disclosed herein, hybridization may be carried out under conditions of reduced stringency, medium stringency or even stringent conditions. As an example of oligonucleotide hybridization, a polymer membrane containing immobilized denatured nucleic acids is first prehybridized for 30 minutes at 45°C in a solution consisting of 0.9 M NaCl. 50 mM NaH₂PO₄, pH 7.0, 5.0 mM Na₂EDTA, 0.5% SDS, 10X Denhardt's, and 0.5 mg/ml polyriboadenylic acid. Approximately 2 X 10⁷ cpm (specific activity 4-9 X 10 cpm/ug) of ³²P end-labeled oligonucleotide probe are then added to the solution. After 12-16 hours of incubation, the membrane is washed for 30 minutes at room temperature in 1X SET (150 mM NaCl, 20 mM Tris hydrochloride, pH 7.8, 1 mM Na₂EDTA) containing 0.5% SDS, followed by a 30 minute wash in fresh 1X SET at Tm 10°C for the oligonucleotide probe. The membrane is then exposed to auto-radiographic film for detection of hybridization signals.

Stringent conditions means hybridization will occur only if there is at least 90% identity, preferably at least 95% identity and most preferably at least 97% identity between the sequences. Further, it is understood that a section of a 100 bps sequence that is 95 bps in length has 95% identity with the 1090 bps sequence from which it is obtained. See J. Sambrook et al., Molecular Cloning, A Laboratory Manual, 2d Ed., Cold Spring Harbor Laboratory (1989) which is hereby incorporated by reference in its entirety. Also, it is understood that a fragment of a 100 bps sequence that is 95 bps in length has 95% identity with the 100 bps sequence from which it is obtained.

As used herein, a first DNA (RNA) sequence is at least 70% and preferably at least 80% identical to another DNA (RNA) sequence if there is at least 70% and preferably at

least a 80% or 90% identity, respectively, between the bases of the first sequence and the bases of the another sequence, when properly aligned with each other, for example when aligned by BLASTN.

"Identity" as the term is used herein, refers to a polynucleotide sequence which comprises a percentage of the same bases as a reference polynucleotide (SEQ ID NOS:1-14 and 57-60). For example, a polynucleotide which is at least 90% identical to a reference polynucleotide, has polynucleotide bases which are identical in 90% of the bases which make up the reference polynucleotide and may have different bases in 10% of the bases which comprise that polynucleotide sequence.

5

10

15

20

25

The present invention relates polynucleotides which differ from the reference polynucleotide such that the changes are silent changes, for example the change do not alter the amino acid sequence encoded by the polynucleotide. The present invention also relates to nucleotide changes which result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptide encoded by the reference polynucleotide. In a preferred aspect of the invention these polypeptides retain the same biological action as the polypeptide encoded by the reference polynucleotide.

It is also appreciated that such probes can be and are preferably labeled with an analytically detectable reagent to facilitate identification of the probe. Useful reagents include but are not limited to radioactivity, fluorescent dyes or enzymes capable of catalyzing the formation of a detectable product. The probes are thus useful to isolate complementary copies of DNA from other sources or to screen such sources for related sequences.

The polynucleotides of this invention were recovered from genomic gene libraries from the organisms listed in Table 1. For example, gene libraries can be generated in the Lambda ZAP II cloning vector (Stratagene Cloning Systems). Mass excisions can be performed on these libraries to generate libraries in the pBluescript phagemid. Libraries are thus generated and excisions performed according to the protocols/methods hereinafter described.

The excision libraries are introduced into the *E. coli* strain BW14893 F'kan1A. Expression clones are then identified using a high temperature filter assay. Expression clones encoding several glucanases and several other glycosidases are identified and repurified. The polynucleotides, and enzymes encoded thereby, of the present invention, yield the activities as described above.

The coding sequences for the enzymes of the present invention were identified by screening the genomic DNAs prepared for the clones having glucosidase or galactosidase activity.

An example of such an assay is a high temperature filter assay wherein expression clones were identified by use of high temperature filter assays using buffer Z (see recipe below) containing 1 mg/ml of the substrate 5-bromo-4-chloro-3-indolyl-β-D-glucopyranoside (XGLU) (Diagnostic Chemicals Limited or Sigma) after introducing an excision library into the *E. coli* strain BW14893 F'kan1A. Expression clones encoding XGLUases were identified and repurified from M11TL. OC1/4V, Pyrococcus furiosus VC1, Staphylothemus marinus F1. Thermococcus 9N-2, Thermotoga maritima MSB8, Thermococcus alcaliphilus AEDII12RA, and Thermococcus chitonophagus GC74.

Z-buffer: (referenced in Miller, J.H. (1992) A Short Course in Bacterial Genetics, p. 445.)

per liter:

5

10

15

20

25

Na₂HPO₄-7H₂O 16.1g NaH₂PO₄-7H₂O 5.5g KCl 0.75g MgSO₄-7H₂O 0.246g

β-mercaptoethanol 2.7ml

Adjust pH to 7.0

High Temperature Filter Assay

(1) The f factor f'kan (from E. coli strain CSH118)(1) was introduced into the pho-pnh-lac-strain BW14893(2). BW13893(2). The filamentous phage library was plated on the resulting strain, BW14893 F'kan. (Miller, J.H. (1992) A Short Course in

- Bacterial Genetics; Lee, K.S., Metcalf, et al., (1992) Evidence for two phosphonate degradative pathways in Enterobacter Aerogenes, J. Bacteriol., 174:2501-2510.
- (2) After growth on 100 mm LB plates containing 100 μg/ml ampicillin, 80 μg/ml nethicillin and 1mM IPTG, colony lifts were performed using Millipore HATF membrane filters.

5

10

15

· 20

25

- (3) The colonies transferred to the filters were lysed with chloroform vapor in 150 mm glass petri dishes.
- (4) The filters were transferred to 100 mm glass petri dishes containing a piece of Whatman 3MM filter paper saturated with buffer.
 - (a) when testing for galactosidase activity (XGALase), 3MM paper was saturated with Z buffer containing 1 mg/ml XGAL (ChemBridge Corporation). After transferring filter bearing lysed colonies to the glass petri dish, placed dish in oven at 80-85°C.
 - (b) when testing for glucosidase (XGLUase), 3MM paper was saturated with Z buffer containing 1 mg/ml XGLU. After transferring filter bearing lysed colonies to the glass petri dish, placed dish in oven at 80-85°C.
- (5) 'Positives' were observed as blue spots on the filter membranes. Used the following filter rescue technique to retrieve plasmid from lysed positive colony. Used pasteur pipette (or glass capillary tube) to core blue spots on the filter membrane. Placed the small filter disk in an Eppendorf tube containing 20 μl water. Incubated the Eppendorf tube at 75°C for 5 minutes followed by vortexing to elute plasmid DNA off filter. This DNA was transformed into electrocompetent *E. coli* cells DH10B for Thermatoga maritima MSB8-6G, Staphylothermus marinus F1-12G, Thermococcus AEDII12RA-18B/G, Thermococcus chitonophagus GC74-22G, M11Tl and OC1/4V. Electrocompetent BW14893 F'kan1A *E. coli* were used for Thermococcus 9N2-31B/G, and *Pyrococcus furiosus* VC1-7G1. Repeated filter-lift assay on transformation plates to identify 'positives'. Return transformation plates to 37°C incubator after filter lift to regenerate colonies. Inoculate 3 ml LB liquid containing 100 μg/ml ampicillin with repurified positives and incubate at 37°C

overnight. Isolate plasmid DNA from these cultures and sequence plasmid insert. In some instances where the plates used for the initial colony lifts contained non-confluent colonies, a specific colony corresponding to a blue spot on the filter could be identified on a regenerated plate and repurified directly, instead of using the filter rescue technique.

Another example of such an assay is a variation of the high temperature filter assay wherein colony-laden filters are heat-killed at different temperatures (for example, 105°C for 20 minutes) to monitor thermostability. The 3MM paper is saturated with different buffers (i.e., 100 mM NaCl, 5 mM MgCl₂, 100 mM Tris-Cl (pH 9.5)) to determine enzyme activity under different buffer conditions.

5

10

15

20

25

A β -glucosidase assay may also be employed, wherein Glcp β Np is used as an artificial substrate (aryl- β -glucosidase). The increase in absorbance at 405 nm as a result of p-nitrophenol (pNp) liberation was followed on a Hitachi U-1100 spectrophotometer, equipped with a thermostatted cuvette holder. The assays may be performed at 80°C or 90°C in closed 1-ml quartz cuvette. A standard reaction mixture contains 150 mM trisodium substrate, pH 5.0 (at 80°C), and 0.95 mM pNp derivative pNp = 0.561 mM⁻¹ cm⁻¹). The reaction mixture is allowed to reach the desired temperature, after which the reaction is started by injecting an appropriate amount of enzyme (1.06 ml final volume).

1 U β -glucosidase activity is defined as that amount required to catalyze the formation of 1.0 μ mol pNp/min. D-cellobiose may also be used as a substrate.

An ONPG assay for β -galactosidase activity is described by Miller, J.H. (1992) A Short Course in Bacterial Genetics and Mill, J.H. (1992) Experiments in Molecular Genetics, the contents of which are hereby incorporated by reference in their entirety.

A quantitative fluorometric assay for β-galactosidase specific activity is described by : Youngman P., (1987) Plasmid Vectors for Recovering and Exploiting Tn917 Transpositions in Bacillus and other Gram-Positive Bacteria. In Plasmids: A Practical approach (ed. K. Hardy) pp 79-103. IRL Press, Oxford. A description of the procedure can be found in Miller (1992) p. 75-77, the contents of which are incorporated by reference herein in their entirety.

The polynucleotides of the present invention may be in the form of DNA which DNA includes cDNA, genomic DNA, and synthetic DNA. The DNA may be double-stranded or single-stranded, and if single stranded may be the coding strand or non-coding (anti-sense) strand. The coding sequences which encodes the mature enzymes may be identical to the coding sequences shown in Figures 1-8 (SEQ ID NOS: 1-14 and 57-60) or may be a different coding sequence which coding sequence, as a result of the redundancy or degeneracy of the genetic code, encodes the same mature enzymes as the DNA of Figures 1-18 (SEQ ID NOS: 1-14 and 57-60).

5

10

15

20

25

The polynucleotide which encodes for the mature enzyme of Figures 1-18 (SEQ ID NOS: 15-28 and 61-64) may include, but is not limited to: only the coding sequence for the mature enzyme; the coding sequence for the mature enzyme and additional coding sequence such as a leader sequence or a proprotein sequence; the coding sequence for the mature enzyme (and optionally additional coding sequence) and non-coding sequence, such as introns or non-coding sequence 5' and/or 3' of the coding sequence for the mature enzyme.

Thus, the term "polynucleotide encoding an enzyme (protein)" encompasses a polynucleotide which includes only coding sequence for the enzyme as well as a polynucleotide which includes additional coding and/or non-coding sequence.

The present invention further relates to variants of the hereinabove described polynucleotides which encode for fragments, analogs and derivatives of the enzymes having the deduced amino acid sequences of Figures 1-18 (SEQ ID NOS: 15-28 and 61-64). The variant of the polynucleotide may be a naturally occurring allelic variant of the polynucleotide or a non-naturally occurring variant of the polynucleotide.

Thus, the present invention includes polynucleotides encoding the same mature enzymes as shown in Figures 1-18 (SEQ ID NOS: 15-28 and 61-64) as well as variants of such polynucleotides which variants encode for a fragment, derivative or analog of the enzymes of Figures 1-18 (SEQ ID NOS: 15-28 and 61-64). Such nucleotide variants include deletion variants, substitution variants and addition or insertion variants.

As hereinabove indicated, the polynucleotides may have a coding sequence which is a naturally occurring allelic variant of the coding sequences shown in Figures 1-18 (SEQ

ID NOS: 1-14 and 57-60). As known in the art, an allelic variant is an alternate form of a polynucleotide sequence which may have a substitution, deletion or addition of one or more nucleotides, which does not substantially alter the function of the encoded enzyme.

5

10

15

5 20

25

Fragments of the full length gene of the present invention may be used as a hybridization probe for a cDNA or a genomic library to isolate the full length DNA and to isolate other DNAs which have a high sequence similarity to the gene or similar biological activity. Probes of this type preferably have at least 10, preferably at least 15, and even more preferably at least 30 bases and may contain, for example, at least 50 or more bases. The probe may also be used to identify a DNA clone corresponding to a full length transcript and a genomic clone or clones that contain the complete gene including regulatory and promotor regions, exons, and introns. An example of a screen comprises isolating the coding region of the gene by using the known DNA sequence to synthesize an oligonucleotide probe. Labeled oligonucleotides having a sequence complementary to that of the gene of the present invention are used to screen a library of genomic DNA to determine which members of the library the probe hybridizes to.

The present invention further relates to polynucleotides which hybridize to the hereinabove-described sequences if there is at least 70%, preferably at least 90%, and more preferably at least 95% identity between the sequences. The present invention particularly relates to polynucleotides which hybridize under stringent conditions to the hereinabove-described polynucleotides. As herein used, the term "stringent conditions" means hybridization will occur only if there is at least 95% and preferably at least 97% identity between the sequences. The polynucleotides which hybridize to the hereinabove described polynucleotides in a preferred embodiment encode enzymes which either retain substantially the same biological function or activity as the mature enzyme encoded by the DNA of Figures 1-18 (SEQ ID NOS: 1-14 and 57-60).

Alternatively, the polynucleotide may have at least 15 bases, preferably at least 30 bases, and more preferably at least 50 bases which hybridize to any part of a polynucleotide of the present invention and which has an identity thereto, as hereinabove described, and which may or may not retain activity. For example, such polynucleotides may be employed

as probes for the polynucleotides of SEQ ID NOS: 1-14 and 57-60, for example, for recovery of the polynucleotide or as a diagnostic probe or as a PCR primer.

Thus, the present invention is directed to polynucleotides having at least a 70% identity, preferably at least 90% identity and more preferably at least a 95% identity to a polynucleotide which encodes the enzymes of SEQ ID NOS: 15-28 and 61-64 as well as fragments thereof, which fragments have at least 15 bases, preferably at least 30 bases and most preferably at least 50 bases, which fragments are at least 90% identical, preferably at least 95% identical and most preferably at least 97% identical under stringent conditions to any portion of a polynucleotide of the present invention.

5

10

15

20

25

The present invention further relates to enzymes which have the deduced amino acid sequences of Figures 1-18 (SEQ ID NOS: 15-28 and 61-64) as well as fragments, analogs and derivatives of such enzyme.

The terms "fragment," "derivative" and "analog" when referring to the enzymes of Figures 1-18 (SEQ ID NOS: 15-28 and 61-64) means enzymes which retain essentially the same biological function or activity as such enzymes. Thus, an analog includes a proprotein which can be activated by cleavage of the proprotein portion to produce an active mature enzyme.

The enzymes of the present invention may be a recombinant enzyme, a natural enzyme or a synthetic enzyme, preferably a recombinant enzyme.

The fragment, derivative or analog of the enzymes of Figures 1-18 (SEQ ID NOS: 15-28 and 61-64) may be (i) one in which one or more of the amino acid residues are substituted with a conserved or non-conserved amino acid residue (preferably a conserved amino acid residue) and such substituted amino acid residue may or may not be one encoded by the genetic code, or (ii) one in which one or more of the amino acid residues includes a substituent group, or (iii) one in which the mature enzyme is fused with another compound, such as a compound to increase the half-life of the enzyme (for example, polyethylene glycol), or (iv) one in which the additional amino acids are fused to the mature enzyme, such as a leader or secretory sequence or a sequence which is employed for purification of the mature enzyme or a proprotein sequence. Such fragments, derivatives

and analogs are deemed to be within the scope of those skilled in the art from the teachings herein.

The enzymes and polynucleotides of the present invention are preferably provided in an isolated form, and preferably are purified to homogeneity.

5

10

ł ś

20

25

The term "isolated" means that the material is removed from its original environment (e.g., the natural environment if it is naturally occurring). For example, a naturally-occurring polynucleotide or enzyme present in a living animal is not isolated, but the same polynucleotide or enzyme, separated from some or all of the coexisting materials in the natural system, is isolated. Such polynucleotides could be part of a vector and/or such polynucleotides or enzymes could be part of a composition, and still be isolated in that such vector or composition is not part of its natural environment.

The enzymes of the present invention include the enzymes of SEQ ID NOS: 15-28 and 61-64 (in particular the mature enzyme) as well as enzymes which have at least 70% similarity (preferably at least 70% identity) to the enzymes of SEQ ID NOS: 15-28 and 61-64 and more preferably at least 90% similarity (more preferably at least 90% identity) to the enzymes of SEQ ID NOS: 15-28 and 61-64 and still more preferably at least 95% similarity (still more preferably at least 95% identity) to the enzymes of SEQ ID NOS: 15-28 and 61-64 and also include portions of such enzymes with such portion of the enzyme generally containing at least 30 amino acids and more preferably at least 50 amino acids.

As known in the art "similarity" between two enzymes is determined by comparing the amino acid sequence and its conserved amino acid substitutes of one enzyme to the sequence of a second enzyme.

A variant, i.e. a "fragment", "analog" or "derivative" polypeptide, and reference polypeptide may differ in amino acid sequence by one or more substitutions, additions, deletions, fusions and truncations, which may be present in any combination.

Among preferred variants are those that vary from a reference by conservative amino acid substitutions. Such substitutions are those that substitute a given amino acid in a polypeptide by another amino acid of like characteristics. Typically seen as conservative substitutions are the replacements, one for another, among the aliphatic amino acids Ala,

Val, Leu and Ile; interchange of the hydroxyl residues Ser and Thr, exchange of the acidic residues Asp and Glu, substitution between the amide residues Asn and Gln, exchange of the basic residues Lvs and Arg and replacements among the aromatic residues Phe, Tyr.

Most highly preferred are variants which retain the same biological function and activity as the reference polypeptide from which it varies.

5

10

15

20

25

Fragments or portions of the enzymes of the present invention may be employed for producing the corresponding full-length enzyme by peptide synthesis: therefore, the fragments may be employed as intermediates for producing the full-length enzymes. Fragments or portions of the polynucleotides of the present invention may be used to synthesize full-length polynucleotides of the present invention.

The present invention also relates to vectors which include polynucleotides of the present invention, host cells which are genetically engineered with vectors of the invention and the production of enzymes of the invention by recombinant techniques.

Host cells are genetically engineered (transduced or transformed or transfected) with the vectors of this invention which may be, for example, a cloning vector or an expression vector. The vector may be, for example, in the form of a plasmid, a viral particle, a phage, etc. The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants or amplifying the genes of the present invention. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to the ordinarily skilled artisan.

The polynucleotides of the present invention may be employed for producing enzymes by recombinant techniques. Thus, for example, the polynucleotide may be included in any one of a variety of expression vectors for expressing an enzyme. Such vectors include chromosomal, nonchromosomal and synthetic DNA sequences, e.g., derivatives of SV40; bacterial plasmids; phage DNA; baculovirus; yeast plasmids; vectors derived from combinations of plasmids and phage DNA, viral DNA such as vaccinia, adenovirus, fowl pox virus, and pseudorabies. However, any other vector may be used as long as it is replicable and viable in the host.

The appropriate DNA sequence may be inserted into the vector by a variety of procedures. In general, the DNA sequence is inserted into an appropriate restriction endonuclease site(s) by procedures known in the art. Such procedures and others are deemed to be within the scope of those skilled in the art.

5

10

15

20

25

The DNA sequence in the expression vector is operatively linked to an appropriate expression control sequence(s) (promoter) to direct mRNA synthesis. As representative examples of such promoters, there may be mentioned: LTR or SV40 promoter, the <u>E. coli.</u> lac or trp, the phage lambda P_L promoter and other promoters known to control expression of genes in prokaryotic or eukaryotic cells or their viruses. The expression vector also contains a ribosome binding site for translation initiation and a transcription terminator. The vector may also include appropriate sequences for amplifying expression.

In addition, the expression vectors preferably contain one or more selectable marker genes to provide a phenotypic trait for selection of transformed host cells such as dihydrofolate reductase or neomycin resistance for eukaryotic cell culture, or such as tetracycline or ampicillin resistance in <u>E. coli</u>.

The vector containing the appropriate DNA sequence as hereinabove described, as well as an appropriate promoter or control sequence, may be employed to transform an appropriate host to permit the host to express the protein.

. .

As representative examples of appropriate hosts, there may be mentioned: bacterial cells, such as <u>E. coli</u>, <u>Streptomyces</u>, <u>Bacillus subtilis</u>; fungal cells, such as yeast; insect cells such as <u>Drosophila S2</u> and <u>Spodoptera Sf9</u>; animal cells such as CHO, COS or Bowes melanoma; adenoviruses; plant cells, etc. The selection of an appropriate host is deemed to be within the scope of those skilled in the art from the teachings herein.

More particularly, the present invention also includes recombinant constructs comprising one or more of the sequences as broadly described above. The constructs comprise a vector, such as a plasmid or viral vector, into which a sequence of the invention has been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably linked to the sequence. Large numbers of suitable vectors and

promoters are known to those of skill in the art. and are commercially available. The following vectors are provided by way of example; Bacterial: pQE70, pQE60, pQE-9 (Qiagen), pD10, psiX174, pBluescript II KS, pNH8A, pNH16a, pNH18A, pNH46A (Stratagene); ptrc99a, pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia); Eukaryotic: pSV2CAT, pOG44, pXT1, pSG (Stratagene) pSVK3, pBPV, pMSG, pSVL (Pharmacia). However, any other plasmid or vector may be used as long as they are replicable and viable in the host.

5

10

15

20

25

Promoter regions can be selected from any desired gene using CAT (chloramphenical transferase) vectors or other vectors with selectable markers. Two appropriate vectors are pKK232-8 and pCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda P_R, P_L and trp. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the art.

In a further embodiment, the present invention relates to host cells containing the above-described constructs. The host cell can be a higher eukaryotic cell, such as a mammalian cell, or a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Introduction of the construct into the host cell can be effected by calcium phosphate transfection, DEAE-Dextran mediated transfection, or electroporation (Davis, L., Dibner, M., Battey, I., Basic Methods in Molecular Biology, (1986)).

The constructs in host cells can be used in a conventional manner to produce the gene product encoded by the recombinant sequence. Alternatively, the enzymes of the invention can be synthetically produced by conventional peptide synthesizers.

Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook, et al., Molecular Cloning: A Laboratory

Manual. Second Edition, Cold Spring Harbor, N.Y., (1989), the disclosure of which is hereby incorporated by reference.

Transcription of the DNA encoding the enzymes of the present invention by higher eukaryotes is increased by inserting an enhancer sequence into the vector. Enhancers are cis-acting elements of DNA, usually about from 10 to 300 bp that act on a promoter to increase its transcription. Examples include the SV40 enhancer on the late side of the replication origin bp 100 to 270, a cytomegalovirus early promoter enhancer, the polyoma enhancer on the late side of the replication origin, and adenovirus enhancers.

õ

10

15

20

25

Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, e.g., the ampicillin resistance gene of E. coli and S. cerevisiae TRP1 gene, and a promoter derived from a highly-expressed gene to direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), α -factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated enzyme. Optionally, the heterologous sequence can encode a fusion enzyme including an N-terminal identification peptide imparting desired characteristics, e.g., stabilization or simplified purification of expressed recombinant product.

Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and to, if desirable, provide amplification within the host. Suitable prokaryotic hosts for transformation include <u>E. coli</u>, <u>Bacillus subtilis</u>, <u>Salmonella typhimurium</u> and various species within the genera Pseudomonas, Streptomyces, and Staphylococcus, although others may also be employed as a matter of choice.

As a representative but nonlimiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from

commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example, pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM1 (Promega Biotec, Madison, WI, USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed.

Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced by appropriate means (e.g., temperature shift or chemical induction) and cells are cultured for an additional period.

5

10

15

20

25

Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification.

Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents, such methods are well known to those skilled in the art.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described by Gluzman, Cell, 23:175 (1981), and other cell lines capable of expressing a compatible vector, for example, the C127, 3T3, CHO, HeLa and BHK cell lines. Mammalian expression vectors will comprise an origin of replication, a suitable promoter and enhancer, and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements.

The enzyme can be recovered and purified from recombinant cell cultures by methods including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Protein refolding steps can be used, as necessary, in completing

configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps.

The enzymes of the present invention may be a naturally purified product, or a product of chemical synthetic procedures, or produced by recombinant techniques from a prokaryotic or eukaryotic host (for example, by bacterial, yeast, higher plant, insect and mammalian cells in culture). Depending upon the host employed in a recombinant production procedure, the enzymes of the present invention may be glycosylated or may be non-glycosylated. Enzymes of the invention may or may not also include an initial methionine amino acid residue.

5

10

15

20

25

 β -galactosidase hydrolyzes lactose to galactose and glucose. Accordingly, the OC1/4V, 9N2-31B/G, AEDII12RA-18B/G and F1-12G enzymes may be employed in the food processing industry for the production of low lactose content milk and for the production of galactose or glucose from lactose contained in whey obtained in a large amount as a by-product in the production of cheese. Generally, it is desired that enzymes used in food processing, such as the aforementioned β -galactosidases, be stable at elevated temperatures to help prevent microbial contamination.

These enzymes may also be employed in the pharmaceutical industry. The enzymes are used to treat intolerance to lactose. In this case, a thermostable enzyme is desired, as well. Thermostable β -galactosidases also have uses in diagnostic applications, where they are employed as reporter molecules.

Glucosidases act on soluble cellooligosaccharides from the non-reducing end to give glucose as the sole product. Glucanases (endo- and exo-) act in the depolymerization of cellulose, generating more non-reducing ends (endo-glucanases, for instance, act on internal linkages yielding cellobiose, glucose and cellooligosaccharides as products). β -glucosidases are used in applications where glucose is the desired product. Accordingly, M11TL, F1-12G, GC74-22G, MSB8-6G, OC1/4V, VC1-7G1, 9N2-31B/G and AEDII12RA18B/G may be employed in a wide variety of industrial applications, including in corn wet milling for the separation of starch and gluten, in the fruit industry for clarification and equipment maintenance, in baking for viscosity reduction, in the textile

industry for the processing of blue jeans, and in the detergent industry as an additive. For these and other applications, thermostable enzymes are desirable.

Antibodies generated against the enzymes corresponding to a sequence of the present invention can be obtained by direct injection of the enzymes into an animal or by administering the enzymes to an animal, preferably a nonhuman. The antibody so obtained will then bind the enzymes itself. In this manner, even a sequence encoding only a fragment of the enzymes can be used to generate antibodies binding the whole native enzymes. Such antibodies can then be used to isolate the enzyme from cells expressing that enzyme.

5

10

15

20

25

For preparation of monoclonal antibodies, any technique which provides antibodies produced by continuous cell line cultures can be used. Examples include the hybridoma technique (Kohler and Milstein. 1975, Nature, 256:495-497), the trioma technique, the human B-cell hybridoma technique (Kozbor et al., 1983, Immunology Today 4:72), and the EBV-hybridoma technique to produce human monoclonal antibodies (Cole, et al., 1985, in Monoclonal Antibodies and Cancer Therapy, Alan R. Liss, Inc., pp. 77-96).

Techniques described for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce single chain antibodies to immunogenic enzyme products of this invention. Also, transgenic mice may be used to express humanized antibodies to immunogenic enzyme products of this invention.

Antibodies generated against the enzyme of the present invention may be used in screening for similar enzymes from other organisms and samples. Such screening techniques are known in the art, for example, one such screening assay is described in "Methods for Measuring Cellulase Activities", *Methods in enzymology*, Vol 160, pp. 87-116, which is hereby incorporated by reference in its entirety.

The present invention will be further described with reference to the following examples; however, it is to be understood that the present invention is not limited to such examples. All parts or amounts, unless otherwise specified, are by weight.

In order to facilitate understanding of the following examples certain frequently occurring methods and/or terms will be described.

"Plasmids" are designated by a lower case p preceded and/or followed by capital letters and/or numbers. The starting plasmids herein are either commercially available, publicly available on an unrestricted basis, or can be constructed from available plasmids in accord with published procedures. In addition, equivalent plasmids to those described are known in the art and will be apparent to the ordinarily skilled artisan.

5

10

15

20

25

"Digestion" of DNA refers to catalytic cleavage of the DNA with a restriction enzyme that acts only at certain sequences in the DNA. The various restriction enzymes used herein are commercially available and their reaction conditions, cofactors and other requirements were used as would be known to the ordinarily skilled artisan. For analytical purposes, typically 1 µg of plasmid or DNA fragment is used with about 2 units of enzyme in about 20 µl of buffer solution. For the purpose of isolating DNA fragments for plasmid construction, typically 5 to 50 µg of DNA are digested with 20 to 250 units of enzyme in a larger volume. Appropriate buffers and substrate amounts for particular restriction enzymes are specified by the manufacturer. Incubation times of about 1 hour at 37°C are ordinarily used, but may vary in accordance with the supplier's instructions. After digestion the reaction is electrophoresed directly on a polyacrylamide gel to isolate the desired fragment.

Size separation of the cleaved fragments is performed using 8 percent polyacrylamide gel described by Goeddel, D. et al., Nucleic Acids Res., 8:4057 (1980).

11

"Oligonucleotides" refers to either a single stranded polydeoxynucleotide or two complementary polydeoxynucleotide strands which may be chemically synthesized. Such synthetic oligonucleotides have no 5' phosphate and thus will not ligate to another oligonucleotide without adding a phosphate with an ATP in the presence of a kinase. A synthetic oligonucleotide will ligate to a fragment that has not been dephosphorylated.

"Ligation" refers to the process of forming phosphodiester bonds between two double stranded nucleic acid fragments (Maniatis, T., et al., Id., p. 146). Unless otherwise provided, ligation may be accomplished using known buffers and conditions with 10 units of T4 DNA ligase ("ligase") per 0.5 µg of approximately equimolar amounts of the DNA fragments to be ligated.

Unless otherwise stated, transformation was performed as described in the method of Graham, F. and Van der Eb, A., Virology, 52:456-457 (1973).

Example 1

Bacterial Expression and Purification of Glycosidase Enzymes

DNA encoding the enzymes of the present invention, SEQ ID NOS: 1-14 and 57-60 were initially amplified from a pBluescript vector containing the DNA by the PCR technique using the primers noted herein. The amplified sequences were then inserted into the respective PQE vector listed beneath the primer sequences, and the enzyme was expressed according to the protocols set forth herein. The 5' and 3' primer sequences for the respective genes are as follows:

Thermococcus AEDII12RA -18B/G

5' CCGAGAATTCATTAAAGAGGAGAAATTAACTATGGTGAATGCTATGATTGTC 3' (SEQ ID NO:29)

3' CGGAAGATCTTCATAGCTCCGGAAGCCCATA 5' (SEQ ID NO:30)

Vector: pQE12; and contains the following restriction enzyme sites 5' EcoRI and 3' Blg II.

5

10

15

20

25

5' CCGAGAATTCATTAAAGAGGAGAAATTAACTATGATAAGAAGGTCCGATTTTCC 3'

(SEQ ID NO:31)

OC1/4V-33B/G

3' CGGAAGATCTTTAAGATTTTAGAAATTCCTT 5' (SEQ ID NO:32)

Vector: pQE12; and contains the following restriction enzyme sites 5' EcoRI and 3' Bgl II.

Thermococcus 9N2 - 31B/G

5' CCGAGAATTCATTAAAGAGGAGAAATTAACTATGCTACCAGAAGGCTTTCTC 3' (SEQ ID NO:33)

3' CGGAGGTACCTCACCCAAGTCCGAACTTCTC 5' (SEQ ID NO:34)

Vector: pQE30; and contains the following restriction enzyme sites 5' EcoRI and 3' KpnI.

Staphylothermus marinus F1 - 12G

5' CCGAGAATTCATTAAAGAGGAGAAATTAACTATGATAAGGTTTCCTGATTAT 3' (SEQ ID NO:35)

3' CGGAAGATCTTTATTCGAGGTTCTTTAATCC 5' (SEQ ID NO:36)

Vector: pQE12; and contains the following restriction enzyme sites 5' EcoRI and 3' Bgl II.

Thermococcus chitonophagus GC74 - 22G

5' CCGAGAATTCATTCATTAAAGAGGAGAAATTAACTATGCTTCCAGGAGAACTTTCTC 3' (SEQ ID NO:37)

3' CGGAGGATCCCTACCCTCCTCTAAGATCTC 5' (SEQ ID NO:38)

Vector: pQE12; and contains the following restriction enzyme sites 5' EcoRI and 3' BamHI.

MIITL

5

10

15

20

25

5' AATAATCTAGAGCATGCAATTCCCCAAAGACTTCATGATAG 3' (SEQ ID NO:39)

3' AATAAAAGCTTACTGGATCAGTGTAAGATGCT 5' (SEQ ID NO:40)

Vector: pQE70; and contains the following restriction enzyme sites 5' SphI and 3' Hind III.

Thermotoga maritima MSB8-6G

5' CCGACAATTGATTAAAGAGGAGAAATTAACTATGGAAAGGATCGATGAAATT 3' (SEQ ID NO:41)

3' CGGAGGTACCTCATGGTTTGAATCTCTTCTC 5' (SEQ ID NO:42)

Vector: pQE12; and contains the following restriction enzyme sites 5' EcoRI and 3' KpnI.

Pyrococcus furiosus VC1 - 7G1

5' CCGACAATTGATTAAAGAGGAGAAATTAACTATGTTCCCTGAAAAGTTCCTT 3' (SEQ ID NO:43)

3' CGGAGGTACCTCATCCCCTCAGCAATTCCTC 5' (SEQ ID NO:44)

Vector: pQE12; and contains the following restriction enzyme sites 5' EcoRI and 3' Kpn I.

Bankia gouldi endoglucanase (37GP1)

5

10

15

20

25

5' AATAAGGATCCGTTTAGCGACGCTCGC 3' (SEQ ID NO:45)

3' AATAAAAGCTTCCGGGTTGTACAGCGGTAATAGGC 5' (SEQ ID NO:46)

Vector: pQE52; and contains the following restriction enzyme sites 5' Bam HI and 3' Hind III.

Thermotoga maritima α-galactosidase (6GC2)

5' TITATTGAATTCATTAAAGAGGAGAAATTAACTATGATCTGTGTGGAAATATTCGGAAAG 3' (SEQ ID NO:47)

3' TCTATAAAGCTTTCATTCTCTCACCCTCTTCGTAGAAG 5' (SEQ ID NO:48)

Vector: pQET; and contains the following restriction enzyme sites 5' EcoRI and 3' Hind III.

Thermotoga maritima \(\beta\)-mannanase (6GP2)

5' TTTATTCAATTGATTAAAGAGGAGAAATTAACTATGGGGGATTGGTGGCGACGAC 3' (SEQ ID NO:49)

3' TTTATTAAGCTTATCTTTTCATATTCACATACCTCC 5' (SEQ ID NO:50)

Vector: pQEt; and contains the following restriction enzyme sites 5' Hind III and 3' EcoRI.

AEPII 1a ß-mannanase (63GB1)

5' TTTATTGAATTCATTAAAGAGGAGAAATTAACTATGCTACCAGAAGAGTTCCTATGGGGC 3' (SEQ ID NO:51)

3' TTTATTAAGCTTCTCATCAACGGCTATGGTCTTCATTTC 5' (SEQ ID NO:52)

Vector: pQEt; and contains the following restriction enzyme sites 5' Hind III and 3' EcoRI.

OCI/4V endoglucanase (33GP1)

5' AAAAAACAATTGAATTCATTAAAGAGGAGAAATTAACTATGGTAGAAAGACACTTCAGATATGTTCTT 3' (SEQ ID NO:53)

3' TTTTTCGGATCCAATTCTTCATTTACTCTTTGCCTG 5' (SEQ ID NO:54)

Vector: pQEt; and contains the following restriction enzyme sites 5' BamHI and 3' EcoRI.

Thermotoga maritima pullalanase (6GP3)
5' TTTTGGAATTCATTAAAGAGGAGAAATTAACTATGGAACTGATCATAGAAGGTTAC 3'
(SEQ ID NO:55)
3' ATAAGAAGCTTTTCACTCTCTGTACAGAACGTACGC 5' (SEQ ID NO:56)

5

10

15

20

25

Vector: pQEt; and contains the following restriction enzyme sites 5' EcoRI and 3' Hind III.

The restriction enzyme sites indicated correspond to the restriction enzyme sites on the bacterial expression vector indicated for the respective gene (Qiagen, Inc. Chatsworth, CA). The pQE vector encodes antibiotic resistance (Amp^r), a bacterial origin of replication (ori), an IPTG-regulatable promoter operator (P/O), a ribosome binding site (RBS), a 6-His tag and restriction enzyme sites.

The pQE vector was digested with the restriction enzymes indicated. The amplified sequences were ligated into the respective pQE vector and inserted in frame with the sequence encoding for the RBS. The ligation mixture was then used to transform the <u>E. coli</u> strain M15/pREP4 (Qiagen, Inc.) by electroporation. M15/pREP4 contains multiple copies of the plasmid pREP4, which expresses the lacI repressor and also confers kanamycin resistance (Kan'). Transformants were identified by their ability to grow on LB plates and ampicillin/kanamycin resistant colonies were selected. Plasmid DNA was isolated and confirmed by restriction analysis. Clones containing the desired constructs were grown overnight (O/N) in liquid culture in LB media supplemented with both Amp (100 ug/ml) and Kan (25 ug/ml). The O/N culture was used to inoculate a large culture at a ratio of 1:100 to 1:250. The cells were grown to an optical density 600 (O.D. 600) of between 0.4 and IPTG ("Isopropyl-B-D-thiogalacto pyranoside") was then added to a final 0.6. concentration of 1 mM. IPTG induces by inactivating the lacI repressor, clearing the P/O leading to increased gene expression. Cells were grown an extra 3 to 4 hours. Cells were then harvested by centrifugation.

The primer sequences set out above may also be employed to isolate the target gene from the deposited material by hybridization techniques described above.

Example 2

Isolation of A Selected Clone From the Deposited genomic clones

5

10

15

20

25

A clone is isolated directly by screening the deposited material using the oligonucleotide primers set forth in Example 1 for the particular gene desired to be isolated. The specific oligonucleotides are synthesized using an Applied Biosystems DNA synthesizer. The oligonucleotides are labeled with ³²P--ATP using T4 polynucleotide kinase and purified according to a standard protocol (Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press, Cold Spring, NY. 1982). The deposited clones in the pBluescript vectors may be employed to transform bacterial hosts which are then plated on 1.5% agar plates to the density of 20,000-50,000 pfu/150 mm plate. These plates are screened using Nylon membranes according to the standard screening protocol (Stratagene, 1993). Specifically, the Nylon membrane with denatured and fixed DNA is prehybridized in 6 x SSC, 20 mM NaH₂PO₄, 0.4%SDS, 5 x Denhardt's 500 μg/ml denatured, sonicated salmon sperm DNA; and 6 x SSC, 0.1% SDS. After one hour of prehybridization, the membrane is hybridized with hybridization buffer 6xSSC, 20 mM NaH, PO4, 0.4%SDS. 500 ug/ml denatured, sonicated salmon sperm DNA with 1x106 cpm/ml 32P-probe overnight at 42°C. The membrane is washed at 45-50°C with washing buffer 6 x SSC, 0.1% SDS for 20-30 minutes dried and exposed to Kodak X-ray film overnight. Positive clones are isolated and purified by secondary and tertiary screening. The purified clone is sequenced to verify its identity to the primer sequence.

Once the clone is isolated, the two oligonucleotide primers corresponding to the gene of interest are used to amplify the gene from the deposited material. A polymerase chain reaction is carried out in 25 μ l of reaction mixture with 0.5 ug of the DNA of the gene of interest. The reaction mixture is 1.5-5 mM MgCl₂, 0.01% (w/v) gelatin, 20 μ M each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of Taq

polymerase. Thirty five cycles of PCR (denaturation at 94°C for 1 min; annealing at 55°C for 1 min; elongation at 72°C for 1 min) are performed with the Perkin-Elmer Cetus automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis and the DNA band with expected molecular weight is excised and purified. The PCR product is verified to be the gene of interest by subcloning and sequencing the DNA product. The ends of the newly purified genes are nucleotide sequenced to identify full length sequences. Complete sequencing of full length genes is then performed by Exonuclease III digestion or primer walking.

5

10

15

20

Example 3

Screening for Galactosidase Activity

Screening procedures for α -galactosidase protein activity may be assayed for as follows:

Substrate plates were provided by a standard plating procedure. Dilute XL1-Blue MRF E coli host of (Stratagene Cloning Systems, La Jolla, CA) to O.D.₆₀₀ = 1.0 with NZY media. In 15 ml tubes, inoculate 200 μ l diluted host cells with phage. Mix gently and incubate tubes at 37 °C for 15 min. Add approximately 3.5 ml LB top agarose (0.7%) containing 1mM IPTG to each tube and pour onto all NYZ plate surface. Allow to cool and incubate at 37 °C overnight. The assay plates are obtained as substrate p-Nitrophenyl α -galactosidase (Sigma) (200 mg/100 ml) (100 mM NaCl, 100 mM Potassium-Phosphate) 1% (w/v) agarose. The plaques are overlayed with nitrocellulose and incubated at 4 °C for 30 minutes whereupon the nitrocellulose is removed and overlayed onto the substrate plates. The substrate plates are then incubated at 70 °C for 20 minutes.

Example 4

Screening of Clones for Mannanase Activity

A solid phase screening assay was utilized as a primary screening method to test clones for ß-mannanase activity.

5

10

15

20

25

A culture solution of the Y1090-*E. coli* host strain (Stratagene Cloning Systems, La Jolla, CA) was diluted to O.D. $_{600}$ =1.0 with NZY media. The amplified library from *Thermotoga maritima* lambda gtl1 library was diluted in SM (phage dilution buffer): 5 x 10⁷ pfu/µl diluted 1:1000 then 1:100 to 5 x 10² pfu/µl. Then 8 µl of phage dilution (5 x 10² pfu/µl) was plated in 200 µl host cells. They were then incubated in 15 ml tubes at 37 °C for 15 minutes.

Approximately 4 ml of molten, LB top agarose (0.7%) at approximately 52 °C was added to each tube and the mixture was poured onto the surface of LB agar plates. The agar plates were then incubated at 37 °C for five hours. The plates were replicated and induced with 10 mM IPTG-soaked Duralon-UVTM nylon membranes (Stratagene Cloning Systems, La Jolla, CA) overnight. The nylon membranes and plates were marked with a needle to keep their orientation and the nylon membranes were then removed and stored at 4 °C.

An Azo-galactomannan overlay was applied to the LB plates containing the lambda plaques. The overlay contains 1% agarose, 50 mM potassium-phosphate buffer pH 7, 0.4% Azocarob-galactomannan. (Megazyme, Australia). The plates were incubated at 72 °C. The Azocarob-galactomannan treated plates were observed after 4 hours then returned to incubation overnight. Putative positives were identified by clearing zones on the Azocarob-galactomannan plates. Two positive clones were observed.

The nylon membranes referred to above, which correspond to the positive clones were retrieved, oriented over the plate and the portions matching the locations of the clearing zones for positive clones were cut out. Phage was eluted from the membrane cut-out portions by soaking the individual portions in 500 μ l SM (phage dilution buffer) and 25 μ l CHCl₃.

Example 5

Screening of Clones for Mannosidase Activity

A solid phase screening assay was utilized as a primary screening method to test clones for \(\beta \)-mannosidase activity.

5

10

15

20

25

A culture solution of the Y1090-*E. coli* host strain (Stratagene Cloning Systems, La Jolla, CA) was diluted to O.D. $_{600}$ =1.0 with NZY media. The amplified library from AEPII 1a lambda gtl1 library was diluted in SM (phage dilution buffer): 5×10^7 pfu/µl diluted 1:1000 then 1:100 to 5×10^2 pfu/µl. Then 8 µl of phage dilution (5×10^2 pfu/µl) was plated in 200 µl host cells. They were then incubated in 15 ml tubes at 37 °C for 15 minutes.

Approximately 4 ml of molten, LB top agarose (0.7%) at approximately 52 °C was added to each tube and the mixture was poured onto the surface of LB agar plates. The agar plates were then incubated at 37 °C for five hours. The plates were replicated and induced with 10 mM IPTG-soaked Duralon-UVTM nylon membranes (Stratagene Cloning Systems, La Jolla, CA) overnight. The nylon membranes and plates were marked with a needle to keep their orientation and the nylon membranes were then removed and stored at 4 °C.

A p-nitrophenyl-ß-D-manno-pyranoside overlay was applied to the LB plates containing the lambda plaques. The overlay contains 1% agarose, 50 mM potassium-phosphate buffer pH 7, 0.4% p-nitrophenyl-ß-D-manno-pyranoside. (Megazyme, Australia). The plates were incubated at 72 °C. The p-nitrophenyl-ß-D-manno-pyranoside treated plates were observed after 4 hours then returned to incubation overnight. Putative positives were identified by clearing zones on the p-nitrophenyl-ß-D-manno-pyranoside plates. Two positive clones were observed.

The nylon membranes referred to above, which correspond to the positive clones were retrieved, oriented over the plate and the portions matching the locations of the clearing zones for positive clones were cut out. Phage was eluted from the membrane cut-out portions by soaking the individual portions in 500 μ l SM (phage dilution buffer) and 25 μ l CHCl₃.

Example 6

Screening for Pullulanase Activity

Screening procedures for pullulanase protein activity may be assayed for as follows:

Substrate plates were provided by a standard plating procedure. Host cells are diluted to $O.D._{600} = 1.0$ with NZY or appropriate media. In 15 ml tubes, inoculate 200 μ l diluted host cells with phage. Mix gently and incubate tubes at 37 °C for 15 min. Add approximately 3.5 ml LB top agarose (0.7%) is added to each tube and the mixture is plated, allowed to cool, and incubated at 37 °C for about 28 hours. Overlays of 4.5 mls of the following substrate are poured:

100 ml total volume

5

10

15

20

25

0.5g	Red Pullulan Red (Megazyme, Australia)
1.0g	Agarose
5ml	Buffer (Tris-HCL pH 7.2 @ 75 °C)
2ml	5M NaCl
5ml	CaCl ₂ (100mM)

85ml dH₂O

Plates are cooled at room temperature, and thenm incubated at 75°C for 2 hours. Positives are observed as showing substrate degradation.

Example 7

Screening for Endoglucanase Activity

Screening procedures for endoglucanase protein activity may be assayed for as follows:

1. The gene library is plated onto 6 LB/GelRite/0.1% CMC/NZY agar plates (~4,800 plaque forming units/plate) in E.coli host with LB agarose as top agarose. The plates are incubated at 37°C overnight.

- 2. Plates are chilled at 4°C for one hour.
- 3. The plates are overlayed with Duralon membranes (Stratagene) at room temperature for one hour and the membranes are oriented and lifted off the plates and stored at 4°C.
- 4. The top agarose layer is removed and plates are incubated at 37°C for ~3 hours.
 - 5. The plate surface is rinsed with NaCl.

5

10

15

20

25

- 6. The plate is stained with 0.1% Congo Red for 15 minutes.
- 7. The plate is destained with 1M NaCl.
- 8. The putative positives identified on plate are isolated from the Duralon membrane (positives are identified by clearing zones around clones). The phage is eluted from the membrane by incubating in $500\mu l~SM \pm 25\mu l~CHCl_3$ to elute.
- 9. Insert DNA is subcloned into any appropriate cloning vector and subclones are reassayed for CMCase activity using the following protocol:
- i) Spin 1ml overnight miniprep of clone at maximum speed for 3 minutes.
- ii) Decant the supernatant and use it to fill "wells" that have been made in an LB/GelRite/0.1% CMC plate.
 - iii) Incubate at 37°C for 2 hours.
 - iv) Stain with 0.1% Congo Red for 15 minutes.
 - v) Destain with 1M NaCl for 15 minutes.
 - vi) Identify positives by clearing zone around clone.

Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, within the scope of the appended claims, the invention may be practiced otherwise than as particularly described.

WHAT IS CLAIMED IS:

- 1. An isolated polynucleotide selected from the group consisting of:
 - (a) SEQ ID NOS: 1-14 and 57-60;
 - (b) SEQ ID NOS: 1-14 and 57-60, wherein T can also be U;
 - (c) polynucleotide sequences complementary to SEQ ID NOS: 1-14 and 57-60;
 - (d) polynucleotide sequences which encode an amino acid sequence as set forth in SEQ ID NOS:15-28, and 61-64; and
 - (e) fragments of (a), (b), (c) or (d) that are at least 15 consecutive bases in length and that will selectively hybridize to DNA which encodes a polypeptide of SEQ ID NOS:15-28, and 61-64.
- 2. A vector comprising a polynucleotide of claim 1.
- 3. A host cell containing the vector of claim 2.
- 4. The method of claim 3, wherein the host cell is a eukaryotic cell.
- 5. The method of claim 3, wherein the host cell is a prokaryotic cell.
- 6. A method for producing a polypeptide comprising:
 - (a) culturing the host cells of claim 3;
 - (b) expressing from the host cell of claim 3 a polypeptide encoded by said polynucleotide; and
 - (c) isolating the polypeptide.

- 7. An enzyme selected from the group consisting of:
 - (a) an enzyme comprising an amino acid sequence set forth in SEQ ID NOS: 15-28 or 61-64; and
 - (b) an enzyme which comprises at least 30 consecutive amino acid residue as an enzyme of (a).
- 8. An enzyme of which at least a portion is coded for by a polynucleotide of claim 1, and which is selected from the group consisting of:
 - (a) an enzyme comprising an amino acid sequence which is at least 70% identical to an amino acid sequence selected from the group of amino acid sequences set forth in SEQ ID NOS:15-28 or 61-64; and
 - (b) an enzyme which comprises at least 30 amino acid residues to the enzyme of (a).
- 9. A method for generating glucose from soluble cell oligosaccharides comprising contacting a sample containing oligosaccharides with an effective amount of an enyzme selected from the group consisting of an enzyme having the amino acid sequence set forth in SEQ ID NOS: 15-28, 61-63 and 64 such that glucose is produced.
- 10. The method of cliam 9, wherein the sample is selected from the group consisting of dairy products, fruit juices, detergents, textiles, guar gum, animal feed, plant biomass and waste products.
- The method of claim 9, wherein the oligosaccharide is selected from the group consisting of maltose, cellobiose, lactose, sucrose, raffinose, stachyose, verbascose, cellulose, starch, amylose, glycogen, disacharrides, polysacharrides and pullulan.

				ı	•
		,			

M11TL GLYCOSIDASE - 29G COMPLETE GENE SEQUENCE - 9/95

•	1 11 M	FG A	ΛΛ 1 γ: Ι	Tre . Tue	ree Pro	AA/1	CAL.	Tale .	A'I'r .	ATA	0331	T'A1	TUA	ור גני הר גני	, .Li.,V	ur:	1-1-1	('AA	.1-1-1.	Clu /	aT 60
		•								• • • •	,	٠,,			210-1	Pro	Phy	1:10	Pho	Glu 7	Ot10
.:	1 (1)	γŀ	ו הו	rn (:ly	Ser	Glu	Asp	P1+1	Asn	Ser	лкр Дкр	Trp	Trp	CTA VAI	TGG	CTG Val	CAT Hes	GAT AND	erc Pro-r	AG 120
1::	1 1	C A	A G	CA C	cr e	COA I	CTIA (ere.	At:		r' A'r										
18			•					• • • • • • • • • • • • • • • • • • • •		,	*****	rine	פיזיו	Giu	Asn	C) A	ľro	Gly	Tyı	TID A	en no
6	Le	ι λε	n G	n A	sn A	sp F	is A	SAC C	en i	CICTY Ala	CAC	AAG Lys	CTC Leu	GGG	CTT Val	AAC Asn	ACT Thi	A'PT Ile	ΛGΛ Λro	CTA (C	IC 240
24 I 8 I	CT	r GA	CTO	G A	ST A	CG A	TT 7		·CA /	AAC (. ~					_				
					''		1 C	ne r	10 1	LYB (PIG	nr.	Phe .	Asn	Val :	Lys	Val :	Pro V	/al (lu Ar	9 100
101	Asp	GA	J AS	C GC	y S	GC A	TT G le V	TT C	AC G is V	TA C	SAT C	TC (SAT (SAT A	AAA (SCG (TT C	AA A	GA C	TT CA	7 360
361	GAA	TTA	GC	: 🗚	C A	a c	AG G	ככ כד	TA A	AC C	ልጥ ጥ	3C C	~ ·								
121					,		.u .	ia ve	*	an A	13 T	yr v	91 C	lu M	et T	yr L	YS A	sp T	א פב	al Glu	140
141	AGA Arg	Gly	AC)	Ly:	A CI E Le	T A7	A CT	1C AJ	IT T	TA T. Su Ty	AC C. yr H:	AT T	GG C	cc c	TG C	CT C	TC TY	56 C	TT C	AC AAC	480
481	CCV	ATC	ATC	GT	G AG	A AG	A AT	יני ככ	c cc	n co	1° 10										
				• • •		A VI	g ne	E 61	y Pr	O AE	SP AZ	g A.	ia P	ro Se	er G	ly Ti	rp Le	tu As	n Gl	u Glu	540 180
541 181	TCC Ser	CTG Val	CTC Val	GAC Glu	Pho	T GC	C AA a Ly	A TA	c GC	C GC	A TA	C A5	T GO	T TC	ii w	ω λ:	'G GG	C CA	.G CT	A CCT u Pro	600
601	CII	ATG	TCG	AGC	ACC	ATO		c ca		~ 44	- 	- ~ -	-								200
	-		,		• • • • •	. ne	- A31	n 611	1 PE	O AS	n va	ı Va	1 TY	r Gl	u G1	n G1	у ту	r He	t Ph	e Val	660 220
661 221	Lys	GGG	GGT Gly	TTC	CCA Pro	CCC	600	TAC	TTO	G AG	T TT	G GA	A 50	7 60	T GA	T AA	G GC	C AG	G AG	A AAT Asn	720
																					240
721 241	Mot :	Ile	Gln	Ala	His	Ala	Arg	Ala	Ty	r yzi r gy	yar C YY.	r Ar	F AA. B Ly:	A CG	g Phe	C AG	r AAG	Lyt	CCT	CTT Val	780 260
781	GGA (TA.	ATA	TAC	CCT	TTC	CAA		المنت		· ~~	-									840
	, -			.,.	^14	Pag	Gin	rrp	Phe	GIL	Lec	Lec	2 610	7 C1	y Pro	o Ala	C)r	Val	Pho	Asp	280
281	AAG 1 Lys F	he l	Lys	Ser	TCT Ser	Lys	TTA Leu	TAC	TAT Tyr	Pho Pho	ACA Thr	GAC Asp	I ATA	Val	Sar	Lys	GGT	AGT	TCA Ser	ATC Ile	300 300
901	ATC A	AT (ar i	GAA	TAC	AGG	AGA	GAT	CTT	GCC	AAT	AGG	ه۳۰:	CAC	• •••						960
• - •	/	•		314	IYE	Arg	Arg	ASP	Leu	Ala	λsn	Arg	Leu	λsp	Trp	Lau	Gly	Val	Asn	Tyr	320
961 ·	TAT A Tyr S	er y	IGT '	Leu	CTC Val	TAC Tyr	AAA Lys	ATC Ile	CTC Val	GAT	GAC Asp	AAA Lys	CCT Pro	ATA	ATC	CTG	CAC	GGG	TAT	GGA G1 v	1020 340
1021	דר כ	TT 1	CT /	\CA	CCT	GGG	GGG	ATC	AGC	cca	GCT	CAA	AAT	C-#		100					1080
• • •		-	, y a	1112	Pro	CIA	GIY	He	Ser	Pro	Ala	Glu	Asn	Pro	Cys	Ser	Asp	Phe	Gly	Trp	360
1081 C	GAG G	TG T	AT (, to	GAA Glu	GGA	CTC Leu	TAC	CTA Leu	CTT	CTA Leu	AAA Lvs	GAA G1u	CTT	TAC	AAC	CGA	TAC	CCC	GTA	
	SAC T																				380
381 A	isp L	eu [le v	a)	Thr	Clu	Asn	Gly	Val	Ser	Asp	Ser	۸ra	Asp	Ala	Leu	AGA	Pro	GCA Ala	TAC Ty:	1200
120) C	TG G1	ro m	ed c	'AT (ririr V.s. i	1'AC	AGC	GTA	TGG	AAA	GCC	CCT	VVC.	GAG	CCC	A'l'T	ccc	GTC	~ ^	ממני	. 1260
	anu Va																				420
421 T	A t. 190	10 II	i :: 1	111		tani	The	Vith	ли Ли	Tyr	Glu	714; 714	VI.	CAG	CITY	lare.	ACC Arg	CAG GIn	۸۸۸ ۱.γ.:	Tre:	1 G2U 440

	tely.	tra:	GAG	A 7"1 "	 		-		 1.441	A	r,	****	A I	Lang		460
1441 4H1		FVA	14	46		•			 	1.141	11171	1.4.41	. Thu	Jary	110	1110

Figure 1b(Continued)

OC1/4 GLYCOSIDASE - 33G/B COMPLETE GENE SEQUENCE - 9/95

GENE SEQUENCE - 9/95	
ATTE ATTA AGA AGG TOO GAT TITT O'CA AAA GAT TIT ATC TITC GGA ACTE GET ACTE GEA GOA TA	
1 Met lie Arg Arg Ser Asp Phe Pro Lys And Phe Ile Phe Gly The Ala The Ala Ty	C 60
GI C'AG ATT GAA GGT GCA GCA AAC GAA GAT GGC AGA GGG CCA TCA ATT TOG GAT GTC TTT TCA	
121 CAC ACG CCT GGC AMA ACC CTG AMC GGT GAC ACA GGA GAC GTT GCG TGT GAC CAT TAT CAC 181 CGA TAC AAG GAA CAT ATC GAT AND Gly ASP THE Gly ABP VAL ALA CYS ASP HIS TYE HIS	180
	60
	•••
61 Arg Tyr Lys Glu Asp Ilo Gln Leu Mer Lys Glu Ilo Gly Lou Asp Ala Tyr Arg Phe Ser	240
	80
241 ATC TCC TGG CCC AGA ATT ATG CCA GAT GGG AAG AAC ATC AAC CAA AAG GGT GTG GAT TTC 81 Ild Ser Trp Pro Arg Ild Het Pro Asp Gly Lys Asp Ild Arg Gly	
	300
	100
101 Tyr Asn Arg Lou Val Asp Glu Leu Lou Lys Asn Asp Ilo Ilo Pro Phe Val Thr Leu Tyr	360
The same and and pro the value of the same and the same a	120
161 CAC TGG GAC TTA CCC TAC GCA CTT TAT GAA AAA GGT GGA TGG CTT AAC CCA GAT ATA GCG	
	420
THE ACT THE ACT CON THE CONTRACT OF	140
421 CTC TAT TTC AGA GCA TAC GCA ACG TTT ATG TTC AAC GAA CTC GCT GAT CGT GTG AAA CAT 141 Leu Tyr Phe Arg Ala Tyr Ala Thr Pho Het Phe Asn Glu Leu Gly Asp Arg Val Lys His	480
The rate of the last	160
161 Trp Ile Thr Leu Asn Glu Pro Trp Cys Ser Ser Phe Ser Gly Tyr Tyr Thr Gly Glu His	540
541 GCC CCG CCT CAT CAL AND THE STATE OF THE STATE OF STA	180
541 GCC CCG GGT CAT CAA AAT TTA CAA GAA GCG ATA ATC GCG GCG CAC AAC CTG TTG AGG GAA	500
	200
THE WOLLDE CAT COT ONE OLD THE	
201 His Gly His Ala Val Gln Ala Ser Arg Glu Glu Val Lys Asp Gly Glu Val Gly Leu Thr	660
661 AAC GTT GTG ATC ALL AND	220
661 AAC GTT GTG ATG ANA ATA GAA CCG GGC GAT GCA ANA CCC GNA AGT TTC TTG GTC GCA AGT T	
The sale of the sa	720 140
141 CIT GIT GAT AND THE COM AND THE	•••
721 CTT GTT GAT AAG TIC GTT AAT GCA TGG TCC CAT GAC CCT GTT GTT TTC GGA AAA TAT CCC 7 241 Lou Val Asp Lys Pho Val Asn Ala Trp Sor His Asp Pro Val Val Pho Gly Lys Tyr Pro 2	80
781 GAA CAN GON TO THE PEO 2	60
781 GAA GAA GCA GTT GCA CTT TAT ACG GAA AAA GGG TTG CAA GTT CTC GAT AGC GAT ATG AAT 8	
Val Deu Asp Ser Asp War 1 3	40
ATT ATT TCG ACT CCT AMP OF THE	80
281 Ilo Ilo Ser Thr Pro Ile Asp Phe Phe Gly Val Ash Tyr Tyr Thr Arg Thr Leu Val Val	00
The Law Val Val Val	0
The state of the s	
ATG GGA TGG GAA ATG TAG GGG TAG TG	0
321 Mot Gly Trp Glu Ile Tyr Pro Gln Gly 191 THT GAT ATG CTG GTC TAT CTG AAG GAA AGA 10	20
not be val for the attention	
1944 IAT AAA CTA CCA COO OLO III	
	80
TOTAL OUR AGA CTT CAT CAT AND THE TAIL	0
1081 GGA AGA GTT CAT GAT AAT TAC CGA ATT GAA TAT TTC GAA AAG CAC TTT GAA AAA GCA CTT 11.	10
The bys his pre Glu live Ala land and	
· · · · · · · · · · · · · · · · · · ·	
181 Glu Ala Ilo Asn Ala Asp Val Asp Leu Lys Cly Tyr Phe Ile Trp Ser Leu Het Asp Asn 400	00
THE TIP SET LOU MET AND AND)
The life lyr Val Asp Tur Asp The Alle	
TOTAL CON MAN AGG ATA TOTAL AAA TAA AAA	,
421 Pro Lys Arg He Leu Lys Asp Ser Ala Het Trp Leu Lys Glu Phe Leu Lys Ser End 419	
Att Trp Leu Lys Clu Phe Leu Lys Ser End 419	

STAPHYLOTHERMUS MARINUS GLYCOSIDASE - 12G COMPLETE GENE SEQUENCE 9/95

TTC ATA ACC -	
1 TTG ATA AGG TIT CCT GAT TAT TTC TTG TIT GGA AGA GGT AGA TGA TGG GAG GAG ATG GAG. 1 Met 11e Arg Phe Pro Asp Tyr Pho Leu Phe Gly Thr Ale Thr San Gar Gag ATG GAG.	
1 Met 11e Arg Phe Pro Asp Tyr Pho Leu Phe Gly Thr Ala Thr Ser Ser His Gln 11e Glu 2	0
61 CGT AAT AAC ATA TIT AAT GAT TGG TGG GAG TGG GAG ACT AAA GGC AGG ATT AAG GTG AGA 12 21 Gly Asn Asn Ile Pho Asn Asp Trp T 'p Glu Trp Glu Thr Lvs Glu Asn Asn Ile	.,
21 Gly Asn Asn Ile Pho Asn Asp Trp T'p Glu Trp Glu Thr Lys Gly Arg Ile Lys Val Arg 40	30
	,
41 Ser Gly Lys Ala Cys Asn His Trp Glu Leu Tyr Lys Glu Asp Ile Glu Leu Het Ala Glu 60	
181 CTG GGA TAT AAT GCT TAT AGG TTC TGC ATA GAG TGG AGT AGA ATA TTT CCC AGA AAA GAT 24	(
61 Leu Gly Tyr Asn Ala Tyr Arg Phe Ser Ile Glu Trp Ser Arg Ile Phe Pro Arg Lys Asp 80 241 CAT ATA GAT TAT GLG TOTA	0
241 CAT ATA GAT TAT GAG TCG CTT AAT ANG TAT AND GAT	
241 CAT ATA CAT TAT GAG TCG CTT AAT AAG TAT AAG GAA ATA GTT AAT CTA CTT AGA AAA TAC 300 301 GGG ATA GAA CCT CTA ATC ACC ACC ACC ACC ACC ACC A)
301 GGG ATA CAN GOD)
301 GGG ATA GAA CCT GTA ATC ACT CTT CAC CAC TTC ACA AAC CCG CAA TGG TTT ATG AAA ATT 360 361 GGT GGA TGG ACT ACC CAC TAC His His Phe Thr Asn Pro Gln Trp Phe Het Lys Ile 120	,
J61 GGT GGA TYC ACT 100 011	
J61 GGT GGA TGG ACT AGG GAA GAG AAC ATA AAA TAT TTT ATA AAA TAT GTA GAA CTT ATA GCT 420 121 Gly Gly Trp Thr Arg Glu Glu Asn Ilo Lys Tyr Pho Ilo Lys Tyr Val Glu Lou Ilo Ala 140 421 TCC GAG ATA AAA CAG GGG AND AND GLO GGG AND AND GLO GAG ATA AAA TAT GTA GAA CTT ATA GCT 420	
421 TCC GAG ATA ANA GAG ATA	
421 TCC GAG ATA AAA GAC GTG AAA ATA TGG ATC ACT ATT AAT GAA CCA ATA ATA TAT GTT TTA 480 141 Ser Glu Ile Lys Asp Val Lys Ile Trp Ile Thr Ile Asn Glu Pro Ile Ile Tyr Val Leu 160 481 CAA GTA TAT ATT TO THE TREE COLUMN TATA TAT GTT TTA 480	
481 CAA GGA TAT ATT TOO GGG GGG	
481 CAA GGA TAT ATT TCC GGC GAA TGG CCA CCT GGA ATT AAA AAT TTA AAA ATA GGT GAT CAA 540 161 Gln Gly Tyr Ilo Ser Gly Glu Trp Pro Pro Gly Ilo Lys Asn Leu Lys Ila Ala Asp Gln 180 541 GTA ACT ALC Alg and Transported the control of the	
541 GTA ACT ANG ANT CTT TTA ANA GCA CAT ANT GAN GCC TAT ANT ATA CTT CAT ANA CAC GGT 600	
199 AGE TIE ATE ELW	
The same will be the same with the same with the same	
ON CIT CAT TAT AAC ACT COM COM	
THE OUR CUT ACT AAC ACE AM	•
1201 ATA GCA COT ACC AAG ACT ATA ACT GAT GAA TAC CTA GAA AAA TAT GGA TTA AAG AAC CTC 1260 1261 GAA TIA 1201 1201 1201 1201 1201 1201 1201 120	
1266	
421 Glu End 422	

Figure 3

Thermococcus 9n2 Glydosidase -318/0 Complete gene seguence 9/95

tombicca yane sequence 9/95
ATG CTA CCA GAA GGC TIT CTC TGG GGC GTG TCC CAG TCC GGC TTT CAG TTC GAG ATG GGC 60
Het Lau Pro Glu Gly Phe Leu Trp Gly val Ser Gln Sex Gly Phe Gln Phe Glu Het Gly 20
61 GAC AAG CTC AGG AGG AAC ATT GAT CUG AAC AUA GAC TGG TGG AAG TGG GTC AGG GAT CCC 120 21 Asp Lys Leu Arg Arg Asp Ile Asp Pro Ash Thr Asp Trp Trp Lys Trp Val Arg Asp Pro 40
121 TTC AAC ATA AAG AGG GAA CTC UTC AGC UUC GAC CTU CCC GAG GAG GGG ATA AAC AAC TAT 180
The Am Its Lys Ard Glu Lau Val Ser Gly Asp Leu Pro Glu Glu Gly Its Ast Asc TAT 180 181 GAA CTT TAC CRO AND GROUP TO GRO
181 GAA CTT TAC GAG AAG GAT CAC CGC CTC GCC AMA GAC CTC GGT CTG AAC GTT TAC AGG ATT 240
61 Glu Leu Tyr Glu Lys Asp MLs Arg Leu Ala Arg Asp Leu Gly Leu Asn Val Tyr Arg Ile 80
241 GGA ATE COC TOTAL THE SO
241 GGA ATA GAG TGG AGG AGG ATC TTT CCC TGG CCA ACG TGG TTT GTG GAG GTT GAC OFF GAG 300
101 CGG GAC AGC TAC GGA CTC GTG AAG GAC GTC AAA ATC GAT AAA GAC ACG CTC GAA GAG CTC 160
101 Arg Asp Ser Tyr Gly Leu Vol Lys Asp Val Lys Ile Asp Lys Asp Thr Leu Glu Glu Leu 120
121 Asp Glu Ila Ala Asa His Gla Glu Ile Ala Tyr Tyr Arg Arg Val Ile Glu His Leu Arg 140
421 GAG CTC GGC TTC AAC GTC ATC GTC AAC CTC AAC CAC TTC ACG GTC CCC GTC TOC GTT CAC 480
161 Asp Pro Ile Ile Ala Arg Glu Lys Ala Leu Thr Aun Gly Arg Ile Gly Trp Val Gly Gin 180
501 CTT CAT ATG TGG AGC ACC TTC AAC GAG CCG ATG GTC GTT GTG GAG CTG GGT TAC CTC GCG 660 201 Val ASP Mec TEP Ser Thr Phe Ash Glu Pro Het Val Val Val Glu Leu Gly Tyt Leu Ala 220
Pro Tyr Ser Gly Phe Pro Pro Gly Val Met Am Pro Glu Ala Ala Lys Leu Ala Lie Leu 240
721 AAC ATG ATA AAC GCC CAC GCA CTG CCC TAC AAG ATG ATA AAG AAG TTC GAC AGG GTA AAG 780 241 Aan Het Ile Asm Ala His Ala Leu Ala Tyr Lys Het Ile Lys Lys Phe Asp Arg Val Lys 260 781 CCC CTG LLG CTG LLG CAC GCA CTG CCC TAC AAG ATG ATA AAG AAG AAG AFG AGG CTG AAG 780
251 Ale ASP Lye ASP Ser Arg Eer Glu Ale Glu val Gly Ile Ile Tyr Asm Asm Ile Gly Val 280
281 Als Tyr 200 Tyr Asp Ser Ash Asp Fro Lys Asp Val Ly
THE CALL AGE GOOD TOWN THE
301 Phe His Ser Gly Leu Phe Phe Amp Ala Ile Nie (Ar GOC AAC CTC AAC ATC GAG TTC GAC 960
The way way man the state of th
961 GGT GAG ACC TTC GTC AAA GTT CGG CAT CTC ACG GGG AAC GAC TGG ATA GGC GTT AAC TAC 1020
TITE INC. ALU AGI CIA CINC DOS AGE
1021 TAC ACG ACA GAA GTC GTC ACG TAT TCG GAG CCC AAG TTC CCG ACC ATA CCC CTG ATA TCC 1080 141 Tyr Thr Arg Glu Val Val Arg Tyr Ser Glu Pro Lys Pho Pro Ser Ile Pro Leu Ile Ser 160
361 Phe Arg Cly Val His Arm Tyr Cly Tyr Ala Cym Arg Pro Cly Ser Ser Ala Asp Cly 380
**** AND LLE GTA ACC CAC ACC COO TOTAL
181 AGG CCC GTA AGG GAC ATC GGC TGG GAG ATC TAT CCG GAG GGG ATC TAG GAG TCG ATA AGA 1200
did the Tyr Amp Ser Ile Amy Ann
14VI GAG GCC AAC AAA TAC CCC COO COO
601 Glu Ala Asn Lys Tyr Cly Vel Pro Vel Tyr Vel Thr Glu Asn Gly Ile Ale Asp Ser Thr 420
1261 GAC ACC CTG CCG CCC CCC CCC ACC CCC CCC CCC CCC CC
421 Asp Thr Leu Arg Pro Tyr Tyr Leu Ala Ser His Val Ala Lys Ile Glu Glu Ala Tyr Glu 440

.381 461	Leu d	ici ily	Phe Coc	ACC	ATG	ASG Arg	TTC Phe	e1A cec	CTC	TAT	Lys	CTG Val	GAT Amp	CTC	ATA	ACC Thr	AAG Lys	CAC Glu	ACA Aca	Ala ATA	4.5-
1501	CAN YOUR COLOR	rg TC	coc eta	Glu	Ser	Val	Lys	Val	TAT Tyr	yrg	GLY	ATC IIu 10	CTC Val	CAG Glu	AAC Aad	AAC Aan	CIA CCY	AST QLC	AOC Ser	MC Lys	1500 500

Figure 4b(Continued)

60

20

120

4()

ATG GAA AGG ATC GAT GAA ATT CTC TCT CAG TTA ACT ACA GAG GAA AAG GTG AAG CTC GTT Met Glu Arg He Asp Glu He Leu Ser Gin Leu Thr Thr Glu Gli Lys Val 1. vs GTG GGG TIT OTT CTA GGA CTT TIT GGG AAC CCA CAT TCC AGA TTG GCG GTT GCG CCT Val Gly Val Gly Leu Pro Gly Leu Phe Gly Asa Pro His Ser Arg Val Λla Gly Ala GGA GAA ACA CAT CCC GTT CCA AGA CTT GGA ATT CCT GCG TTT GTC CTG 121 Gly Glu Thr Hox Pro Val Pro Arg Leu Gly lie Pro Ala Phe Val Leu GCA GAT CCT CCC 180 Ciy Pro 60 GCA GGA CTC AGA ATA AAT CCC ACA AGG GAA AAC GAT GAA AAC ACT TAC 181 TAC ACG GCA Ala Gly Leu Are Ile Asn Pro Thr Are Glu Asn Asp Glu Asn Thr Tyr 61 240 Ala 80 TIT CCC GTT GAA ATC ATG CTC GCT TCT ACC TGG AAC AGA GAC CTT CTG CAA Phe Pro Val Glu lie Mei Leu Ala Ser Thr Trp Asn Arg Asp Leu Leu GAA GGA 300 Gly 100 AMA GCC ATG GGA GAA GAA GTT AGG GAA TAC GGT GTC GAT GTG CTT CTT 301 Lys Ala Mei Gly Glu Glu Val Arg Glu Tyr Gly Val Amp Val Leu Leu GCA CCT ATG 101 360 Ala Met 120 AND ATT CAC AGA AND COT CIT TOT GGA AGG ANT THE GAG TAC TAC TOA 361 GAA CCT στc His Arg Asn Pro Leu Cys Gly Arg Asn Phe Clu Tyr Tyr Se-420 A.sp 140 CTT TCC GOT GAA ATG GCT TCA GCC TTT GTC AAG GGA GTT CAA TCT CAA Leu Ser Gly Glu Met Ala Ser Ala Phe Val Lys Gly Val Gin Ser Gin CCC ord GGA GCC Gly TOC ATA AM CAC TIT GTC GCG AMC AMC CAG GAM ACG AMC AGG ATG GTA GT G Cys lie Lya His Phe Val Ala Asn Asn Gin Giu Thr Asn Arg Met ACG GAC ATC 540 Thr GTG TCC GAG CGA GCC CTC AGA GAA ATA TAT CTG AAA GGT TTT GAA ATT CCT Val Ser Glu Arg Ala Leu Arg Glu lie Tyr Leu Lys Gly Phe Glu lle OTC. AAG 600 Ala Lys Lys 200 GCA AGA CCC TGG ACC GTG ATG AGC GCT TAC AAC AAA CTG AAT GGA AAA 601 Ala Arg Pro Trp Thr Val Met Ser Ala Tyr Asn Lys Leu Asn Gly Lys Tyr TAC TOT TCA CAG 660 201 Cys 5cr Gin 220 AMC GAM TGG CTT TTG AMG AMG GTT CTC AGG GAM GAM TGG GGA TTT GGC AM GIU Trp Leu Lys Lys Val Leu Arg Giu Giu Trp Giy Phe Giy TTC στα ATG 720 240 Mct AGC GAC TGG TAC GCG GGA GAC AAC CCT GTA GAA CAG CTC AAG GCC GGA AAC GAT Ser Asp Trp Tyr Ala Gly Asp Asn Pro Val Clu Cln Leu Lys Ala Gly ATG Asn 260 ATG CCT GGG AAA GCG TAT CAG GTG AAC ACA GAA AGA AGA GAT GAA ATA GAA Met Pro Gly Lys Ala Tyr Gln Val Asn Thr Glu Arg Arg Asp Glu lie 261 GAA ATC 840 Clu Clu 280 GAG GCG TTG AAG GAG GGA AAA TTG AGT GAG GAG GTT CTC GAT GAG TGT Glu Ala Leu Lys Glu Gly Lys Leu Ser Glu Glu Val Leu Asp Glu Cys CTC AGA AAC ATT 900 Val Arg Asn 300 He CTC AAA GTT CTT GTG AAC GCG CCT TCC TTC AAA GGG TAC AGG TAC TCA Leu Lys Val Leu Val Ain Ala Pro Ser Phe Lys Gly Tyr Arg Tyr Ser AAC AAG cca GAT Asn 120 Lys Pro Aσp CTC GAA TCT CAC GCG GAA GTC GCC TAC GAA GCA GGT GCG GAG GGT GTT Leu Giu Ser His Ala Giu Val Ala Tyr Giu Ala Giy Ala Giu Giy Val CTC CTT 1020 GAG Lev Glu 1021 AAC AAC GOT GTT CTT CCG TTC GAT GAA AAT ACC CAT GTC GCC GTC TTT Asn Asn Gly Val Len Prn Phe Asp Glu Asn Thr His Val Ala Val Phe GGC Gly Gly 1081 ATC GAA ACA ATA AAG GGA GGA ACG GGA AGT GGA GAC ACC CAT CCG AGA lle Glu Thr lle 1.yx Gly Gly Thr Gly Ser Gly Asp Thr Hix Pru Arg TAC ACG 1140 Tyr THE ATC CTT GAA GGC ATA AAA GAA AGA AAC ATG AAG ITC GAC GAA GAA CTC GCT TCC ACT FAT 381 He Leu Glu Gly He Lys Glu Arg Ash Mei Lys Phe Ash Glu Glu Leu 1200 Ala 100

Figure: 5a

1201 GAG GAG TAC ATA AAA AAG ATG AGA GAA ACA GAG GAA TAT AAA CCC AGA ACC GAC FCT 401 Glu Glu Tyr He Lyx Lyx Mei Arg Glu Thr Glu Glu Tyr Lyx Pro Arg TCC Asp Set 420 1261 GGA ACG GTC ATA AAA CCG AAA CTC CCA GAG AAT TTC CTC TCA GAA AAA 421 Gly Thr Val He Lys Pro Lys Leu Pro Giu Asa Phe Leu Ser Glu Lys GAG ATA AAG 1320 City He Lys 440 1321 CCT CCA AAG AAA AAC GAT GTT GCA GTT GTG ATC AGT AGG ATC TCC 441 Pro Pro Lys Lys Asn Asp Val Ala Val Val Val lie Ser Arg lie CCT GAG GGA TAC 1380 GIV Clu City Tyr 460 1381 GAC AGA AAG CCG GTG AAA GGT GAC TTC TAC CTC TCC GAT GAC GAG CTG 461 Aup Arg Lya Pro Val Lya Gly Asp Phe Tyr Leu Ser Aip Asp Glu Leu GAA CTC 1440 Glu Leu Lys 440 1441 ACC GTC TCG AAA GAA TTC CAC GAT CAG GGT AAG AAA GTT GTG GTT CTT 481 Thr Val Ser Lys Glu Phe His Asp Gln Gly Lys Lys Val Val CTG AAC ATC GGA 1500 Leu Gly 1501 AGT CCC ATC GAA GTC GCA AGC TGG AGA GAC CTT GTG GAT GGA ATT CTT 100 501 Ser Pro Ile Glu Val Ala Ser Trp Arg Asp Leu Val Asp Gly Ile CTC CIC TCG CAG 1360 ياما Val Trp Gin 520 1561 GCG GGA CAG GAG ATG GGA AGA ATA GTG GCC GAT GTT CTT GTG GGA AAG 521 Ala Gly Gin Glu Met Gly Arg Ile Val Ala Asp Val Leu Val Gly Lya ATT AAT CCC TCC 1620 Asn 1621 GGA ALA CTT CCA ACG ACC TTC CCG AAG GAT TAC TCG GAC OTT CCA TCC Gly Lys Leu Pro Thr Thr Phe Pro Lys Asp Tyr Ser Asp Val Pro Ser TGG ACG TTC 1680 CCA Tar Page 1681 GGA GAG CCA AAG GAC AAT CCG CAA AGA GTG GTG TAC GAG GAA GAC ATC Pro 560 561. Gly Glu Pro Lys Asp Asn Pro Gin Arg Val Val Tyr Gru Clu Asp lie TAC GGA TAC 1740 City Tyr 580 1741 AGG TAC TAC GAC ACC TTC GGT GTG GAA CCT GCC TAC GAA TTC GGC TAC 581 Arg Tyr Tyr Asp Thr Phe Cly Val Giu Pro Ala Tyr Giu Phe Gly Tyr GGC CTC TCT TAC 1800 Tyr 600 1801 ACA ANG TIT GAN TAC ANN GAT TIN ANN ATC GCT ATC GAS GGT GAG ACG 601 Thr Lys Phe Glu Tyr Lys Asp Leu Lys Ite Ala Ite Asp Gly Glu CTC ACA TCG 1860 The Lev Arg 620 1861 THE AEG ATE ACA AND AET GOD GAD AGA GET GGA AND GAN OTT TEA CAG 621 Tyr Thr lie Thr Am Thr Gly Amp Arg Aia Gly Lys Glu Val Ser GTC TAC ATC 1920 Gìn Lys 1921 GCT CCA MA GGA MA ATA GAC MA CCC TTC CAG GAG CTG MA GCG TTT 641 Ala Pro Lya Gly Lys lie Asp Lys Pro Phe Glo Glu Leu Lys Ala Phe CAC AAA ACA 1980 His Lys The Lys 660 1981 CTT TTG AAC CCG GGT GAA TCA GAA GAA ATC TCC TTG GAA ATT CCT CTC 661 Leu Leu Ain Pro Gly Glu Ser Glu Glu lle Ser Leu Glu lle Pro Leu AGA GAT CIT GCG 2040 Arg ٨ρο Leu 680 2041 AGT TTC GAT GGG AMA GAM TGG GTT GTC GAG TCM GGA GAM TAC GAG GTC 681 Ser Phe Asp Gly Lys Glu Trp Vai Val Glu Ser Gly Glu Tyr AGG στc CCT GCA 2100 Giu Arg Vai 2101 TCT TCG AGG GAT ATA AGG TTG AGA GAT ATT TTT CTG GTT GAG GGA GAG AAG City Ala 700 701 Ser Ser Arg Asp He Arg Leu Arg Asp He Phe Leu Val Glu Gly Glu AGA TTC 2160 Lys Arg 720 Lys 2161 CCA TGA 2166 721 Pro End 722

Figure 5b(Continued)

THERMOCOCCUS AEDII12RA GLYCOSIDASE (188/C) COMPLETE GENE SEQUENCE - 9/95

ATG ATC CAC TGC CCG GTT AAA GGG ATT ATA TCT GAG GCT CGC CGC ATA ACC ATC ACA ATA 60 Het lie His Cys Pro Vel Lys Gly lie le Sec Gly Ale Acc Cly Ata Acc ATC ACA ATA 60
61 CAT TTA ACT THE CALL OF
61 GAT TTA ACT TIT CAA GCC CAA ATA AAT AAT TITG CTG AAT GCT ATG ATT GTC TTT CCG GAG 120
Ash Ala Het lie Val Phe Pro Clu An
121 TTC TTC CTC TTT CC1 100 000 100
The same time and the same tim
181 GAC TOG TOG TAT THE BURGES OF THE SECOND COMMENT OF THE ASK 60
181 GAC TGG TGG TAT TAT GAG GAG ATA GGT AAG CTC CCC TAC AAA TCC GGT AAA GCC TGC AAT 240
Tyr Lys Ser Gly Lys Ala Cue Ann
241 CAC TGG GAG CTM MAG AGE ALL ALL
The state of the City Tor Ash Ala man
JOI EGG TTT TCC are can no
101 CGC TIT TCG ATA GAG TGG AGC CGT CTC TTC CCG GAA GAG GGC AAA TTC AAT GAA GAA GCC 160 101 Arg Phe Ser Ile Glu Trp Ser Arg Leu Phe Pro Glu Glu Glu Lys Phe Asn Glu Glu Ala 120
old old oly bys Phe Ash Glu clu Ale
161 TTC AAC CGC TAC CGT GAA ATA ATT GAA ATC CTC CTT GAG AAG GGG ATT ACT CCA AAC GTT 420 121 Phe Asn Arg Tyr Arg Glu Ile Ile Glu Ile Leu Leu Clu Ivo Ctc AAC GTT 420
and the try Gly Ile The Pro Ass Val
171 ACA CTG CAC CAC TTC ACA TTC ACA TTC ACA TTC
141 The Leu His His Phe The Ser Pro Leu Trp Phe Het Arg Lys Gly Gly Phe Leu Lys Glu 160
481 Ch and company of the first state of the
481 GAN AND CTO ANG THE TOG GAG ENG THE GTT GAT ANN GOO GOG GAG CTC CTC ANG GGA CTC 540
The Ala Ciu Leu Lys Cly Val 180
541 MAG CTT GTA GCT ACA TOTA AND GAR GOD AND AND GAR
601 TAC TOG COO COO THE AND
601 TAC TOG CCC CCC TTC ATC AAG AGT CCC TTT AAA GCC TTT AAA GTT GCC GCA AAC CTC CTT 660 201 Tyr Trp Pro Pro Phe Ile Lys Ser Pro Phe Lys Ala Phe Lys Val Ala Ala Asn Leu Leu 220
The Lys Val Ala Ala Ash Leu Leu 220
661 AAG GCC CAT GCA ATG GCA TAT GAT ATC CTC CAT GGT AAC TIT GAT GTG GGG ATA GTT AAA 720
221 Lys Ala His Ala Het Ala Tyr Asp Ile Leu His Gly Asn Phe Asp Val Gly Ile Val Lys 240
721 AAC ATC CCC ATA ATC CTC CCT CCL ACC ATC ATC
781 GCC CAT AND COO COO COO COO COO COO COO COO COO CO
781 GCG GAT AAC CTC TTT AAC TGG AAC TTC CTT GAT GCA ATA TGG AGC GGA AAA TAT AAA GGA 840
And the fire tree Ser Cly Lys Tyr Lys Cly 280
841 GCT TIT GGA ACT TAC ANA ACT CON GAN AGC GAT GGA GAC TTC ATA GGG ATA AND TAC TAC 900
281 Ala Phe Gly Thr TyT Lys Thr Pro Glu Ser Asp Ala Asp Phe 11e 71y Ile Asn Tyr Tyr 300
901 ACA GCC AGC GAG GTA AGG CAT AGG TOO AND AGG TO
961 CCA CAG CTA CAG CTA AGE CAG CTA
961 GCA GAC TTA AGC GAG AGA AGA ACA GAT ATG GGT TGG AGT GTC TAT CCA AAG GGC ATA TAC 1020
The total fire Ser Val Tyr Pro Lys Gly Ile Tyr 340
1021 GAA GCT ATA GCA AAG GTT TCA CAC TAG GCA AAG GTT
341 Glu Ala Ile Ala Lys Val Ser His Tyr Gly Lys Pro Het Tyr Ile Thr Glu Asn Gly Ile 360
1081 GCT ACC TTA GAC GAT GAG TCG ACC ATTA GAG TCG ACC ATTA GAG
1081 GCT ACC TTA GAC GAT GAG TGG AGG ATA GAG TTT ATC ATC CAG CAC CTC CAG TAC GTT CAC 1140 161 Ale The Leu Asp Asp Glu Trp Arg Ile Glu Phe Ile Ile Gln His Leu Gln Tyr Val His 380
1141 the con my val His 180
1141 AAA GCC TTA AAC GAT GGC TIT GAC TTG AGA GGC TAC TTC TAT TGG TCT TTT ATG GAT AAC 1200
100 and 100 are the type Trp Ser Phe Het Asp Asn 400
1201 TTC GAG TGG GCT GAG CCT TTT ACA SGA GGG
401 Phe Glu Trp Ala Glu Gly Phe Arg Pro Arg Phe Gly Leu Val Glu Val Asp Tyr Thr Thr 420
1261 TTC ANG ACG ACA CCG ACA ANG ACT COM
1261 TTC ANG ACG ACA CCG AGA ANG ACT GCT TAC ATA TAT GGA GAA ATT GCA AGG GAA ANG ANA 1120 421 Phe Lys Arg Arg Pro Arg Lys Ser Ale Tyr Ile Tyr Gly Glu Ile Ale Arg Glu Lys Lys 440
of the tyr dig dig lie Ala Arg Clu Lys Lys 440
1121 ATA AAA GAC GAA CTG CTG GCA AAG TAT GGG CTT CCG GAG CTA TGA 1365
441 Ile Lys Asp Glu Leu Ala Lys Tyr Gly Leu Pro Glu Leu End 455

Figure 6

THERMOCOCCUS CHITONOPHAGUS GLYCOSIDASE - 22G COMPLETE SEQUENCE - 9/95

1 TTC CTT CCA CAC AND THE TOTAL
1 TTC CTT CCA GAG AAC TTT CTC TGG GGA GTT TCA CAG TCC GGA TTC CAG TTT GAA ATG GGG 60 1 Het Leu Pro Glu Ash Phe Leu Trp Gly Val Ser Gln Ser Gly Phe Gln Phe Glu Het Gly 20
The Give Phe
61 GAC AGA CTG AGG AGG CAC ATT GAT CCA AAC ACA GAT TGG TGG TAC TGG GTA AGA GAT GAA 120
Trp Trp Trp Trp Val Arg Asp Clu
141 TAT AAT ATC AAA AAA CO
The same of the sa
101 GAA TTA TAT CAG ACA CAG CAA CAA
181 GAA TTA TAT GAG AGA GAC CAA GAA ATT GCA AAG GAT TTA GGG CTC AAC ACA TAT AGG ATC 240 61 Glu Leu Tyr Glu Arg Asp Gln Glu Ile Ala Lys Asp Leu Gly Leu Asn Thr Tyr Arg Ile 80
The true was the t
241 GGA ATT GAA TGG AGG AGA GTA TTT CCA TGG CCA ACG ACT TTT GTC GAC GTG GAG TAT GAA 300
The Val ASD Val Clu The Ct
JUL ATT GAT GAG TOT TAG GOD
The state of the s
JOI CTT GAT GAA ATC CCT AND GAA AGG AND AGG AN
121 Leu Asp Glu Ile Ala Asn Gln Arg Glu Ile Ile Tyr Tyr Arg Asn Leu Ile Asn Ser Leu 140
421 AGA AAG AGG GGB COOR 140
421 AGA AAG AGG GGT TIT AAG GTA ATA CTA AAC CTA AAT CAT TIT ACC CTC CCA ATA TGG CTT 480
and her has he the Leu Pro Ile Tro Leu
181 CAT GAT CCT ATC GAA TCT AGA GAA AAA GCC CTG ACC AAT AAG AGA AAC GGA TGG GTA AGC 540
The led the Ash Lys Arg Ash Cly Trp Val Ser 180
541 GAA AGG AGT GTT ama mag man and and and and and and and and and a
100 010 010 010 010 010 010 110 010 110 010 110 010 010 010 010 010 010 010 010 010 010 010 010 010 010 010 010
601 ATA GTA GAC ATG TGG AGG AGA TERM AND GALL GENERAL GALL GENERAL GALL GENERAL GALL GENERAL GALL GENERAL GALL GALL GALL GALL GALL GALL GALL G
661 GCC CCA TAC TCA CCA TTO CC
661 GCC CCA TAC TCA GGA TTC CCC CCG GGA GTC ATG AAT CCA GAA GCA GGA AAG TTA GTT ATG 720 221 Ala Pro Tyr Ser Gly Phe Pro Pro Gly Val Het Aen Pro Glu Ala Ala Lys Leu Val Het 240
711 en de la
721 CTA CAT ATG ATA AAC GCC CAT GCT TTA GCA TAT AGG ATG ATA AAG AAA TTT GAC AGA AAA 780
260 and the lys Arg het lie Lys Lys Phe Asp Arg Lys
781 ANA GOT GAT COA GAA TOA ANA GAA COA GOT GAA ATA GGA ATT ATA TAC ANT ANC ATC GGC 840
280 280
841 GTC ACA TAT CCG TTT AAT CCC AAA CAG TCA AAG CAG
901 TTC TTC CAC ACT GGT CTA TTC TTA ACC TO ACC ACT GGT CTA TTC TTC TTC TTC TTC TTC TTC TTC TT
901 TTC TTC CAC AGT GGG CTA TTC TTA ACG GCT ATC CAC AGG GGA ANA TTA AAT ATC GAA TTT 960 301 Phe Phe His Ser Gly Leu Phe Leu Thr Ala Ile His Arg Gly Lys Leu Asn Ile Glu Phe 320
961 CAC CCA CAC AND
961 GAC GGA GAG ACA TTT GTT TAC CTT CCA TAT TTA AAG GGC AAT GAT TGG CTG GGA GTG AAT 1020
17 Dea 170 Tyr Leu Lys Gly Asn Asp Trp Leu Gly Val Asn 340
1021 TAT TAT ACA AGA GAA GTC GTT AAA TAC CAA GAT CCC ATG TTT CCA AGT ATC CCT CTC ATA 1080
17 The half the Pro Ser Ile Pro Leu Ile 360
1081 AGC TTC AAG GGC GTT CCA GAT TAT GGA TAG GGA TGC AGG TGC
161 Ser Phe Lys Gly Val Pro Asp Tyr Gly Tyr Gly Cys Arg Pro Gly Thr Thr Ser Lys Asp 380
1141 CGT AAT CCT GTT ACT CAC ATT CCA TOO CAO TO
1201 GTA GCT GCC AND GLA GRAN GRAN GRAN GRAN GRAN GRAN GRAN GRA
1201 GTA GCT GCC AAT GAA TAT GGA GTT CCT GTA TAC GTA ACA GAA AAC GGA ATA GCA GAT TCA 1260
120 Val int Giu Ash Gly Ile Ala Asp Ser 420
1261 AAA GAT GTA TTA AGG CCC TAT TAC ATC GCA TCT CAC ATT GAA GCC ATG GAA GAG GCT TAC 1)20
421 Lys Asp Val Leu Arg Pro Tyr Tyr Ile Ala Ser His Ile Glu Ala Met Glu Glu Ala Tyr 440

Figure 7a

	GIU A					-	•				,,,,	~ **	Leu	Thr	A S D	Asn	TVF	Clu	Te	l tan
461	Ala La	u Gly	Phe	ACA	ATG	ACG Arg	Pha	CIY CCC	TTG Leu	TAC	GAA Glu	GTA Val	AAC Asn	TTC	ATA Jie	ACC Thr	AAA Lys	GAG Glu	AÇA Ara	460 1440 480
481	Lys Pr	C AGG O Arg	Lys	Lys	ACT Ser	GTA Val	AGA Arg	CTA Val	TTC Phe	AGA Arg	GAG Glu									1500
1201	AGC AAG Ser Asi	ATC	ACC	AAA	CAC	1.00			_:_		_	15 51	J 6			•				

Figure 7b(Continued)

PYDOCOCCOS FURIOSOS GLYCOSIDASE - 7G: COMPLETE GENE SEQUENCE - 10/95

COLDIE GENE SEQUENCE - 10/95	
1 ATG TTC CCT GAA AAG TTC CTT TGG GGT GTG GCA CAA TCG GGT TTT CAG TTT GAA ATG GG	
1 Het Phe Pro Glu Lys Phe Leu Trp Gly Val Ala Gln Ser Gly Phe Gln Phe Glu Met Gl	
61 Cam and Glu Met Ci	ε ₀
61 GAT AAA CTC AGG AGG AAT ATT GAC ACT AAC ACT GAT TGG TGG CAC TGG CTA AGG GAT AAC 21 Asp Lys Leu Arg Arg Asn Ile Asp Thr Asn Thr Asp Trp Trp His Top CAL AGG GAT AAC	Y 20
2: Asp Lys Leu Arg Arg Ash Ile Asp Thr Ash Thr Asp Trp Trp His Trp Val Arg Asp Lys 121 ACA AAT ATA GAG BAR CCC CTG CTG CTG CTG CTA AGG GAT AAC	
121 acs are very val Arg Asp two	120
121 ACA AAT ATA GAG AAA GGC CTC GTT AGT GGA GAT CTT CCC GAG GAG GGG ATT AAC AAT TAC 41 Thr Aan 11e Glu Lye Gly Leu Val Ser Gly Aap Leu Pro Glu Gly Gly 11e AAC AAT TAC	40
41 The Ash Ile Glu Lys Gly Leu Val Ser Gly Asp Leu Pro Glu Gly Gly Ile Ash Ash Tac	
IRI DAG CON MAD THE ASD AND THE	
181 GAG CTT TAT GAG AAG GAC CAT GAG ATT GCA AGA AAG CTG GGT CTT AAT GCT TAC AGA ATA 61 GLU LOU TYF GLU LYS ASP HIS GLU ILE ALA AFG LYS LEU GLY LEU ASN ALA TYF AFG ILE 241 GGC ATA GAG TGG AGG AGA ATA TTG TOO TOO	60
THE LOW LYP GIR LYS ASP HIS GIR ILE ALE APP THE COT CAT ART GCT TAC AGA ATL	240
241 GCC BTB CLG PG-	80
241 GGC ATA GAG TGG AGC AGA ATA TTC CCA TGG CCA ACG ACA TTT ATT GAT GTT GAT TAT AGC 81 Gly Ile Glu Trp Ser Arg Ile Phe Pro Trp Pro Thr Thr Phe Ile Arm CCA TAT AGC	50
ory file Gid Trp Ser Arg Ile Phe Pro Trp Pro The The The TAT GAT GAT TAT AGC	300
301 TAT ART COR TOT ON THE SET	100
101 TYP AND CAN ICA TAT AAG CIT ATA GAA GAT GTA AAG ATC ACG ANG	130
101 TYP ASH GAU SET TYP ASH LEU IIO GIU ASP VAI LYS IIE THE LYS ASP THE LEU GIU GIU	360
361 TTA GAT GAC ATC CO.	120
361 TTA GAT GAG ATC GCC AAC AAG AGG GAG GTC GCC TAC TAT AGG TCA GTC ATA AAC AGC CTC Leu Asp Glu Ile Ala Asn Lys Arg Glu Val Ala Tyr Tyr Arg Ser Val Ile Asn Ser Leu 421 AGG AGC AAG GGG TTT ABC GTT AND GGT ATA AAC AGC CTC	
Ala Ash Lys Arg Glu Val Ala TVF TVF ARG GTC ATA AAC AGC CTG	120
421 AGG agg and con	140
141 Ary Ser Lys Gly Phe Lys Val 11e Val Arn Leu Arn Mis Phe Thr Leu Pro Tyr Trp Leu 48: CAT GAT CCC ATT GAG COT LOS TYR TRE	
of your lie Lys Val Tio Val Ann Leu Ann Wis Phe mbm CCA TAT TGG TTG	48C
48: Car car con and any Tap Leu	160
161 Kis Asp Pro Ile Glu Ala Arg Glu Arg Ala Lou Thr Ash Lys Arg Ash Got TGG GTT AAC 541 CCA AGA ACA GTT ATA GAG TTT GGD AND AND AND Lys Arg Ash Gly Trp Val Ash	
and the Arg Glu Arg Ala Lou The Ash Lya Arg Ash Col TGG GTT AAC	540
541 CCA AGA ACA GTT ATA GAG TTT GGA AAG TAT GCC GCT TAC ATA GCC TAT AAG TTT GGA GAT 191 Pro Arg Thr Val 110 Glu Phe Ala Lys Tyr Ala Ala Tyr 110 Ala TYR GGA GAT	190
191 Pro Arg Thr Val 110 Glu Phe Ala Lys Tyr Ala Ala Tyr 11e Ala Tyr Lys Phe Gly Asp	
The Ala Lys Tyr Ala Ala Tyr Ile Ala Tyr Time Ala Tyr Time Ala CAT	500
601 ATA GTG GAT ATG TGG AGG AGG TOTAL AND THE GIY AND	200
601 ATA GTG GAT ATG TGG AGC ACG TTT AAT GAG CCT ATG GTG GTT GAG CTT GGC TAC CTA 201 Ile Val Asp Met Trp Ser Thr Pho Ash Glu Pro Met Val Val Glu Leu Gly Tyr Leu 661 GCC CCC TAC TCT GGC TTG GGT GAT ATG	
ASA GIU Pro Met Val Val Glu Leu Gly Type La	660
661 GCC CCC TAC TCT GGC TTC CCT CCA GGG GTT CTA RAT CCA GGG GGT CTA CTA RAT CTA CTA CTA CTA CTA CTA CTA CTA CTA C	220
661 GCC CCC TAC TCT GGC TTC CCT CCA GGG GTT CTA RAT CCA GAG GCC GCA AAG CTG GCG ATA 221 Ala Pro Tyr Sar Gly Phe Pro Pro Gly Val Leu Asn Pro Glu Ala Ala Lys Leu Ala Ne	720
721 CMT Can all Ala Lys Leu Ala Tia	720 240
721 CTT CAC ATG ATA AAT GCA CAT GCT TTA GCT TAT AGG CAG ATA AAG AAG TTT GAC ACT GAG 241 Lou His Hot Ilo Asn Als His Ala Lou Ala Tyr Arg Gin Ila Lys Tyr GAC ACT GAG	240
241 Lou His Hot Ilo Asn Als His Ale Lou Ale Tyr Arg Gln Ile Lys Lys Phe Asp Thr Glu 781 AAA GCT GAT ARG GAT TOT LAND GROWN AND THE GROWN AND T	780
781 AAA COT COT ASP THE GIU	260
261 LVS ALL MAT ANG GAT TOT ANA GAG COT GOA GAA GTT GOT ATT	
781 AAA GCT GAT AAG GAT TCT AAA GAG CCT GCA GAA GTT GGT ATA ATT TAC AAC AAC ATT GGA 261 Lys Ala Asp Lys Asp Ser Lys Slu Pro Ala Glu Val Gly Ile Ile Tyr Ash Ash Ile Gly 841 GTT GCT TAT GCC AAG GAT GCT ATA GCT TAT GCC AAG GAT GCT ASH GCT TAT GCC AAG GAT GCT TAT GCC AAG GAT GCT ASH GCT ASH GCT TAT GCC AAG GAT GCT ASH GCT ASH GCT TAT GCC AAG GAT GCT ASH GCT TAT GCC AAG GAT GCT ASH GCT ASH GCT TAT GCC AAG GAT GCT ASH GCT ASH GCT TAT GCC AAG GAT GCT ASH ASH GCT ASH GCT ASH GCT ASH ASH ASH GCT ASH GCT ASH GCT ASH GCT ASH ASH GCT ASH GCT ASH ASH GCT ASH ASH ASH GCT ASH GCT ASH GCT ASH ASH ASH GCT ASH GCT ASH ASH GCT ASH ASH GCT ASH GCT ASH ASH ASH GCT ASH GCT ASH GCT ASH ASH GCT ASH ASH GCT ASH ASH GCT AS	840
841 GTT CCT The and 11e Glv	250
841 GTT GCT TAT CCC AAG GAT CCG AAC GAT TCC AAG GAT GTT AAG GCA GCA GAA AAC GAC AAC 261 Val Ala Tyr Pro Lys Asp Pro Asn Asp Ser Lys Asp Val Lys Ala Ala Glu Asn Asp Asn 901 TTC TTC CAC TCA GGG GTG TTG TTG TTG	
The Lys Asp Pro Ash Asp Ser Lys Asp Val Tye Blanch GCA GAR AAC GAC AAC	900
901 TTC TTC CAC TCh CCC CTC TTC	300
301 Phe Phe His Ser City ITC TTC GAG GCC ATA CAC ANA GGA ANA COTO	
301 Pho Phe His Ser Gly Leu Phe Pho Glu Ala Ile His Lys Gly Lys Leu Asn Ile Glu Phe 961 GAC GGT GAA ACG TTT PTA GROUPS AND THE GRO	960
961 GAC GGT GAR ACC THE SALE SALE SALE SALE SALE SALE SALE SAL	320
321 Asp Gly Glu Thr Phe Ile Asp Ala Pro Tyr Leu Lys Gly Ash Asp Trp Ile Gly Val Ash 1021 TAC TAC ACA AGG CAN CTA CTA CACA AGG CTA CTA CACA AGG CAN CTA CTA CACA AGG CAN CTA	
ASP ATA PED TYE LEU LYS Gly ASD ASD TED THE COM GTT AND	1020
1021 TAC TAC ACA AGG GAA GTA CTT ACC DOT TO	340
1021 TAC TAC ACA AGG GAA GTA GTT ACG TAT CAG GAA CCA ATG TTT CCT TCA ATC CCG CTG ATC 1081 ACC TTT AAG GGA GTT CAA CCA TAT CAG GAA CCA ATG TTT CCT TCA ATC CCG CTG ATC 1081 ACC TTT AAG GGA GTT CAA CCA TATA CCG	
1081 and The Tyr Gin Glu Pro Het Phe Pro Ser Tie har Trust	1080
1081 ACC TTT AAG GGA GTT CAA GGA TAT GGC TAT GCC TGC AGA CCT GGA ACT CTG TCA AAG GAI I	360
361 The Phe Lys Gly Val Gln Gly Tyr Gly Tyr Ala Cys Arg Pro Gly The Leu Ser Lys Asp 3	140
1141 GAC AGA CCC CTC 150 PT	.140 180
1141 GAC AGA CCC GTC AGC GAC ATA GGA TGG GAA CTC TAT CCA GAG GGG ATG TAC GAT TCA ATA 1 381 Asp Arg Pro Val Ser Asp lie Gly Trp Glu Leu Tyr Pro Glu Gly Mon TCA GAT TCA ATA 1	
hap are Pro Val Ser App He Gly Tra Gly Law TAT CCA GAG GGG ATG TAC GAT TCA ATA 1	200
381 Asp Arg Pro Val Ser Asp lie Gly Trp Glu Leu Tyr Pro Glu Gly Met Tyr Asp Ser lie 4	00
1201 GTT GAA GCT CAC AAG TAC GGC GTT CCA GTT TAC GTG ACG GAG AAC GGA ATA GCG GAT TCA 1 401 Val Glu Ala His Lys Tyr Gly Val Pro Val Tyr Val Thr Glu Ash Gly Lie ald Gar TCA 1	
401 VAL GLU ALA HIB LYB TYT GLY VAL PRO VAL TYR VAL THE GLU ABO GLY ILE ALA AND SEC 4	260
171 var inr Glu Ash Gly Ile Ala Ash Ser 4	20

Figure 8a

		-					- , -	.,.		~**	3 € (uTa	116	LYS	Met	lle	Clu	Lys	Ala	TTY Phe	1320 440
1321	GAG Glu	GAT Q EA	GCC	TAI	G) u	GIT Val	Lys	GGC- G1 y	TAC Tyr	TTC Phe	H73 CYC	TCC Trp	GCA Ala	TTA Leu	ACT The	GAC A 3p	AAC Aan	TTC Phe	GAG Glu	TGG Trp	1380
1381 461			•		9		~19	P114	GIY	red	LYE	CIL	VA 1	Asn	Leu	Ile	Thr	Lys	Glu	Arg	1440
1441			•		-,-			361	116	P1.4	vi à	GAG Glu	ATA Ile	GTA Val	CCC ALL	TAA ne.K	AAT Aan	GI y	GTT Val	ACG Thr	1500 500
1501 501	AAA	AAG	ATT	GAA	GAG	Cha	T						33								

Figure 8b(Continued)

Sankia gouldi ondoglacamacco (37071)

0000818CAR000 (37071)
9 18 27 36 45 54
5' ATG AGA ATA CGT TTA CCC ACC COR CGG
Met Arg Ile Arg Leu Ala Thr Leu Ala Leu Cys Ala Ala Leu Ser Pro Val Thr
63 72 81 90 99 108
TIT OCA GAT AAT GTA ACC GTA CAA ATC GAC GCC GAC GGC GGT AAA AAA CTC ATC
Phe Ala Asp Asn Val Thr Vol Gln Ile Asp Ala Asp Gly Cly Lys Lys Leu Ile
117 126
AGC CGA GCC CTT TAC GCC AMC AND AND AND AND ADDRESS TO THE TOTAL T
Ser Arg Ala Lou Tyr Gly Het Asn Asn Ser Asn Ala Glu Ser Leu Thr Asp Thr
171
GAC TGG CAG CGT TTT CGC CAT GCA CGT TTT CGC CA
GAC TGG CAG CGT TTT CGC GAT GCA GGT GTG CGC ATG CTG CGG GAA AAT GGC GGC ABP TTP Gln Arg Phe Arg Asp Ala Cly Vol Arg Mar You
Asp Trp Gln Arg Phe Arg Asp Ala Gly Val Arg Met Lou Arg Glu Asn Gly Gly
225 234 442
AAC AAC AGC ACC AAA ThT AAG TO 270
Asn Asn Ser The Lys Tyr Ash Tep Gla Leu His Leu Ser Ser His Pro Asp Tep
779
TAC AAC AAT GTC TAC CCC CCC 320 306 315 324
TAC AAC AAT GTC TAC GCC GCC AAC AAC AAC TGG GAC AAC CGG GTA GCC CTG ATT TYT Asn Asn Val Tyt Ala Gly Asn Asn Asn Try Asp Asn Arg Val Ala Leu Ile
And And And And And And Val Ala Leu 112
333 342 351 360 369 370
CAG GAA AAC CTG CCC CCC CCC CCC CCC CCC CCC CCC CC
Gln Glu Asn Leu Pro Gly Ala Asp Thr Het Trp Ala Phe Gln Leu Ila Gly Lys
387 395 405
GTC GCG GCG ACT TOT GCC TIC 132
Val Ala Ala The Ser Ala Tyr Asn Pho Asn Asp Tep Glu Pho Asn Gln Ser Gln
A A A
75G 75G ACC CCC CTC CCC CTC CCC ACC ACC ACC ACC
TGG TGG ACC GGC GTC GCT CAG AAT CTC GCT GGC GGC GGT GAA CCC AAT CTG GAC
Trp Trp Thr Gly Val Ala Gln Asn Leu Ala Gly Gly Gly Glu Pro Asn Leu Asp
695 504 500
GGC GGC GAA GCC CTTC CTTC GAA GCC GGC GAA GCC GGC GAA GCC CTTC CTT
Gly Gly Glu Ala Leu Val Glu Gly Asp Pro Asn Leu Tyr Leu Het Asp Trp
E40 cra
TCG CCA GCC GAC ACT GTG CCG 150 576 585 594
TCG CCA GCC GAC ACT GTG GGT ATT CTC GAC CAC TGG TTT GGC GTA AAC GCG CTG Ser Pro Ala Amp Thr Val Gly Ile Leu Amp Via Total CCG GTA AAC GCG CTG
Ser Pro Ala Asp Thr Val Gly Ile Leu Asp His Trp Phe Gly Val Asn Gly Leu
603 612 624
CCC GTG CGG CGT CGC AAA CCC AAT THE TOTAL TOTAL CGG CGT CGC AAA CCC AAT THE TOTAL CGG CGG CGT CGC AAA CCC AAT THE TOTAL CGG CGG CGT CGC AAA CCC AAT THE TOTAL CGG CGG CGG CGG CGG CGC AAA CCC AAT THE TOTAL CGG CGG CGG CGG CGG CGG CGG CGG CGG CG
Gly Val Arg Arg Gly Lys Ala Lys Tyr Trp Ser Het Asp Asn Glu Pro Gly Ile
657 666
TGG GTT GGC ACC CAC GAC GAC GAC GAC GAC GAC GAC
TGG GTT GGC ACC CAC GAT GTA GTG AAA GAA CAA ACG CCG GTA GAA GAT TTC TEP Vol Gly The His Asp Asp Val Val Lys Glu Gln The Pro Val Glu Asp Phe
The Pro Val Glu Asp Phe

Figure 9a

Bankia gouldi andoglucanasa (370P1) (continuad)

711 720 729 738 747 756
CTG CAC ACC TAT TTC GAA ACC GCC AAA AAA GCC CGC GCC AAA TTT CCC GGT ATT
Leu His Thr Tyr Ebe Glu Thr Ala Lys Lys Ala Arg Ala Lys Phe Pro Gly Ile

765 774 783 792 801 810
AAA ATC ACC GGT CCG GTG CCC GCT AAT GAG TGG CAG TGG TAT GCC TGG GGC GGT
Lys Ila Thr Gly Pro Val Pro Ala Asn Glu Trp Gln Trp Tyr Ala Trp Gly Gly

819 828 837 846 855 864
TTC TCG GTA CCC CAG GAA CAA GGG TTT ATG AGC TGG ATG GAG TAT TTC ATC AAG
Phe Ser Val Pro Gln Glu Gln Gly Phe Met Ser Trp Met Glu Tyr Phe Ile Lyz

873 882 891 900 909 918 CGG GTG TCT GAA GAG CAA CGC GCA AGT GGT GTT CGC CTC CTC GAT GTA CTC GAT Arg Val Scr Glu Glu Gln Arg Ala Ser Gly Val Arg Leu Leu Asp Val Leu Asp

927 936 945 954 963 972 CTG CAC TAC TAC CCC GGC GCT TAC AAT GCG GAA GAT ATC GTG CAA TTA CAT CGC Lou His Tyr Tyr Pro Gly Ala Tyr Asn Ala Glu Asp Ile Val Glu Leu His Arg

981 990 999 1008 1017 1026 ACG TTC TTC GAC CGC GAC TTT GTT TCA CTG GAT GCC AAC GGG GTG AAA ATG GTA Thr Phe Phe Asp Arg Asp Pho Val Sor Lou Asp Ala Asn Gly Val Lyo Het Val

1035 1046 1053 1052 1071 1080 GAA GGT GGC TGG GAT GAC AGC ATC AAC AAG GAA TAT ATT TTC GGG CGA GTG AAC Glu Gly Gly Trp Asp Asp Sor Ilo Asn Lys Glu Tyr Ile Phe Gly Arg Val Asn

1089 1098 1107 1116 1125 1134 GAT TGG CTC GAG GAA TAT ATG GGG CCA GAC CAT GGT GTA ACC CTG GGC TTA ACC ASP Trp Leu Glu Glu Tyr Het Gly Pro Asp His Gly Val Thr Leu Gly Leu Thr

GAA ATG TGC GTG CGC AAT GTG AAT CCG ATG ACT ACC GCC ATC TGG TAT GCC TCC Glu Mot Cyp Val Arg Agn Val Asn Pro Mot Thr Thr Ala Ile Trp Tyr Ala Ser

ATG CTC GGC ACC TTC GGG GAT AAC GGC GTC GAA ATA TTC ACC CCA TGG TGC TGG Met Leu Gly Thr Phe Ala Asp Asn Gly Val Glu Ile Phe Thr Pro Trp Cys Trp

1251 1260 1269 1278 1287 1296
AAC ACC GGA ATG TGG GAA ACA CTC CAC CTC TTC AGC CGC TAC AAC AAA CCT TAT
Asn Thr Gly Het Trp Glu Thr Leu His Leu Pho Ser Arg Tyr Asn Lys Pro Tyr

1305 1316 1323 1332 1341 1350 CGG GTC GCC TCC AGC CTC AGC CTT GAA GAG TTT GTC AGC GCC TAC AGC TCC ATT Arg Val Ala Ser Ser Ser Ser Leu Glu Glu Phe Val Ser Ala Tyr Ser Ser Ile

1359 1368 1377 1386 1395 1404
AAC GAA GCA GAA GAC GCC ATG ACG GTA CTT CTG GTG AAT CGT TCC ACT ACC GAC
Asn Glu Ala Glu Asp Ala Met Thr Val Leu Leu Val Asn Arg Ser Thr Ser Glu

Figure 9b(Continued)

Dankia gouldi ondoglucanaso (370F1) (continuod)

1613 1622 1631 1640 1649 1658
ACC CAC ACC GCC ACT GTC GCT ATC GAC GAT TTC CCA CTG GAT GGC CCC TAC CGC
Thr His Thr Ala Thr Val Ala Ile Asp Asp Pho Pro Leu Asp Gly Pro Tyr Arg

1467 1476 1485 1494 1503 1512
ACC CTG CGC TTA CAC AAC CTG CCG GGG GAG GAA ACC TTC GTA TCT CAC CGA GAC
Thr Lou Arg Lou His Asn Lou Pro Gly Glu Glu Thr Phe Val Ser His Arg Asp

1531 1530 1539 1548 1557 1566
AAC GCC CTG GAA AAA GGT ACA GTG CGC GCC AGC GAC AAT ACG GTA ACA CTG CAG
Asn Ala Lou Glu Lys Gly Thr Val Arg Ala Ser Asp Asn Thr Val Thr Leu Glu

1575 1586 1593 1602 1611
TTG CCC CCT CTG TCC GTT ACT GCA ATA TTG CTC AAG GCC CGG CCC TAA 3'
Leu Pro Pro Leu Ser Val Thr Ala Ilo Leu Leu Lyu Ala Arg Pro ***

Figure 94 (Continued)

Theresitoga maritima Alpha-onlactosidade Complete Gone Sequence (LC+3)

5. GTG ATC TGT GTG GAA ATTA TITC GGA ANG ACC TTC AGA CAG GGA AGA TTC GTT CTC
Val Ile Cys Val Glu Ile Phe Gly Lys Thr Phe Arg Glu Gly Arg Phe Val Leu
ANA GAG ANA AND THE ACA CIT CAG THE CCC CHE GAG ANG ATA CAC CIT COC THE COC CHE GAG AND ATA CAC CIT COC THE COC CHE GAU AND AND THE VAL GLU Phe Ala Val Glu Lys Ile His Leu Gly Trp
AAG ATC TCC GGC AGG GTG AAG GGA AGT CCC GGA AGG CTT GAG OTT CTT CGA ACG
Lys Ile Ser Gly Arg Val Lys Gly Ser Pro Gly Arg Leu Glu Val Leu Arg Thr 171 180 189 198 207 216
ANA GCA CCG GAA AAG, GTA CTT GTG ANG ANG TGG CAG TGC TGG GGA CCG TGC AGG Lys Ala Pro Glu Lys Val Leu Val Asn Asn Trp Gln Ser Trp Gly Pro Cys Arg
225 234 243 252 261 270 GTG GTC GAT GCC TTT TCT TTC AAA CCA CCT GAA ATA GAT CCG AAC TGG AGA TAC Val Val Asp Ala Phe Ser Phe Lys Pro Pro Clu Ile Asp Pro Asm Trp Arg Tyr
ACC GCT TCG GTG GTG CCC GAT GTA CTT GAA AGG AAC CTC CAG AGC GAC TAT TTC Thr Ala Ser Val Val Pro Asp Val Lou Glu Arg Asm Lou Gln Ser Asp Tyr Phe
333 342 351 360 369 378 GTG GCT GAA GAA GGA AAA GTG TAC GGT TTT CTG AGT TGG AAA ATC GCA CAT CCT Val Ala Glu Glu Gly Lys Val Tyr Gly Phe Leu Ser Ser Lys Ile Ala Ris Pro
387 396 405 414 423 432 THE THE GCT GTG GAA GAT GGG GAA CTT GTG GCA TAC CTC GAA TAT THE GAT GTC Phe Phe Ala Val Glu Asp Gly Glu Leu Val Ala Tyr Leu Glu Tyr Phe Asp Val
Glu Phe Asp Asp Phe Val Pro Leu Glu Pro Leu Val Val Leu Glu Asp Pro Asn
495 504 513 522 531 540 ACA CCC CIT! CITE GAG AAA TAC GCC GAA CTC GTC GGA ATG GAA AAC AAC GCG The Pro Leu Leu Clu Lys Tyr Ala Glu Leu Val Gly Met Glu Asn Asn Ala
AGA GTT CCA AAA CAC ACA CCC ACT CGA TOG TOG ACC TOG TAC CAT TAC TTC CTT AFG Val Pro Lyu His Thr Pro Thr Gly Trp Cyt Ser Trp Tyr Ris Tyr Phe Leu

Figure 10a

Thermotoga maritima Alpha-galactosidane Complete Gune Sequence (2 of 1)

700
GAT CTC ACC TOG GAA CAC ACT CTC ALC ACC TOG GAA GAC ACT CTC ACC TOG GAA CAC ACT CTC ALC ACC TOG GAA GAC ACT CTC ACC ACC TOG GAA GAC ACC ACC ACC ACC ACC ACC ACC AC
THE CIT AND AND CITE AND CITE OCC AND ANT THE CO
Asp Leu Thr Trp Glu Glu Thr Leu Lys Asn Leu Lys Leu Ala Lys Aon Pho Pr
657 666 400
TTC GAG GTC TTC CAG ATA GAC GAC GCC TAC GAA AAG GAC ATA GGT GAC TGG CTC
Pho Glu Val pho at an analysis and and ADA GGT GAC TOC CTY
Pho Glu Val Pho Gln Ile Asp Asp Ala Tyr Glu Lys Asp Ile Gly Asp Trp Leu
711 770 770
OTG ACA AGA GGA GAC TIT CCA TCC GTG GAA GAG ATG GCA AAA OTT ATA OCG GAA
Val Thr Arg Gly Asp Phe Pro Ser Val Glu Glu Met Ala Lys Val Ile Ala Glu
765
ALC COT TIC ATC CCG CCC ATA TGG ACC GCG CCG TTC AGT GTT TCT GAA ACC TCC
THE THE CAN ACC TOO
Asm Gly Phe Ile Pro Gly Ile Trp Thr Ala Pro Pho Ser Val Ser Glu Thr Ser
819 828 927 046
CAT GTA TTC AAC GAA CAT CCD GAC TGG GTA GTG AAG GAA AAC GGA GAG CCG AAG
Asp Val Phe Asm Glu His Pro Asp Trp Val Val Lys Glu Asm Gly Glu Pro Lys
873 882 891 900 909 918 ATG CCT TAC ACA AAC TGG AAC ALA ALG ATA TAC CCC CTC GAT CTT TGG ALA GAT
Met Ala Tyr Arg Asn Trp Asn Lys Lys Ile Tyr Ala Lou Asp Leu Ser Lys Asp
927 936 845 054
CAG GIT CTG AAC TOG CIT TTC CAT CTC TTC TCA TCT CTG AGA AAG ATG GOC TAG
Glu Val Leu Asn Trp Leu Phe Asp Leu Phe Ser Ser Leu Arg Lya Met Gly Tyr
991
981 990 999 1008 1017 1026 AGG TAC TIC AAG ATC GAC TIT CTC TTC GCG GGT GCC GTT CCA GGA GAA AGA AAA
Arg Tyr Phe Lys Ile Asp Phe Leu Phe Ala Gly Ala Val Pro Gly Glu Arg Lys
1035 1044 1051 1062 1071 1080
ANG AND ATA ACA COL ATT CAG COG TTO AGA ANA GGG ATT GAG AGG ATT AGA ANA
Lys Asn Ilo Thr Pro Ile Gln Ala Phe Arg Lys Gly Ile Glu Thr Ile Arg Lys
1000
GCC GTG GGA GAA GAT TCT TTC ATC CTC GGA TGC GGC TCT CCC CTT CTT CCC GCA
Ala Val Gly Glu Asp Ser Phe Ile Leu Gly Cys Gly Ser Pro Leu Leu Pro Ala
1141 1152 1161 1170 1179 1188
CTC GCA TGC GTC GAC GGG ATG AGG ATA GGA CCT GAC ACT GGG CCG TTC TGG GGA
Val Gly Cys Val Asp Cly Met Arg Ile Gly Pro Asp Thr Ala Pro Phe Trp Gly
The state of the s

Figure 10b(Continued)

Thermotoga maritima Alpha-qalactosidada Complete Gene Sequenca (3.54.5)

1197 1206 1215 1224 1233 1242 GAA CAT ATA GAA GAC AAC CKA CCT CCC CCT GCA ACA TOG CCG CTG AGA AAC CCC
Glu His Ile Glu Asp Asn Gly Ala Pro Ala Ala Arg Trp Ala Leu Arg Asn Ala
1251 1260 1269 1278 1287 1296 ATA ACG ACG TAC TTC ATC CAC GAC ACG TTC TCG CTG AAC GAC CCC GAC TOT CTG
Ile Thr Arg Tyr Phe Mot His Asp Arg Phe Trp Leu Asn Asp Pro Asp Cys Leu
1305 1314 1323 1332 1341 1350 ATA CTG AGA GAG GAG AAA ACG GAT CTC ACA CAG AAG GAA AAG GAG CTC TAC TCG
Ile Lou Arg Glu Glu Lys Thr Asp Leu Thr Gln Lys Glu Lys Glu Leu Tyr Ser
TAC ACC TOT OGA GTG CTC GAC AAC ATG ATC ATA GAA AGC GAT GAT CTC TGG CTC
Tyr Thr Cys Cly Val Leu Asp Asn Met Ile Ile Glu Ser Asp Asp Leu Ser Leu
1413 1422 1431 1440 1449 1458 GTC AGA GAT CAT GGA AAA AAG GTT CTG AAA GAA ACG CTG GGA CTC CTC GGT GGA
Val Arg Asp His Gly Lys Lys Val Leu Lys Glu Thr Leu Glu Leu Cly Gly
AGA CCA CGG GTT CAA AAC ATC ATG TCG GAG GAT CTG AGA TAC GAG ATC GTC TCG
Arg Pro Arg Val Gln Asn Ile Met Ser Glu Asp Leu Arg Tyr Glu Ile Val Ser
1521 1530 1539 1548 1557 1566 TOT GGC ACT CTC TCA CCA AAC GTC AAG ATC GTG GTC GAT CTG AAC AGC AGA GAG
Ser Gly Thr Leu Ser Gly Asn Val Lys He Val Val hep had had her has Glu
TAC CAC CTG GAA AAA GAA GGA AAG TCC TCC CTG AAA AAA AGA GTC GTC AAA AGA
Tyr His Lou Glu Lys Glu Gly Lys Ser Ser Leu Lys Lys Arg Val Val Lys Arg 1629 1638 1647 1656 1665
Glu Asp Gly Arg Asn Phe Tyr Phe Tyr Glu Glu Gly Glu Arg Glu

Figure 10c(Continued)

Thornotogo maritima p-mannanaco (Espa)

			9			18			27			36			45			54
5.	ATG	GGG	ATT	GGT	GGC	CAC	GAC	TCC	TCJ	AGC	CCG	TCA	GTA	TCG	CCG	GAA	TTC	CTT
•													~					
	Met	Gly	Ile	Gly	Gly	Asp	Asp	Ser	Trp	Ser	Pro	Ser	Val	Ser	Ala	Glu	Phe	Leu
															99			
			63			72			81	~~~		90	n ~~	~~		~~~	~~~	108
	TTA	TTG	ATC	GIT	GAG	CIC	TCT				117	GCA	AG1			710		~~~
		Leu							 U.1		Dha	Alp	Ser	Asn	Glu	Phe	Va 1	Lve
	Leu	Leu	Ile	Val	GIA	Leu	Ser	Pne	Val	Leau	1110	7.4	361	rop.	014	- 116	***	ביעם
			117			126			135			166			153			162
	CITC	GAA	DAC.	GCA	AAA	TTC	GCT	CTG	AAC	GGA	AAA	GAA	TTC	λGA	TTC	ATT	GGA	AGC
	Val-	Glu	מפג	Gly	Lys	Phe	Ala	Leu	Asn	Gly	Lys	Glu	Phe	Arg	Phe	Ile	Gly	Ser
				-														
			171			180			189			198			207			216
	AXC	AAC	TAC	TAC						YYC	GGA	λTG	ATA	GAC	AGT	GTT	CIG	GAG
																1/-1	7	21
	λsn	Asn	ŢYĭ	TX.	Het	His	TYT	Lys	Ser	ASD	GIY	Met	110	رومم	201	Val	Dea	425
			225			234			243			252			261			270
		GCC	225	C 2 C	3.770	234 234	እጥ እ	AAG	GEC.	ctic	λGλ		TGG	CCT		CIC	GAC	
	AGT	GCC	مينم															
	Sar	Ala	Ara	ASD	Met	Gly	Ile	Lys	Val	Leu	Arg	Ile.	TIP	Gly	Phe	Leu	λερ	Gly
	361	714	, - 9	,														
			279			288			297			306			315			324
	GAG	AGT	TAC	TGC	AGA	CAC	AAG	AAC	YCC	TAC	ATG	CAT	CCI	GAG	ccc	GGT	Cil	Lic
																		D.
	Glu	Ser	Ili	Cys	Arg	ABP	ГЛя	ABB	Thr	IÄI	Met	HIB	PEO	GIU	PTO	GIY	Val	Pne
						242			351			360			369			378
		CTG	333		~~`	342	m	330	227	CAG	ACC		TIC	GAA		CIC	GAC	
	GGG	GIG	CCA	GAA		V1V												
	C1	Val	D	Glu											Arg	Leu	Asp	Tyr
	GIY	AGI	FIU	912	-			•				-			_			
			387			396			405			414			423			432
	ACA	GTT	GCG	AAA	GCG	AAA	CAA	cic	GGT	ATA	AAA	CTT	GTC	ATT	GIT	CII	GIG	AAC
	Thr	Val	Ala	Lys	Ala	Lys	Glu	Leu	GJA	Ile	Lys	Leu	Val	Ile	Val	Leu	Val	Asn
									450			468			877			486
			441			450	~~~	. ~~	459		TAC			TCC			GC A	
	AAC	TGG	CYC	GAC	TTC	GGT	GUA	ATG	AAC		INC							
		~			Phe	เดาจ	Glv	Het	λan	Gln	Tyr	ام۷	Arg	Trp	Phe	Gly	Gly	Thr
	ABD	מבנו	АБР	vab			7				•		_	•		•	_	
			495	•		504			513			522			533			540
	CAT	CAC	GAC	GAT	י דדכ	TAC	ACA	CAT	. CYC	AAG	ATC	: AAA	. GAA	CYC	TAC	: AAA	AAG	TAC
			·															
	Ris	His	eA I	Asp	Phe	Tyr	Arg	gaA ;	Glu	Lys	Ile	: Lys	Glu	Glu	TY:	Lys	Lys	Tyr

Figure 11a

		Ther	moto	ga	max.	itin	Δ β	-1341	Dan	000	(33e	1804 -	(c	onti	Due.	a) (e	& &	ル ス)
		54			55			56	7		576	5		585	5		F 0 4	
GTY	: TC	C TT	L CL	CT	A AA	CA:	CTC	: AA:	r acc	TAC	: ACC	GGA	\ GT		ኮ ጥል/	- 10	594 G GAA	
Va]	. Se	r Ph	e Let	ı Val	l Ası	a His	Va)	Ast	Thi	Tyr	Thr	: Glv	/ Val	Pro	7.0		Glu	
										•		,			, .y.	. Arg	1 GIU	
		60			612	2		621	L		630)		639	,		640	
GAG	CC	C AC	C ATC	ATC	CCC	TGG	CAC	CTI	. GCX	AAC	GYY	cca	ccc	لتكل :	. Gad	~	648 GAC	
Glu	Pro	o Thi	: Ile	Met	: Ala	Try	Glu	Leu	λla	Asn	Glu	Pro	Ara	Cve	6111		Asp	
													9	Cy3	310	in	Asp	
		657			666	i		675			684			693			202	
AAA	TCC	GGG	AAC) ACC	CIC	GTT	GAG	TGG	GTG	AAG	GAG	ATG	AGC	TCC	TAC	103	702 AAG	
Lys	Ser	: Gly	Asn	Thr	Leu	Val	Glu	Trp	Val	Lys	Glu	Met	Ser	Ser	There	710		
										_					- 7 -	116	rys	
		711		•	720			729			738			747			756	
AGT	CTG	GAT	CCC	AAC	CAC	CTC	cic	GCT	GTG	CCC	GAC	GAA	CCA	TTC	مكلمك	AGC.	720	
								~										
Ser	Leu	Asp	Pro	λsn	His	Leu	Val	Ala	Val	Gly	Asp	Glu	Glv	Phe	Phe	Ser	100	
										-	-		•		• • • •	ے ا	۸۵.,	
		765			774			783			792			801			310	
TAC	GΥY	GGA	TTC	ÄXA	cci	TAC	α	GGA	GYY	GCC	GAG	TGG	GCC	TAC	λλC	GGC	TGG	
TYT	Glu	Gly	Phe	Lys	5±0	Tyr	Gly	Gly	Glu	Ala	Glu	Trp	Ala	TYI	λsn	Glv	TTO	
														-				
		819			838			837			846			B 55			864	
TCC	GGT	GIT	GAC	TGG	AAG	AAG	CIC	CII	ICC	ATA	GAG	ACG	CTG	GAC	TTC	CCC	ACG	
														_				
Ser	GJA	Val	Asp	Trp	Lys	Lys	Leu	Leu	Ser	Ile	Glu	Thr	Val	Asp	Phe	Glv	Thr	
														-		-		
		873			882			891			900			909			918	
TIC	CAC	CIC	TAT	CCG	TCC	CAC	TGG	CCT	CTC	ACT	CCA	GAG	AAC	TAT	GCC	CAG	TGC	
Pne	HIS	Leu	Tyr	Pro	Ser	His	Trp	Gly	Val	Ser	Pro	Glu	Asn	Tyr	Ala	Gln	Trp	
		927			026													•
CCX	~~~		m-c	1771	936	~.~		945			954			963			972	
		AAG	TGG	ATA	GAA	GAC	CAC	ATA	AAG	ATC	GCA	AAA	GAG	ATC	GGA	λλλ	CCC	
Gly	410	1100	~~~	71.	C2													
Gly	~14	rys	TIP	116	GIU	ASP	HIS	TTE	Lys	Ile .	Ala	ГЛЗ	Glu	Ile	Cly	ГАЯ	Pro	
		981			990													
ملحلت	بلمك		CAA	CAA		cc>		999			800		1	017		1	026	
	711	-10	GAA	300	171	A	AIT	CCA.	AAG	AGT (GCG	CCA	GIT	AAC	AGA	ACG	GCC	
Va1	Val	Lou	Glu	 Glu	~~~	C1	71-		 *									
Val	497	>e u	314	GIU	'AT	GIA	TIE	PIO	Lys	ser.	ATB	Pro	Val	Asn.	Arg	Thr	Ala	
		1035		,	044			067			000							
ATC			CIC			CAT	. تخدت ۳	053 CTC	T10		062	~~~	1	071		1	080	
											CIC	CGT	GGA	TAD	CCA	GCG	ATG	
Ile.	T ~+	Arn	Leu	در دن	Apn	Agn					 '							
	- ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3					 u	407	Δ Y L	ABD.	₩eu	$\alpha r \Delta$	GIV	ASD	GIV	A I A	Mar	

Figure 11b(Continued)

Thornotogo maritima β-mannanaso (2003) (continued) (6 GP2) 1098 1107 TTC TGG ATG CTC GCG GGA ATC GGG GAA GGT TCG GAC AGA GAC GAG AGA GGG TAC --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- ---Phe Trp Met Leu Ala Gly Ile Gly Glu Gly Ser Asp Arg Asp Glu Arg Gly Tyr 1152 TAT CCG GAC TAC GAC GGT TTC AGA ATA GTG AAC GAC GAC AGT CCA GAA GCG GAA 1161 Tyr Pro Asp Tyr Asp Gly Phe Arg Ile Val Asn Asp Asp Ser Pro Glu Ala Glu 1206 1215 CTG ATA AGA GAA TAC GCG AAG CTG TTC AAC ACA GGT GAA GAC ATA AGA GAA GAC --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- ---Leu Ile Arg Glu Tyr Ala Lys Leu Phe Asn Thr Gly Glu Asp Ile Arg Glu Asp 1260 1269 ACC TGC TCT TTC ATC CTT CCA AAA GAC GGC ATG GAG ATC AAA AAG ACC GTG GAA --- --- --- --- --- --- --- --- --- --- --- --- --- ---Thr Cys Ser Phe Ilo Leu Pro Lys Asp Gly Met Glu Ile Lys Lys Thr Val Glu 1314 GTG AGG GCT GGT GTT TTC GAC TAC AGC AAC ACG TTT GAA AAG TTG TCT GTC AAA 1323 Val Arg Ala Gly Val Phe Asp Tyr Ser Asn Thr Phe Glu Lys Leu Ser Val Lys 1368 1377 GTC GAA GAT CTG GTT TTT GAA AAT GAG ATA GAG CAT CTC GGA TAC GGA ATT TAC --- --- --- --- --- --- --- --- --- --- --- --- ---Val Glu Asp Lou Val Phe Glu Asn Glu Ile Glu Bis Leu Gly Tyr Gly Ile Tyr 1422 1431 GGC TTT GAT CTC GAC ACA ACC CGG ATC CCG GAT GGA GAA LAT GAA ATG TTC CTT Gly Phe Asp Leu Asp Thr Thr Arg Ile Pro Asp Gly Glu His Glu Met Phe Leu 1476 1485 GAA GGC CAC TIT CAG GGA AAA ACG GTG AAA GAC TCT ATC AAA GCG AAA GTG GTG --- --- --- --- --- --- --- --- --- --- --- --- --- ---Glu Gly His Phe Gln Gly Lys Thr Val Lys Asp Ser Ile Lys Ala Lys Val Val 1530 AAC GAA GCA CGG TAC GTG CTC GCA GAG GAA GTT GAT TTT TCC TCT CCA GAA GAG 1539 --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- --- ---Asn Glu Ala Arg Tyr Val Lou Ala Glu Glu Val Asp Phe Ser Ser Pro Glu Glu 1584 1593 GTG AAA AAC TGG TGG AAC AGC GGA ACC TGG CAG GCA GAG TTC GGG TCA CCT GAC Val Lys Asn Trp Trp Asn Ser Gly Thr Trp Gln Ala Glu Phe Gly Ser Pro Asp

Figure 110 (Continued)

Thornotogo Daritima \$-mananano (See) (continuod) (6612)
ATT GAA TGG AAC GGT GAG GTG GGA AAT GGA GCA CTG CAG CTG AAC GTG AAA CTG
Ile Glu Trp Asn Gly Glu Val Gly Asn Gly Ala Leu Gln Leu Asn Val Lys Leu
1683 1692 1701 1710 1719 1728 CCC GGA AAG AGC GAC TGG GAA GAA GTG AGA GTA GCA AGG AAG TTC GAA AGA CTC
Pro Gly Lys Ser Asp Trp Glu Glu Val Arg Val Ala Arg Lys Phe Glu Arg Leu
1737 1746 1755 1764 1773 1782 TCA GAA TOT GAG ATC CTC GAG TAC GAC ATC TAC ATT CCA AAC GTC GAG GGA CTC
Ser Glu Cys Glu Ile Leu Glu Tyr Asp Ile Tyr Ile Pro Asn Val Glu Gly Leu
1791 1800 1809 1818 1827 1836 AAG GGA AGG TTG AGG CCG TAC GCG GTT CTG AAC CCC GGC TGG GTG AAG ATA GGC
Lys Gly Arg Leu Arg Pro Tyr Ala Val Leu Asn Pro Gly Trp Val Lys Ile Gly
1845 1854 1863 1872 1881 1890 CTC GAC ATG AAC AAC GCG AAC GTT GAA AGT GCG GAG ATC ATC ACT TTC GGC GGA
Leu Asp Met Asn Asn Ala Asn Val Glu Ser Ala Glu Ile Ile Thr Phe Gly Gly
1899 1908 1917 1926 1935 1944 AAA GAG TAC AGA AGA TTC CAT GTA AGA ATT GAG TTC GAC AGA ACA GCG GGG GTG
Lys Glu Tyr Arg Arg Phe His Val Arg Ile Glu Pho Asp Arg Thr Ala Gly Val
1953 1962 1971 1980 1989 1998 AAA GAA CTT CAC ATA GGA GTT GTC GGT GAT CAT CTG ACC TIO 1989
Lys Glu Lau His Ile Gly Val Val Gly Asp His Leu Arg Tyr Asp Gly Pro Ile
2007 2016 2025 2034 2043 TTC ATC GAT AAT GTG AGA CTT TAT AAA AGA ACA GGA GGT ATG TGA 3
Phe Ile Asp Asn Val Arg Leu Tyr Lys Arg Thr Gly Gly Met

Figure 11d (Continued)

ABFII la β-mannocidado (63GB1)

5' ATG CTA CCA GAA CAG 27 36 45
THE COLD WAS THE COLD THE COLD THE COLD
Met Leu Bro Clu Co
Met Leu Pro Glu Glu Phe Leu Trp Gly Val Gly Gln Ser Gly Phe Gln Phe Glu
ATG GGC GAC AAG CTC AGG AGG CAC ATC GAT CCA AAT ACC GAC TGG TGG AAG TGG
108
Net Gly Asp Lys Leu Arg Arg His Ile Asp Pro Asn Thr Asp Trp Trp Lys Trp
And Arg Als Ile Asp Pro Asn Thr Asp Tro Tro Live To
CTT CGC GAT CCT TTC AAC ATA AAA AAC CAC TTC
GTT CGC GAT CCT TTC AAC ATA AAA AAG GAG CTT GTG AGT GGG GAC CTT CCC GAG
Val Arg Asp Pro Phe Asn Ilo Lyn Lyn Glu Leu Val Ser Gly Asp Leu Pro Glu
and the val Ser Gly Asp Leu Pro Glu
GAC GGC ATC AAC AAC TAC GAA CTT TTT GAA AAC GAT CAC AAG CTC GCT AAA GGC
Asp Gly Tle Asp Asp Car The Car AAA GGC
Asp Gly Ile Asn Asn Tyr Glu Leu Phe Glu Asn Asp His Lys Leu Ala Lys Gly
275
CTT GGA CTC AAC GCA TAC AGG ATT GGA ATA GAG TGG AGC AGA ATC TTT CCC TGG
THE
Leu Gly Leu Asn Ala Tyr Arg Ile Gly Ile Glu Trp Ser Arg Ile Phe Pro Trp
The Sta Trp Ser Arg Ile Phe Pro Trp
CCG ACG TGG ACG GTC GAT ACC GAG GTC GAG TTC GAC ACT TAC GGT TTA GTA AAG
Pro The Tro The Val Aco The Co.
Pro Thr Trp Thr Val Asp Thr Glu Val Glu Phe Asp Thr Tyr Gly Leu Val Lys
137 749
GAC GTT AAG ATA GAC AAG TCC ACC CTT GTT CAA GTG 369 378
GAC GTT AAG ATA GAC AAG TCC ACC CTT GCT GAA CTC GAC AGG CTG GCC AAC AAG
Asp Val Lys Ile Asp Lys Ser Thr Leu Ala Glu Leu Asp Arg Lau Ala Asn Lys
GAG GAG GTA ATG TAC
GAG GAG GTA ATG TAC TAC ACG CGC GTT ATT CAG CAT TTG ACG GAG CTC GCC TTC
Glu Glu Val Met Tyr Tyr Arg Arg Val Ile Gln His Leu Arg Glu Leu Gly Phe
val the Gin His Leu Arg Glu Leu Gly Phe
aai asa
ANG GTC TTC GTT ANC CTC ANC CNC TTC ACG CTT CCA ATA TGG CTC CNC GAC CCG
LVE VAL DE CTC CAC CAC CCC
Lys Val Phe Val Asn Leu Asn His Phe Thr Leu Pro Ile Trp Leu His Asp Pro
ATA GTG GCA AGG GAG AAG CCC CTC 101 522 531 540
ATA GTG GCA AGG GAG AAG GCC CTC ACA AAC GAC AGA ATC GGC TGG GTC TCC CAG
Ile Val Ala Arg Glu Lys Ala Leu Thr Asn Asp Arg Ile Gly Trp Val Ser Gln
Ash Asp Arg Ile Gly Trp Val Ser Gln

Figure 12a

	p-mam	0916294	(01021)	(continued)
549	558	567	576	585

				549				8		56	7		576	5		58	5		594
	yC(G AC	:λ	GTT	CIT	, CY(C TT	r GCC	: AAC	TA:	r cc	r GC	T TAC	ATO	GCC	CA'	י ר כרי	: ~~	594 (GC)
			_																
	λr	Th	r	Val	Val	Gli	. Phe	a Ala	Lys	Tyr	r Ale	Al	а Тух	Ile	. Ala	. His	2 1 1	l la	
													-					י הפי	. 617
				603			612	?		621	L		630)		635)		648
	C)	CT	C	GTG	GAC	YCY	TCC	λGC	ACC	TIC	: 220	: W	CCI	, YLC	GTA	GM	. (27.5	GAC	648 CTC
	Asr	Le	u	Val	λsp	Thr	Lib	Ser	Thr	Phe	As n	Glu	Pro	Het	Val	Val	Val	G1.	Leu
															_			010	. Deu
				657			666			675			684			693			702
	GGC	TA	2 (cic	ecc	ccc	TAC	TCX	CCY	TIT	ccc	CCG	GGA	GTC	λTG	AAC	CCC	GAG	702 GCC
															~				
	Gly	L.A.	c 1	Leu	λla	Pro	TYT	Ser	Gly	Phe	Pro	Pro	Gly	Val	Met	λsn	Pro	G111	λla
		•																	
			- 7	711		•	720			729			738			747			756
	GCG	AAC	•	TC	GCG	ATC	CIC	AAC	ATG	λTλ	AAC	CCC	CAC	GCC	TTG	GCA	TAT	λλG	756 ATG
			-																
	YTZ	Lys	ı	æu	Ala	Ile	Lau	yan	Het	Ile	γsυ	Ala	His	λla	Leu	λla	Tyr	Lys	Met
																	-	•	
•				65			774			783			792			801			810
	ATA	AAG	,	LGG	TIC	GAC	ACC	λλG	XXG	CCC	GAT	CYC	GAT	AGC	λλG	TCC	CCT	GCG	CYC.
			-																
	T.T.62	Lys		T.a.	Pne	VED	The	Lys	Lys	Ala	γsÞ	Cjn	узъ	Ser	Lys	Ser	Pro	λla	Asp
			۵	19			828												
	بلمنت				1 1 71 1	ma c				837			846			855			864
			_				AAC	AAC	ATC	GGT	GPT	GCC	TAC	CCT	AAA	GXC	CCT	λλC	GλT
	Val	Gly		10	710	~~~					,								
	•44	GLY	•	7.6	110	TAT	ASII	αaλ	TTG	GIY	VAI	AIA	TYX	Pro	Lys	λsp	bio	λsn	λsp
			۰	73			882			001									
	כככ	AAG			طعلت		CCA	CCC	C1.	831	~~~		900			909			918
			_	'		~~~	5CA	GCC	GAA	AAC	GAC	AAC	TAC	TTC	CAC	ACC	CCA	CIG	TIC
	Pro	Lvs	A	י מפ	Va 1	f.v.a	Ala	Ala	Clu	100	1	1	~						
		,	•	-,	• • •	- 73	~	VI a	GIU	YRU.	ΛSD	ASI	-yr	Pne	Hla	Şer	Cly	Leu	Phe
			9	27			936	~		945			954						
	TTT	GAT			ATC (CAC		GGT .	AAG	دور	330	24.2	CAC		~ ~	963			972
			_									~~~			- AL	GGC	GAA	AAC	TTT
	Phe	Asp	λ	la :	Ile 1	His	Lvs	Gly	Lvs	Leu	Àsn	Tla	Glu	Dha	>				
		_					-3-	,	-,-			***	Gru	FIIE	ASD	GIĀ	GIA	Yau	Phe
			9	81			990			999		٦	800.		٠,	017			
	GTA	λλλ	G	TT I	AGA (CAC	CTA	XXX ·	CCC	AAT	GAC	TGG	ATA	CCC	مئت	.UI/	m	¹	026
			_														IAC	TAC	ACC
	Val	Lys	V	al /	Arg :	His	Leu	Lys	Glv	Asn	caA	Tro	Il.	ดาง	T.ou	100	~ ·	~~~	
		_			-									,		~a11	·AL	IYT	THE
				35			044		1	053		1	062		1	071		1	080
	CGC	GAG	G	TT (CTT.	λGλ	TAT	TCG	GAG	ccc	AAG	TTC_	CCA	AGT	ATA	5,1	مكلت	ልጥል ፈ	700
			-																
	Arg	Glu	٧	al V	Val .	λrg	Tyr	Ser	Glu	Pro	Lys	Phe	Pro	Ser	Ile	Pro	1.011	710	SAT
											-		-						

Figure 12b(Continued)

ARFII 1a \$-Donnovidaso (63091) (continued)

(continued)
1089 1098 1107 1116 1125 1134 TTC AAG GGC GTT CCC AAC TAC GGC TAC TCC TGC AGG CCC GGC ACG ACC TCC GCC Phe Lye Gly Val Broken
Phe Lym Gly Val Pro Asn Tyr Gly Tyr Ser Cys Arg Pro Gly Thr Thr Ser Ala
1143 1152 1161 1170 1179 1188
THE GOL TOG GAA GTC TAT CCC CAG COL
The Gly Trp Glu Val Tyr Pro Gln Gly Tla T
GAC TCG ATA GTC GAG GCC ACC AAG TAC AGT GTT CCT GTT TAC GTG 1242
Asp Ser Ile Val Glu Ala Thr Lys Tyr Ser Val Pro Val Tyr Val Thr Glu Asn
THE
Ala Asp Ser Ala Asp Thr Leu Arg Pro Tyr Tyr Ile Val Sar Wie Wal
The second secon
Ser Lya Ile Glu Ala Ile Glu Asn Gly Tyr Pro Val Lya Gly Tyr Met Tyr
TGG GCG CTT ACG GAT AAC TAC GAG TGG GCC CTC GGC TTC AGC ATG AGG TTT GGT
Trp Ala Leu Thr Asp Asn Tyr Glu Trp Ala Leu Gly Phe Ser Met Arg Phe Gly
1613
1413 1422 1431 1440 1449 1458 CTC TAC AAG GTC GAC CTC ATC TCC AAG GAG AGG ATC CCG AGG GAG AGA AGC GTT
Lou Tyr Lys Val Asp Leu Ile Ser Lim all
Lou Tyr Lys Val Asp Leu Ile Ser Lys Glu Arg Ile Pro Arg Glu Arg Ser Val
1467 1476 1485 1494 1503 1512 GAG ATA TAT CGC AGG ATA GTG CAG TCC AAC GGT GTT CCT AAG GAT ATC AAA GAG
The second secon
Glu Ile Tyr Arg Arg Ile Val Gln Ser Asn Gly Val Pro Lys Asp Ile Lys Glu
GAG TTC CTG AAG GGT GAG GAG AAA TGA 3'
the state of the s
Glu Phe Leu Lys Gly Glu Glu Lys ***

Figure 12C(Continued)

OC1/4V Endoglucanase (33GP1)

9 18 27 36 45 54 5. ATG GTA GAA AGA CAC TTC AGA TAT GTT CTT ATT TGC ACC CTG TTT CTT GTT ATG Met Val Glu Arg His Phe Arg Tyr Val Leu Ile Cys Thr Leu Phe Leu Val Met
CTC CTA ATC TCA TCC ACT CAG TGT GGA ANA NAT GAN CCA ANG ANA AGA CTC AND
Leu Leu Ile Ser Ser Thr Gln Cys Gly Lys Asn Glu Pro Asn Lys Arg Val Asn
117 126
AGC ATG GAA CAG TCA GTT GCT GAA AGT GAT AGC AAC TCA GCA TTT GAA TAC AAC
Ser Met Glu Gln Ser Val Ala Glu Con Ann
Ser Met Glu Gln Ser Val Ala Glu Ser Asp Ser Asn Ser Ala Phe Glu Tyr Asn
ANA ATG GTA GGT ANA GGA GTA ANT ATT GGA ANT GCT TTA GAA GCT CCT TTC GAA
LVS Mer Val Cly for Ch
Lys Met Val Gly Lys Gly Val Asn Ile Gly Asn Ala Leu Glu Ala Pro Phe Glu
225 214 212
GGA GCT TGG GGA GTA AGA ATT GAG GAT GAA TAT TTT GAG ATA ATA
Gly Ala Trp Gly Val Arg Ile Glu Asp Glu Tyr Phe Glu Ile Ile Lys Lys Arg
279 289 222
SOA TIT GAT TOT GIT AGG ATT CCC ATA AGA TGG TCA GCA CAT ATA TGG CALLAND
Gly Phe Asp Ser Val Arg Ile Pro Ile Arg Trp Ser Ala His Ile Ser Glu Lys
333 342 255
CCA CCA TAT GAT ATT GAC AGG AAT TTC CTC GAA AGA GTT AAC CAT GTT GTC GAT
Pro Pro Tyr Asp The Asp
Pro Pro Tyr Asp Ile Asp Arg Asn Phe Leu Glu Arg Val Asn His Val Val Asp
387 396 405 414 423 432
AGG GCT CTT GAG AAT AAT TTA ACA GTA ATC ATC AAT ACG CAC CAT TTT GAA GAA
Arg Ala Leu Glu Asn Asn Leu Thr Val Ile Ile Asn Thr His His Phe Glu Glu
441 450
THE TAT CAN GAN CCG GAT ANA TAC GGC GAT GTT TTG GTG GAN ATT TGG AGA CAG
Leu Tyr Gln Glu Pro Asp Lys Tyr Gly Asp Val Leu Val Glu Ile Trp Arg Gln
495 504 500
ATT GCA ALL TTC TTT ALL GAT TAC CCG GAL ALT CTG TTC TTT GAL ATC TAC ALC
Ile Ala Lya Phe Phe Lya Are The The The The The The The The The Th
Ile Ala Lys Phe Phe Lys Asp Tyr Pro Glu Asn Leu Phe Phe Glu Ile Tyr Asn

Figure 13A

OC1/6V Endoglucanago (33GF1) (continued)
549 558 567 576 585
GAG CCT GCT CAG AAC TTG ACA COT CO
Glu Pro Ala Gln Asn Leu Thr Ala Glu Lyn Tro
Glu Pro Ala Gln Asn Leu Thr Ala Glu Lys Trp Asn Ala Leu Tyr Pro Lys Val
603 612 621 630 630
CTC AAA GTT ATC AGG GAG AGC AAT CCA ACC CGG ATT GTC ATT ATC GAT GCT CCA
Leu Lys Val Ile Arg Glu Ser Asn Pro The Are The Are The Cont Got CCA
Leu Lys Val Ile Arg Glu Ser Asn Pro Thr Arg Ile Val Ile Ile Asp Ala Pro
CE7
AAC TOG GCA CAC TAT AGC GCA GTG ACA 107 684 693 702
THE THE STO AGA AGT CTA ARA TTA GTC AAC GAC AAA CGC
Asn Trp Ala His Tyr Ser Ala Val bro Ser (and AAA TTA GTC AAC GAC AAA CGC
Asn Trp Ala His Tyr Ser Ala Val Arg Ser Leu Lys Leu Val Asn Asp Lys Arg
711 720 738 738
ATC ATT GTT TCC TTC CAT TAC TAC GAA CCT TTC AND TTC
Ilo Ile Val Ser Phe His Tyr Tyr Clu Pro Phe
Ile Ile Val Ser Phe His Tyr Tyr Glu Pro Phe Lyn Pho Thr His Gln Gly Ala
765 776 783 792 801 810
GAA TOG GTT AAT CCC ATC CCA CCT GTT AGG GTT AAG TOG AAT GGC GAG GAA TOG
Glu Trp Val Asn Pro Ile Pro Pro Val
Glu Trp Val Asn Pro Ile Pro Pro Val Arg Val Lys Trp Asn Gly Glu Glu Trp
819 929
GAA ATT AAC CAA ATC AGA AGT CAM MED AND AND AND AND AND AND AND AND AND AN
GAA ATT AAC CAA ATC AGA AGT CAT TTC AAA TAC GTG AGT GAC TGG GCA AAG CAA Glu ile Asn Gin ile Arg Ser Hig Pho in the Company of
Glu Ile Asn Gln Ile Arg Ser His Phe Lys Tyr Val Ser Asp Trp Ala Lys Gln
873 882 891 900 909
AAT AAC GTA CCA ATC TIT CTT GGT GAA TTC GGT GCT TAT TCA AAA GCA GAC ATG
Asn Asn Val Pro Ile Phe Leu Clu Clu Clu Clu Clu Clu Clu Clu Clu Cl
Asn Asn Val Pro Ile Phe Leu Gly Glu Phe Gly Ala Tyr Ser Lys Ala Asp Met
007
927 936 945 954 963 972
GAC TCA AGG GTT AAG TGG ACC GAA AGT GTG AGA AAA ATG GCG GAA GAA TTT GGA
Asp Ser Arg Val Lys Tro Thr Clu Ser Val
Asp Ser Arg Val Lys Trp Thr Glu Ser Val Arg Lys Met Ala Glu Glu Phe Gly
981 990 000
TITT TCA TAC GCG TAT TGG GAA TTT TGT GCA GGA TTT TGG
Pho Ser TVI Ala TVI TID Glu Pho Curati
Pho Ser Tyr Ala Tyr Trp Glu Phe Cys Ala Gly Phe Gly Ile Tyr Asp Arg Trp

1035 1066 1053: 1062 1071 1080
TCT CAA AAC TOG ATC GAA CCA TTG GCA ACA GCT GTG GTT GGC ACA GGC AAA GAG
Ser Gln Asn Trp Ile Glu Pro Leu Ala Tra La
Ser Gln Asn Trp Ile Glu Pro Leu Ala Thr Ala Val Val Gly Thr Gly Lys Glu
TAA 3
0 0 0

Pigure 13b(Continued)

Thornotoga maritima Pullulamano (6GP3)

5' ATG GAT CTT ACA AAG GTG GGG ATC ATA GTG AGG CTG AAC GAG TGG CAG GCA AAM Met Asp Leu Thr Lys Val Gly Ile Ile Val Arg Leu Asn Glu Trp Gln Ala Ly
Met Asp Leu Thr Lys Val Gly Ile Ile Val Arg Jour hand
63 77
GAC GTG GCA AAA GAC AGG TTC ATA GAG ATA AAA GAC GGA AAG GCT GAA GTG TG
ASD VAL ALL THE AND THE STATE OF THE STATE O
Asp Val Ala Lys Asp Arg Phe Ile Clu Ile Lys Asp Cly Lys Ala Glu Val Tr
117
ATA CTC CAG GGA GTG GAA GAG ATT TTC TAC GAA AAA CCA GAC ACA TCT CCC AGA
Ile Leu Gln Glv Val Glu Glu Tie Tie
Ile Leu Gln Gly Val Glu Glu Ilo Phe Tyr Glu Lys Pro Asp Thr Ser Pro Arg
171 180 444
ATC TTC TTC GCA CAG GCA AGG TCG AAC AAG GTG ATC GAG GCT TTT CTG ACC AAT
Ile Phe Phe Ala Gln Ala Arg Sor hard
Ile Phe Phe Ala Gln Ala Arg Ser Asn Lys Val Ile Glu Ala Phe Leu Thr Asn
225 234 243 252 261
CCT GTG GAT ACG AAA AAG AAA GAA CTC TTC AAG GTT ACT GTT GAC GGA AAA GAG
Pro Val Asp The Lys Lys Glu Leu Phe Lys Val Thr Val Asp Gly Lys Glu
Dea File Dys Val Thr Val Asp Gly Lys Glu
279 288 297 306 315 201
ATT CCC GTC TCA AGA GTG GAA AAG GCC GAT CCC ACG GAC ATA GAC GTG ACG AAC
Ile Pro Val Ser Arg Val Glu Lys Ala Asp Pro Thr Asp Ile Asp Val Thr Asn
The Asp will also val The Asp
333 342 351 360 369 370
TAC GTG AGA ATC GTC CTT TCT GAA TCC CTG AAA GAA GAA GAC CTC AGA AAA GAC
Tyr Val Arg Ile Val Lou Ser Glu Ser Leu Lys Glu Glu Asp Leu Arg Lys Asp
387 396 405 414 423 472
GTG GAA CTG ATC ATA GAA GGT TAC AAA CCG GCA AGA GTC ATC ATG ATG GAG ATC
Val Glu Leu Ile Ile Glu Gly Tyr Lys Pro Ala Arg Val Ile Met Met Glu Ile
4.4.4
461 450 459 468 477 405
CTG GAC GAC TAC TAT TAC GAT GGA GAG CTC GGA GCC GTA TAT TCT CCA GAG AAG
Leu Asp Asp Tyr Tyr Asp Gly Glu Leu Gly Ala Val Tyr Ser Pro Glu Lys
ACG ATA TTC NCA CTO TO T
ACG ATA TTC AGA GTC TGG TCC CCC GTT TCT AAG TCG GTA AAG GTG CTT CTC TTC
Thr Ile Phe Arg Val Trp Ser Pro Val Ser Lys Trp Val Lys Val Leu Leu Phe
The Lat Ser Lys 12p Val Lys Val Leu Leu Phe

Figure 14a

Thormotogo maritima Fullulanado (6GP3) (continuad)
549 550
AAA AAC GGA GAA GAC ACA GAA CCG TAC CAG GTT GTG AAC ATG GAA TAC AAG GGA
THE NOT COLUMN TAC AND GGA
Lys Ash Gly Glu Asp Thr Glu Pro Tyr Gln Val Val Ash Met Glu Tyr Lys Gly
603 612 621 630 639
AAC GGG GTC TGG GAA GGG GTT GTT GAA GGC GAT CTC GAC GGA GTG TTC TAC CTC
Asn Gly Val Trp Glu Ala Val Val Glu Gly Asp Leu Asp Gly Val Phe Tyr Leu
657 666 673
TAT CAG CTG GAA AAC TAC GGA AAG ATC AGA ACA ACC GTC GAT CCT TAT TCG AAA
THE COLUMN THE
Tyr Gln Leu Glu Asn Tyr Gly Lys Ilo Arg Thr Thr Val Asp Pro Tyr Ser Lys
711 770
GCG GTT TAC GCA AAC AAC CAA GAG AGC GCC GTT GTG AAT CTT GCC AGG ACA AAC
Ala Val Tyr Ala Asn Asn Gla Clu Garatt
Ala Val Tyr Ala Asn Asn Glm Glu Ser Ala Val Val Asn Leu Ala Arg Thr Asn
765 774 783 792 801 810
CCA GAA GGA TGG GAA AAC GAC AGG GGA CCG AAA ATC GAA GGA TAC GAA GAC GCG
Pro Glu Gly Trp Glu Asn Asp Arg Gly Pro Lys Ile Glu Gly Tyr Glu Asp Ala
910 nnn
ATA ATC TAT GAA ATA CAC ATA GCG GAC ATC ACA COT
The The Bar of the Country of the Co
Ile Ilo Tyr Glu Ile His Ilo Ala Asp Ile Thr Gly Leu Glu Asn Ser Gly Val
873 003
AAA AAC AAA GGC CTC TAT CTC GGG CTC ACC GAA GAA AAC ACG AAA GGA CCG GGC
Lys Asn Lys Gly Leu Tyr Lon Gly Lon The Con
Lys Asn Lys Gly Leu Tyr Lou Gly Leu Thr Glu Glu Asn Thr Lys Gly Pro Gly
927 936 945 954 963 972
GGT GTG ACA ACA GGC CTT TCG CAC CTT GTG GAA CTC GGT GTT ACA CAC GTT CAT
Gly Val Thr Thr Gly Leu Ser His Leu Val Glu Leu Gly Val Thr His Val His
981 600
ATA CTT CCT TTC TTT GAT TTC TAC ACA GGC GAC GAA CTC GAT AAA GAT TTC GAG
ILE LEU PRO Pho
Ile Leu Pro Phe Phe Asp Phe Tyr Thr Gly Asp Glu Leu Amp Lys Asp Phe Glu
1035
ANG TAC TAC AND TGG GGT TAC GAT CCT TAC CTG TTC ATG GTT CCG GAG GGC AGA
Lys Tyr Tyr Asn Trp Gly Tyr Asn Pro Day
Lys Tyr Tyr Asn Trp Gly Tyr Asp Pro Tyr Leu Phe Met Val Pro Glu Gly Arg
Figure 14kg

Figure 14b(Continued)

Thormoroad	pariting	2mllmln=nn=		
•		Pullulanaco	(0033)	(Continuod)

(continued)
1089
1089 1098 1107 1116 1125 1134 TAC TCA ACC GAT CCC AAA AAC CCA CAC ACG AGA ATC AGA GAA GTC AAA GAA ATC
THE CON CAC ACG AGA ATC AGA GAR CTC AAA CTC
Tyr Ser Thr Asp Pro Lys Asn Pro His Thr Arg Ile Arg Glu Val Lys Glu Met
GTC AAA GCC CTT CAC AAA CAC CCT NO 222 2170 1179 1189
ATT ATG GAC ATC CTG
Val Lys Ala Leu His Lys His Gly Ile Gly Val Ile Met Asp Met Val Phe Pro
114/ 1206
1197 1206 1215 1224 1233 1242 CAC ACC TAC GGT ATA GGC GAA CTC TCT GCG TTC GAT CAG ACG GTG CCG TAC TAC
THE GOLD THE GOT THE GAT CAG ACG GTG CCG THE THE
His Thr Tyr Gly Ile Gly Glu Leu Ser Ala Pho 1
the Asp Gin Thr Val Pro Tur Tur
1251 1260 1269 1278 1287 1296
THE THE SET OCC TAT THE ARC GAR AGE GGR TOT COME AND
Phe Tyr Arg Ile Asp Lys Thr Gly Als Tyr Leu Asn Glu Ser Gly Cys Gly Asn
Tyr Leu Asn Glu Ser Gly Cys Gly Asn
1305
VALUE AND AND COUNTY AND
Val Ile Ala Ser Glu Arg Pro Met Met Arg Lys Phe Ile Val Asp Thr Vel Thr
1350 Thr Val Thr
1359 1368 1377 1386 1395 1404
TAC TGG GTA AAG GAG TAT CAC ATA GAC GGA TTC AGG TTC GAT CAG ATG GGT CTC
Tyr Trp Val Lyp Glu Tyr Hig Ilo And Glu
Tyr Trp Val Lyn Clu Tyr His Ile Asp Gly Phe Arg Phe Asp Gln Met Gly Lou
1413
1613 1622 1431 1440 1649 1658 ATC GAC AAA AAG ACA ATG CTC GAA GTC GAA AGA GCT CTT CAT AAA ATC GAT CCA
THE CAN AGA GCT CTT CAT AAA ATC CAT COS
Ile Asp Lys Lys Thr Mot Leu Glu Vol Glu Vol
Ile Asp Lys Lys Thr Mot Leu Glu Val Glu Arg Ala Leu His Lys Ile Asp Pro
1467 1476 1485 1494 1503 1512
ACT ATC ATT CTC TAC GGC GAA CCG TGG GGT GGA TGG GGA GCA CCG ATC AGG TTT
The Tile and Arc
Thr Ile Ile Leu Tyr Gly Glu Pro Trp Gly Gly Trp Gly Ala Pro Ile Arg Pha
1521 1570
1521 1530 1539 1548 1557 1566 GGA AAG AGC GAT GTC GCC GGC ACA CAC GTG GCA GGT GTG ACA CAC GTG GCA GGT GTG GTG GTG GTG GTG GTG GTG GTG GT
THE THE CAR GAT GAR THE ACT
Gly Lys Ser Asp Val Ala Gly Thr His Val Ala Ala Phe Asn Asp Glu Phe Arg
was was Ala Phe Asn Asp Glu Phe Arg
1575
GAC GCA ATA AGG GGT TCC GTG TTC AAC CCG AGC GTC AAG GGA TTC GTC ATG GGA
ASD Ale The Assessment of the
Asp Ala Ile Arg Gly Ser Val Phe Asn Pro Ser Val Lys Gly Phe Val Met Gly
-yy - ne val met alv

Figure 14C(Continued)

Thornotogo Doritino Pullulanano (6093) (continuod)

(continued)
1629 1638 1647 1656 1665 167. GGA TAC GGA AAG GAA ACC AAG ATC AAA AGG GCT CTT GTT GTT GTT GTT GTT GTT GTT G
GGA TAC GGA AAG GAA ACC AAG ATC AAA AGG GGT GTT GTT GGA AGC ATA AAC TAG
THE THE GENERAL AND
Gly Tyr Gly Lys Glu Thr Lys Ile Lys Arg Gly Wal Wal
Gly Tyr Gly Lys Glu Thr Lys Ile Lys Arg Gly Val Val Gly Ser Ile Asn Tyr
1683
GAC GGA AAA CTC ATC AAA AGT TTC GCC CTT GAT CGT 1719 1728
GAC GGA AAA CTC ATC AAA AGT TTC GCC CTT GAT CCA GAA GAA ACT ATA AAC TAC
Asp Gly Lys Leu Ile Lys Ser Pho Ala Leu Asp Pro Glu Glu Thr Ile Asn Tyr
and hap Fro Glu Glu Thr Ile Asn Tyr
1/17 1746
GCA GCG TGT CAC GAC AAC CAC ACA CTG TGG GAC AAG AAC TAC CTT GCC GCC AAA
Ala TAC CIT GCC GCC AAA
Ala Ala Cys Hio Asp Asn His Thr Leu Trp Asp Lys Asn Tyr Lou Ala Ala Lys
1701 Ala Ala Lys
1791 1800 1809 1818 1827
GCT GAT AAG AAA AAG GAA TGG ACC GAA GAA GAA CTG AAA AAC GCC CAG AAA CTG
Ala Asp Lyg Lyg Lyg Car
Ala Asp Lys Lys Glu Trp Thr Glu Glu Glu Leu Lys Asn Ala Gln Lys Leu
1845
1845 1854 1863 1872 1881 1890 GOT GGT GCG ATA CTT CTC ACT TCT CAA GGT GTT GCT TTC CTC CAG GGA GGG CAG
THE CTC CAC GAR GAR CAC
Ala Gly Ala Ilo Leu Leu Thr Ser Gln Gly Val Pro Phe Leu His Gly Gln
and Ser Gin Gly Val Pro Phe Leu His Gly Gly Gly
1899 1909
GAC TTC TGC AGG ACG AAT TTC AAC GAC AAC TCC TAC AAC GCC CCT ATC TCG
THE
Asp Pho Cyo Arg Thr Thr Asn Pho Asn Asp Asp Asp Asp
Asp Pho Cyo Arg Thr Thr Asn Pho Asn Asp Asn Ser Tyr Asn Ala Pro Ile Sor
1953 toen
ATA AAC GGC TTC GAT TAC GAA AGA AAA CTT CAG TTC ATA CTT
ATA AAC GGC TTC GAT TAC GAA AGA AAA CTT CAG TTC ATA GAC GTG TTC AAT TAC
Ile Asn Gly Phe Asp Tyr Glu Arg Lys Leu Gln Phe Ile Asp Val Phe Asn Tyr
The Asp val Phe Asp Tyr
2007 2016 2025 2034 2043 2052
CAC AAG GGT CTC ATA AAA CTC AGA AAA GAA CAC CCT GCT TTC AGG CTG AAA AAC
His Ive Cly In The Table
His Lys Gly Leu Ile Lys Leu Arg Lys Glu His Pro Ala Phe Arg Leu Lys Asn
2061 2070 200-
2061 2070 2079 2088 2097 2106 GCT GAA GAG ATC AAA AAA CAC CTG GAA TTT CTC CCG GGC GGG AGA AGA ATA GTT
THE CITY COLUMN TO SEE AND AND COMME
Ala Glu Glu Ile Lyg Lyg Hig Lou Glu
Ala Glu Glu Ile Lys Lys His Leu Glu Phe Leu Pro Gly Gly Arg Arg Ile Val
2115 2124
GCG TTC ATG CTT AAA GAC CAC GCA GGT GGT GAT CCC TGG AAA GAC ATC GTG GTG
THE SALE GOT GOT GAT CCC TOG AAA GAC ATC GTG GTG
Ala Phg Met Leu Lys Asp His Ala Gly Gly Asp Pro Trp Lys Asp Ile Val Val
dry dry asp Pro Trp Lys Asp Ile Val Val

Figure 14d(Continued)

Phosmotoga magitima Pullulanano (6073) (continuod)

2223 2232 2241 2250 2259 2268
AAT GTG GTT GTG AAC AGC CAG AAA GCC GGA ACA GAA GTG ATA GAA ACC GTC GAA
Asn Val Val Val Asn Ser Gln Lys Ala Gly Thr Glu Val Ile Glu Thr Val Glu

GGA ACA ATA GAA CTC GAT CCG CTT TCC GCG TAC GTT CTG TAC AGA GAG TCA 3'

Cly Thr Ile Glu Leu Asp Pro Leu Ser Ala Tyr Val Leu Tyr Arg Glu ***

Figure 14e(Continued)

Figure 15a Thermotoga maritima MSB8 (Clone # 6GP2) Glycosidase

CTT TTA TTG ATC GTT GAG CTC TCT TTC GTT CTC TTT GCA AGT GAC GAG TTC Leu Leu Leu Ile Val Glu Leu Ser Phe Val Leu Phe Ala Ser Asp Glu Phe

GTG AAA GTG GAA AAC GGA AAA TTC GCT CTG AAC GGA AAA GAA TTC AGA TTC Val Lys Val Glu Asn Gly Lys Phe Ala Leu Asn Gly Lys Glu Phe Arg Phe

ATT GGA AGC AAC AAC TAC TAC ATG CAC TAC AAG AGC AAC GGA ATG ATA GAC Ile Gly Ser Asn Asn Tyr Tyr Met His Tyr Lys Ser Asn Gly Met Ile Asp

AGT GTT CTG GAG AGT GCC AGA GAC ATG GGT ATA AAG GTC CTC AGA ATC TGG Ser Val Leu Glu Ser Ala Arg Asp Met Gly Ile Lys Val Leu Arg Ile Trp

GGT TTC CTC GAC GGG GAG AGT TAC TGC AGA GAC AAG AAC ACC TAC ATG CAT Gly Phe Leu Asp Gly Glu Ser Tyr Cys Arg Asp Lys Asn Thr Tyr Met His

CCT GAG CCC GGT GTT TTC GGG GTG CCA GAA GGA ATA TCG AAC GCC CAG AGC Pro Glu Pro Gly Val Pne Gly Val Pro Glu Gly Ile Ser Asn Ala Gln Ser

GGT TTC GAA AGA CTC GAC TAC ACA GTT GCG AAA GCG AAA GAA CTC GGT ATA Gly Phe Glu Arg Leu Asp Tyr Thr Val Ala Lys Ala Lys Glu Leu Gly Ile

AAA CTT GTC ATT GTT CTT GTG AAC TGG GAC GAC TTC GGT GGA ATG AAC Lys Leu Val lle Val Leu Val Asn Asn Trp Asp Asp Phe Gly Gly Met Asn

CAG TAC GTG AGG TGG TTT GGA GGA ACC CAT CAC GAC GAT TTC TAC AGA GAT Gln Tyr Val Arg Trp Phe Gly Gly Thr His His Asp Asp Phe Tyr Arg Asp

GAG AAG ATC AAA GAA GAG TAC AAA AAG TAC GTC TCC TTT CTC GTA AAC CAT Glu Lys Ile Lys Glu Glu Tyr Lys Lys Tyr Val Ser Phe Leu Val Asn His

GTC AAT ACC TAC ACG GGA GTT CCT TAC AGG GAA GAG CCC ACC ATC ATG GCC Val Asn Thr Tyr Thr Gly Val Pro Tyr Arg Glu Glu Pro Thr Ile Met Ala

TGG GAG CTT GCA AAC GAA CCG CGC TGT GAG ACG GAC AAA TCG GGG AAC ACG Trp Glu Leu Ala Asn Glu Pro Arg Cys Glu Thr Asp Lys Ser Gly Asn Thr CTC GTT GAG TGG GTG AAG GAG ATG AGC TCC TAC ATA AAG AGT CTG GAT CCC Leu Val Glu Trp Val Lys Glu Met Ser Ser Tyr Ile Lys Ser Leu Asp Pro

AAC CAC CTC GTG GCT GTG GGG GAC GAA GGA TTC TTC AGC AAC TAC GAA GGA Asn His Leu Val Ala Val Gly Asp Glu Gly Phe Phe Ser Asn Tyr Glu Gly

TTC AAA CCT TAC GGT GGA GAA GCC GAG TGG GCC TAC AAC GGC TGG TCC GGT Phe Lys Pro Tyr Gly Glu Ala Glu Trp Ala Tyr Asn Gly Trp Ser Gly

GTT GAC TGG AAG AAG CTC CTT TCG ATA GAG ACG GTG GAC TTC GGC ACG TTC Val Asp Trp Lys Lys Leu Leu Ser Ile Glu Thr Val Asp Phe Gly Thr Phe

CAC CTC TAT CCG TCC CAC TGG GGT GTC AGT CCA GAG AAC TAT GCC CAG TGG His Leu Tyr Pro Ser His Trp Gly Val Ser Pro Glu Asn Tyr Ala Gln Trp

GGA GCG AAG TGG ATA GAA GAC CAC ATA AAG ATC GCA AAA GAG ATC GGA AAA Gly Ala Lys Trp Ile Glu Asp His Ile Lys Ile Ala Lys Glu Ile Gly Lys

CCC GTT GTT CTG GAA GAA TAT GGA ATT CCA AAG AGT GCG CCA GTT AAC AGA Pro Val Val Leu Glu Glu Tyr Gly Ile Pro Lys Ser Ala Pro Val Asn Arg

ACG GCC ATC TAC AGA CTC TGG AAC GAT CTG GTC TAC GAT CTC GGT GGA GAT Thr Ala Ile Tyr Arg Leu Trp Asn Asp Leu Val Tyr Asp Leu Gly Gly Asp

GGA GCG ATG TTC TGG ATG CTC GCG GGA ATC GGG GAA GGT TCG GAC AGA GAC Gly Ala Met Phe Trp Met Leu Ala Gly Ile Gly Glu Gly Ser Asp Arg Asp

GAG AGA GGG TAC TAT CCG GAC TAC GAC GGT TTC AGA ATA GTG AAC GAC GAC Glu Arg Gly Tyr Tyr Pro Asp Tyr Asp Gly Phe Arg Ile Val Asn Asp Asp

AGT CCA GAA GCG GAA CTG ATA AGA GAA TAC GCG AAG CTG TTC AAC ACA GGT Ser Pro Glu Ala Glu Leu Ile Arg Glu Tyr Ala Lys Leu Phe Asn Thr Gly

GAA GAC ATA AGA GAA GAC ACC TGC TCT TTC ATC CTT CCA AAA GAC GGC ATG Glu Asp Ile Arg Glu Asp Thr Cys Ser Phe Ile Leu Pro Lys Asp Gly Met

GAG ATC AAA AAG ACC GTG GAA GTG AGG GCT GGT GTT TTC GAC TAC AGC AAC

Figure 15b (continued)

. Glu Ile Lys Lys Thr Val Glu Val Arg Ala Gly Val Phe Asp Tyr Ser Asn

ACG TTT GAA AAG TTG TCT GTC AAA GTC GAA GAT CTG GTT TTT GAA AAT GAG Thr Phe Glu Lys Leu Ser Val Lys Val Glu Asp Leu Val Phe Glu Asn Glu

ATA GAG CAT CTC GGA TAC GGA ATT TAC GGC TTT GAT CTC GAC ACA ACC CGG Ile Glu His Leu Gly Tyr Gly Ile Tyr Gly Phe Asp Leu Asp Thr Thr Arg

ATC CCG GAT GGA GAA CAT GAA ATG TTC CTT GAA GGC CAC TTT CAG GGA AAA Ile Pro Asp Gly Glu His Glu Met Phe Leu Glu Gly His Phe Gln Gly Lys

ACG GTG AAA GAC TCT ATC AAA GCG AAA GTG GTG AAC GAA GCA CGG TAC GTG Thr Val Lys Asp Ser Ile Lys Ala Lys Val Val Asn Glu Ala Arg Tyr Val

CTC GCA GAG GAA GTT GAT TTT TCC TCT CCA GAA GAG GTG AAA AAC TGG TGG Leu Ala Glu Glu Val Asp Phe Ser Ser Pro Glu Glu Val Lya Asn Trp Trp

AAC AGC GGA ACC TGG CAG GCA GAG TTC GGG TCA CCT GAC ATT GAA TGG AAC Asn Ser Gly Thr Trp Gln Ala Glu Phe Gly Ser Pro Asp Ile Glu Trp Asn

GGT GAG GTG GGA AAT 3GA 3CA CTG CAG CTG AAC GTG AAA CTG CCC GGA AAG Gly Glu Val Gly Asn Gly Ala Leu Gln Leu Asn Val Lys Leu Pro Gly Lys

AGC GAC TGG GAA GAA GTG AGA GTA GCA AGG AAG TTC GAA AGA CTC TCA GAA Ser Asp Trp Glu Glu Val Arg Val Ala Arg Lys Phe Glu Arg Leu Ser Glu

TGT GAG ATC CTC GAG TAC GAC ATC TAC ATT CCA AAC GTC GAG GGA CTC AAG Cys Glu Ile Leu Glu Tyr Asp Ile Tyr Ile Pro Asn Val Glu Gly Leu Lys

GGA AGG TTG AGG CCG TAC GCG GTT CTG AAC CCC GGC TGG GTG AAG ATA GGC Gly Arg Leu Arg Pro Tyr Ala Val Leu Asn Pro Gly Trp Val Lys Ile Gly

CTC GAC ATG AAC AAC GCG AAC GTG GAA AGT GCG GAG ATC ATC ACT TTC GGC Leu Asp Met Asn Asn Ala Asn Val Glu Ser Ala Glu Ile Ile Thr Phe Gly

GGA AAA GAG TAC AGA AGA TTC CAT GTA AGA ATT GAG TTC GAC AGA ACA GCG Gly Lys Glu Tyr Arg Arg Phe His Val Arg Ile Glu Phe Asp Arg Thr Ala

Figure 15C(continued)

GGG GTG AAA GAA CTT CAC ATA GGA GTT GTC GGT GAT CAT CTG AGG TAC GAT Gly Val Lys Glu Leu His Ile Gly Val Val Gly Asp His Leu Arg Tyr Asp

GGA CCG ATT TTC ATC GAT AAT GTG AGA CTT TAT AAA AGA ACA GGA GGT ATG Gly Pro Ile Phe Ile Asp Asn Val Arg Leu Tyr Lys Arg Thr Gly Gly Met

TGA 1991

END

Figure 15d(continued)

Figure No. 16/1Thermotoga maritima MSB8(6gb4)

	1	ATG	ала	AGA .	ATC	GAC	CTG	AAT	GGT	TTC	TGG	AGC	GTT	AGG	Car	220				TTT TO	
	1	Met	Lys	Arg	Ile i	qaA	Leu .	Asn	Gly	Phe	Tro :	Ser '	Val	Ara	D	AAC	GAA	GGG	AGA	TTT TO Phe Se	G 60
									•					n.y .	кар .	ASD :	Glu	Gly .	Arg	Phe Se	r 20
6	1 :	IIT (GAA (GGG 2	ACT C	ita (רא (
2	1 1	he (3lu d	Slv 7	thr t	/al t	2-0 (300 (STC (CAG (GCA (SAT (TG	TC A	AGA A	AAA (GT (TTT (TT CC	A 120
				-, .	••••		710 (ary (/ai Y	/al (31n A	lla A	lsp I	eu V	al A	urg I	ys C	ly I	eu I	eu Pro	9 40
12																					
	1 .,	AC (CG T	'AC G	TT G	GG A	TG A	AC G	AA G	AT C	TC T	TC A	AG G	AA A	TA G	AA G	AC A	G 2 G	ac =	GG ATC	
•	_ H	is P	ro T	yr V	al G	ly M	et A	sn G	lu A	sp L	eu P	he L	ys G	lu I	le G	lu A	so A	ra c	7.0 . 1.1 m	GG ATC	
																					60
18;	L T	AC G	AG A	GG G	AG T	TC G	AG T	TC A	AA G	AA G	AT G	TG A	מא מי							C GTT	
61	T	yr G	lu A	rg G	lu Pi	ne G	lu Pi	ne Ly	/9 G	lu A	so Va	al fa	45 C)			WA CO	GT G	rc g	rı. Cı	CC GTT	240
							•				.p v.		/ B G :	iu G1	y G	Lu A:	rg Va	ll As	p Le	u Val	80
241	T.	T G	AG GC	GC G1	מט מו	C 20	·	- m													
81	P	e G)	u Gi	v Va	1 20	- Th			ii GA	AT GI	TT TA	T CI	'G AA	C GG	T GT	T TA	C CI	T GG	A AG	C ACC	300
				,		٠ ت	rr re	u se	T AS	p Va	1 Ty	r Le	eA u	n Gl	y Va	l Ty	r Le	u G1	y Se	C ACC	100
301																					
101	G)		C AT	G TT	C AT	C GA	.G TA	T CS	C TT	C GA	T GT	C AC	ع م	C GT:	G TT	G AA	A GA	A AA	24 5	r cac	350
	Gı	u AS	р ме	t Ph	e Il	e Gl	ער: ע	r Ar	g Ph	e As	p Va.	1 Th	r As:	n Val	Le	a Ly	s Gl	u Lv	s As	r CAC n His	120
																					120
361	CT	G AA	G GT	G TA	C AT	i aa	A IC	r cc:	CAT	C AG	A GT1	r ccc	s aas	A A C-	- ~-		- 0.			GGG	
121	Le	u Ly	s Va	1 Ty:	r Ile	Ly:	s Se	r Pro	5 71:	a Ar	y Val	Pro	Lvs	. The	. t.a.	. Cl	. a.	AA(I TAC	GGG Gly	420
														• • • • •	. 260	4 011	1 G.:	AS:	ı Tyr	Gly	140
421	GT	CT	G GG	o GG:	י ככי	GAZ	A GAT		` ATC											TAC	
141	Va]	Let	4 Gly	/ Gly	/ Pro	Glu	ı Ast	3 2-0	Tle			TAC	: ATA	AGA	AAA .	GCC	CAG	TAT	TCG	TAC	480
				•						, nig	GIY	TYT	116	Arg	Lys	a	Gla	Tyr	Ser	Tyr	160
481	GGA	тас	: CAC	* ***																	
161	Glv	Tr-) Acc	TGG	GGI	GCC	AGA	ATC	GTT	ACA	AGC	GGT	ATT	TGG	AAA	ccc	GTC	TAC	CTC	GAG	540
	,		vat	Trp	GIA	' Ala	Arg	Ile	Val	Thr	Ser	Gly	Ile	Trp	Lys	Pro	Val	Tyr	Léu	Glu	180
E 4 3																					
541	GTG	TAC	AGG	GCA	CGT	CTT	CAG	GAT	TCA	ACG	GCT	TAT	CTG	TTG	GAA	CTT	GAG	ccc	222	CAT	500
181	Val	Tyr	Arg	Ala	Arg	Leu	Gln	Asp	Ser	Thr	Ala	Tyr	Leu	Leu	Glu	Lev	G ¹ 11	G1.	7	GAI	600
																					200
601	GCC	CTT	GTG	AGG	GTG	AAC	GGT	TTC	GTA	CAC	GGG	GAA	CCX								
201	Ala	Leu	Val	Arg	Val	Asn	Gly	Phe	Val	His	Gly	Clu	Clu	AAI	Cre	ATT	GTG	GAA	GTT	TAT	660
							•				7	GIU	GIA	ASN	Leu	Ile	Val	Glu	Val	Tyr	220
661	GTA	AAC	GGT	GAA	220	ስ ጥ ኦ		~ • •													
221	Val	Asn	Glv	GAA Glu	Lare	TIA	C1	GAG	TTT	CCT	GTT	CTT	GAA	AAG	AAC	GGA	GAA	AAG	CTC	TTC	720
			7	Glu	-y 8	116	GIÀ	GIU	Pne	Pro	Val	Leu	Glu	Lys	Asn	Gly	Glu	Lys	Leu	Phe	240
	OV1	GGA	GTG	TTC Phe	CAC	CTG	AAA	GAT	GTG	AAA	CTA	TGG	TAT	CCG	TGG	AAC	GTG	GGG	מממ	CCC	780
	vab	GIY	Val	Phe	His	Leu	Lys	Asp	Val	Lys	Leu	Trp	Tyr	Pro	Tro	Asn	Val	C1.4	naa.	Dec	780
															•			y	nys	110	260

781 TAC C	TIG TAC GAT TTC GTT	TTC GTG TTG	AAA GAC TTA AAC	GGA GAG ATC TAC AGA	
261 Tyr L	eu Tyr Asp Phe Val	Phe Val Leu	Lys Asp Leu Asn	GGA GAG ATC TAC AGA Gly Glu Ile Tyr Arg	GAA GAA 840
					- -
841 AAG A 281 Lvs I	AA ATC GGT TTG AGA	AGA GTC AGA A	ATC GTT CAG GAG	CCC GAT GAA GAA GGA	AAA ACT
2,2 2,3	ys lie Gly Leu Arg	Arg Val Arg I	le Val Gln Glu	CCC GAT GAA GAA GGA Pro Asp Glu Glu Gly	Lys Thr 300
301 Phe I]	le Phe Glu Ile Asn	GIV Glu Lve v	TO TTO GOT AAG (GGT GCT AAC TGG ATT (CCC TCA 960
	•	, ays v	ar the Ara Lys (Gly Ala Asn Trp Ile i	Pro Ser 320
961 GAA AA	C ATC CTC ACG TGG	TTG AAG GAG GA	A GAT TAC GLA A	AG CTC GTC AAA ATG G	
321 Glu As	n Ile Leu Thr Trp 1	Leu Lys Glu Gl	u Asp Tyr Glu L	AG CTC GTC AAA ATG G ys Leu Val Lys Met A	CA AGG 1020
341 Ser Al:	C AAT ATG AAC ATG	TC AGG GTC TG	G GGA GGA GGA A	TC TAC GAG AGA GAG A	TC TTC 1000
,	a ash met Ash Met I	eu Arg Val Tr	p Gly Gly Gly I	TC TAC GAG AGA GAG A le Tyr Glu Arg Glu II	rc TTC 1080 le Phe 360
361 Tyr Arg	Leu Cys Asp Glu L	eu Gly Ile Mer	GTG TGG CAG GA	AT TTC ATG TAC GCG TG	T CTT 1140
1141 GAA TAT	CCG GAT CAT CTT C	G TGG TTC AGA	AAA CTC GCG AA	c gaa gag gca aga aa	
381 Glu Tyr	Pro Asp His Leu Pr	o Trp Phe Arg	Lys Leu Ala As:	C GAA GAG GCA AGA AA n Glu Glu Ala Arg Ly	G ATT 1200
401 Val Arg	AAA CTC AGA TAC CA	T CCC TCC ATT	GTT CTC TGG TG:	O GGA AAC AAC GAA AA	C AAC 1260
	Dys Let Arg Tyr Hi	s Pro Ser Ile	Val Leu Trp Cys	0 GGA AAC AAC GAA AAC s Gly Asn Asn Glu Asr	Asn 420
1261 TGG GGA	TTC GAT GAA TGG GG	1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
421 Trp Gly	Phe Asp Glu Trp Gl	y Asn Met Ala	AGA AAA GTG GAT	GGT ATC AAC CTC GGA	AAC 1320
1321 AGG CTC	TAC CTC TTC GAT TT	CCT GAG ATT	TGT GCC GAA GAA	GAC CCG TCC ACT CCC	
TT Arg Leu	Tyr Leu Phe Asp Phe	Pro Glu Ile	Cys Ala Glu Glu	GAC CCG TCC ACT CCC Asp Pro Ser Thr Pro	TAT 1380 Tyr 460
461 Trp Pro	Ser Ser Pro Tur Glo	GGT GAA AAA	GCG AAC AGC GAA	AAG GAA GGA GAC AGG	CAC 1440
		dry Grd Lys	Ala Asn Ser Glu	AAG GAA GGA GAC AGG Lys Glu Gly Asp Arg	His 480
1441 GTC TGG	TAC GTG TGG AGT GGG	TGG ATG AAC	TAC CAR ARG TAG	GAA AAA GAC ACC GGA	
481 Val Trp 7	Tyr Val Trp Ser Gly	Trp Met Asn	Tyr Glu Asn Tyr	GAA AAA GAC ACC GGA Glu Lys Asp Thr Gly	AGG 1500
1501 TTC ATC A	AGC GAG TTT GGA TTT	CAG GGT GCT	CCC CAT CCA GAG	ACG ATA GAG TTC TTT	TCN 1500
FRE ILE S	er Glu'Phe Gly Phe	Gln Gly Ala	Pro His Pro Glu	ACG ATA GAG TTC TTT Thr Ile Glu Phe Phe	TCA 1560 Ser 520
521 Lys Pro G	lu Glu Ara Glu Tla	TTC CAT CCC (STC ATG CTG AAG	CAC AAC AAA CAG GTG	GAA 1620
		File MIS PIO	al Met Leu Lys	CAC AAC AAA CAG GTG His Asn Lys Gln Val	Glu 540
		figure 16	b (continued)		

162 54 168									G TI		e Pi	1E G.	Ly A	an Pi	he G	ly L	As C	ys L	ys A	sp F	he	Asp	168 56
	. Se	r P	he	Val	TA.	T CT T Le	G TC u Se	C CA	G CT	C AA J As:	c ca n Gl	n Al	G GA a Gl	G GC u Al	EG A:	rc Al	AG T	C G	GT G	TT G	AA lu	CAC Kis	174(580
1741 581	TG:	G CO	g g	AGC Ser	AGC Arg	G AAG	G TAC	Lys	ACC Thr	GCC Ala	GG(C GC: / Ala	r cro	C TT	C TG	G CA p Gl	G TT	C AA e As	C GA	AC AC	;c :	TGG Trp	1800 600
1801 601	Pro	GT Va	C :	TTC Phe	AGC Ser	TGG	TCC Ser	GCA Ala	GTC Val	GAT Asp	TAC	TTC Phe	Lys	AGG Arg	CCC	C AA	A GC:	CTC	C TA	C TA	C 1	AT Yr	1860 620
1861 621	GCG Ala	AG	A A	IGA LIG	TTC Phe	TTC Phe	GCT Ala	GAA Glu	GTT Val	CTA Leu	CCC Pro	GTT Val	TTG Leu	AAG Lys	AAG Lys	AGA Arg	GAC qeA	AAC Asn	AAA Lys	A ATA	L G	AA lu	1920 640
1921 641	CTG Leu	CTG Leu	G V	TG (GGT Gly	GAG Glu	CGA Arg	TCT Ser	GAG Glu	GGA Gly	GAC Asp	aaa Lys	AGA Arg	AGT Ser	CTC Leu	TCT Ser	CA3 Gln	GCT Ala	TGC Cys	AGC Ser	C:	ra Iu	1980
1981 661	CGA Arg	GAA Glu	G)	AA d	GG .	AGA Arg	AAA Lys	GGT . Gly	ATT :	CGA ,	AAA Lys .	GAC :	TTA Leu	CAG Gln	AAC Asn	GGT Gly	ACT Thr	ccc Pro	AGC Ser	AGA Arg	CG Ar	:3 9	2040
	TGT (20: 68:	-															

Figure 16 C(continued)

Figure No. 17c.Bankia gouldi (37gp4)

	l AT	G J	AAA	444	. ממ	· ~ ·	CT.															
	L Me	t I	JV8	Liza	Aer	tou		Man	117	r aa	A AG	G CT	T AC	G TA	TCT	A CC	T T	rg T	T T	TA A	TG CTG	60
		-	-, -	- 275	ASI	. Tea	Leu	Met	Pne	E Ly	s Ar	g Le	u Th	r Ty	r Le	u Pr	o Le	u Pl	ne L	eu M	et Leu	20
61	C.T.	~ ~	·C >	Cm x																		
21	. CI .a.1		~~	CTA	AGT	TCA	GTA	GCT	CAA	TCI	ר ככי	C GTA	A GA	A AA	A CA	T GG	C CG	T TI	A C	IA G	TT GAC	120
	. 56	u J	e.r	reu	ser	Ser	Val	Ala	Gln	Ser	Pro	Val	. Gl	Ly:	s His	s Gl	y Ar	g Le	u Gl	n Va	1 Asp	40
121	-																					
121	GG/	A A.	AC	CGC	ATT	CTT	AAT	GCG	TCT	GGA	GAA	ATT	ACC	AGC	TTA	C GC	r GG	T AA	C AG	с ст	C TTT	180
14	GI	Y A	sn	Arg	116	Leu	Asn	Ala	Ser	Gly	Glu	Ile	Thr	Ser	Leu	Ala	G1;	y Ası	ı Se	r Le	u Phe	60
181	TGC	A	GT ,	AAT	GCT	GGA	GAC	ACC	TCC	GAT	TTT	TAT	AAT	GCA	GAA	ACT	GT7	GAT	TT	TT	A GCA	240
61	Trp) Se	er	Asn	Ala	Gly	qaA	Thr	Ser	Asp	Phe	Tyr	Asn	Ala	Glu	Thr	Val	. Asp	Phe	Le	ı Ala	80
							·															
241	GAA	. AA	C ?	rgg	AAT	AGC	TCA	CTT	ATT	AGA	ATA	GCT	ATG	GGC	GTA	AAA	GAA	AAT	TGC	GAT	GGC	300
81	GIU	As	ın]	rp.	Asn	Ser .	Ser	Leu	Ile	Arg	Ile	Ala	Met	Gly	Val	Lys	Glu	Asn	Trp	Asp	Gly	100
301	GGA	AA	TC	GC '	TAT .	ATT (GAT :	AGT	CCG	CAG	GAG	CAA	GAA	GCT	هدد	ATT	AGA	AAA	GTT	ATT	GAT	360
101	Giy	λs	n G	ily '	Fyr	ile /	Asp :	Ser !	Pro	Gln	Glu	Gln	Glu	Ala	Lys	Ile	Arg	Lys	Val	Ile	Asp	120
361	GCA	GC'	T A	TT	SCT /	AAC C	GC X	NTA :	AT (GTA .	ATA .	ATA	GAC	TGG	CAC	ACT	CAC	GAA	GCA	GAG	TTA	420
121	Ala	Ali	a I	le A	la /	Asn C	lly I	le 1	λ= ,	Val	Ile	Ile.	qeA	Trp	His	Thr	His	Glu	Ala	Glu	Leu	140
121	TAC	AC)	A G	AT C	AG (CT G	TT C	AC I	TT 7	TT I	ACC 2	AGA /	ATG	GCA	GAC	CTA	TAC	GGA	GAT	ACT	ccc	480
.41	Tyr	Thi	r A	sp 0	lu A	la V	al A	sp P	he I	he :	Thr 1	Arg !	Met.	Ala .	qaA	Leu	T, r	Gly	Asp	Thr	Pro	160
81	AAT	GT	A A	TG T	AT C	AA A	TT T	AT A	AC G	SAG (CT I	ATA 1	CAC	CAA .	AGT '	TGG	CCT	GTT	ATT	AAG	AAT	540
61	Asn	Val	. Mo	et T	Ar G	lu I	le T	yr A	sn G	ilu I	Pro 1	(le :	lyr (Gln :	Ser :	Trp	Pro	Val	Ile	Lys	Asn	180
41	TAT	GCA	L G	AG C	AA G	TA A	TT G	CT G	GT A	TA C	GT 1	CT ;	LAA (SAC (CA (GAT .	AAT	TTA	ATA	ATT	GTA	600
81	Tyr	Ala	G:	lu G	ln V	al I	le A	la G	ly I	le A	urg S	Ser I	ys i	Asp I	Pro 1	Asp.	naA	Leu	Tle	Ile	Val	200
01	GGT	ACT	· AC	GC A	AT T	AT T	CI C	AG C	AA G	TT G	AT C	TA C	CA :	CA (GCA (GAC	CCA	ATA	TCT	GAT	ACT	660
01	Gly	Thr	` \$e	er A	sn T	yr s	er G	ln G	ln V	al A	v qa	al A	la s	Ser A	Ala 1	Asp	Pro	Ile	Ser	Asp	Thr	220
61	AAT Asn	GTG	G	CA T	AT A	CT T	TA C	AT T	T T	AT G	CA G	CA 1	TT ,	AC (cc c	CAT (GAT	AAC	TTA	AGA	AAT	720
21	Asn	Val	. AJ	la T	yr T	hr L	eu H	is P	ne T	yr A	la A	la P	he /	lsn 3	Pro 1	lis .	Asp	Asn	Leu	Arg	Asn	240
									•													-
21	GTA (GCA	C	AG A	CA G	CA T	TA G	AT A	AT A	AT G	TT G	CT 1	TG 1	TT (TT 2	ACA (GAA	TGG	GGT	ACA	ATT.	780
41	Val :	Ala	Gl	n T	hr A	la L	eu A	sp A	an A	sn V	al A	la L	eu I	he \	al 1	Chr (Glu	Trp	Glv	Thr	Ile	260
																		-	1			

781 - TTA AAT ACC GGA CAA GGA CAA	
781 TTA AAT ACC GGA CAA GGA GAA CCA GAC AAA GAA AGC ACT AAT ACT TGG ATG GCC TTT T	TG 040
261 Leu Asn Thr Gly Gln Gly Glu Pro Asp Lys Glu Ser Thr Asn Thr Trp Met Ala Phe L	TG 840
841 AAA GAA AAA GGT ATA AGT CAC GCT AAT TGG TCT TTG AGT GAC AAA GCT TTT CCT GAA AG	
281 Lys Glu Lys Gly Ile Ser His Ala Asn Trp Ser Leu Ser Asp Lys Ala Phe Pro Glu Tr	CA 900
901 GGG TCT GTA GTT CAA GCA GGA CAA GGT GTA TCT GGT TTA ATT AGC AAT AAA CTT ACA GC	
301 Gly Ser Val Val Gln Ala Gly Gln Gly Val Ser Gly Leu Ile Ser Asn Lys Leu Thr Al	C 960
The ser Gry Leu Ile Ser Asn Lys Leu Thr Al.	a 320
961 TCT GGT GAA ATT GTA AAR ANG ANG ANG	
961 TCT GGT GAA ATT GTA AAA AAC ATC ATC CAA AAC TGG GAT ACA GAG ACC TCT ACA GGA CCT	1020
321 Ser Gly Glu Ile Val Lys Asn Ile Ile Gln Asn Trp Asp Thr Glu Thr Ser Thr Gly Pro	340
THE ACK CAR TOT ACT ATT CAN THE	1000
341 Lys Thr Thr Gln Cys Ser Thr Ile Glu Cys Ile Arg Ala Ala Met Glu Thr Ala Gln Ala	
	360
THE GRA ALL ATA ATT GCC CCC CCC CCC	
361 Gly Asp Glu Ile Ile Ile Ala Pro Gly Asn Tyr Asn Phe Gln Asp Lys Ile Gln Gly Ala	1140
	380
1141 TIT AAC CGT AGT GTT TAC CTT TAT GGT AGT GCT AAC GGA AAC AGT ACA AAC CCT ATT ATA	
381 Phe Asn Arg Ser Val Tyr Leu Tyr Gly Ser Ala Asn Gly Asn Ser Thr Asn Pro Ile Ile	1200
day Ash Ser Thr Ash Pro Ile Ile	400
1201 TTA AGA GGC GAA AGC GCT ACA AAC CCT CCT GTT TTC TCA GGA TTA GAT TAT AAC AAT GGC	
401 Leu Arg Gly Glu Ser Ala Thr Asn Pro Pro Val Phe Ser Gly Leu Asp Tyr Asn Asn Gly	1260
non 710 Flo val Phe Ser Gly Leu Asp Tyr Ash Ash Gly	420
1261 TAC CTA TTA AGT ATT CAA CCT CAT TAT	
1261 TAC CTA TTA AGT ATT GAA GGT GAT TAT TGG AAT ATT AAA GAT ATA GAG TTT AAA ACT GGG	1320
421 Tyr Leu Leu Ser Ile Glu Gly Asp Tyr Trp Asn Ile Lys Asp Ile Glu Phe Lys Thr Gly	440
1321 TCT AAA GGT ATT GTT CTT GAC AAT TCT AAT GGT AGT AAA TTA AAA AAC CTT GTT GTT CAT	1380
441 Ser Lys Gly Ile Val Leu Asp Asn Ser Asn Gly Ser Lys Leu Lys Asn Leu Val Val His	460
	400
1381 GAT ATT GGA GAA GAA GCT ATT CAC TTG CGT GAT GGA TCT AGC AAT AAT AGT ATA GAT GGT 461 Asp Ile Gly Glu Glu Ala Ile His Leu Arg Ara Club	
461 Asp Ile Gly Glu Glu Ala Ile His Leu Arg Asp Gly Ser Ser Asn Asn Ser Ile Asp Gly	1440
	480
1441 TGC ACT ATA TAC AAT ACA GGT AGA ACT AAA CCT GGT TTT GGT GAA GGT TTA TAT GTA GGC 481 Cys Thr lle Tyr Asn Thr Gly Arg Thr Lys Bro Gly Bro Gy The Gal	
481 Cys Thr Ile Tyr Asn Thr Gly Arg Thr Lys Pro Gly Phe Gly Glu Gly Leu Tyr Val Gly	1500
	500
1501 TCA GAT AAA GGA CAA CAT GAC ACT TAT GAA AGA GCT TGT AAC AAT AAC ACT ATT GAA AAC 501 Ser Asp Lys Gly Gln His Asp Thr Tyr Glu Arg Ala G	
501 Ser Asp Lys Gly Gln His Asp Thr Tyr Glu Arg Ala Cys Asn Asn Asn Thr Ile Glu Asn	1560
And Ala Cys Ash Ash Ash Thr Ile Glu Ash	520
1561 TGT ACC GTT GGA CCC AAT GTA ACA GCA GAA GGC GTA GAT GTT AAG GAA GGT ACA ATG AAC 521 Cys Thr Val Gly Pro Asn Val Thr Ala Gly Cly Val	1620
521 Cys Thr Val Gly Pro Asn Val Thr Ala Glu Gly Val Asp Val Lys Glu Gly Thr Met Asn	540

Figure 17b(continued)

			•		
16	ACT ATT ATA AGA AA	T TGC GTG TTT	TCT GCA GAA	GGA ATT TCA GGA GAA AAT AGC TCA GAT	
5	Il Thr Ile Ile Arg As	n Cys Val Phe	Ser Ala Glu	Gly Ile Ser Gly Glu Asn Ser Ser Asp	1680
				The Ser Gly Glu Ash Ser Ser Asp	560
166	1 GCT TTT ATT GAT TT	A AAA CCA CCC			
56	1 Ala Phe Ile Asn Le	I Tun Class	TAT GGT TTT	GTA TAC AGA AAC ACG TTT AAT GTT GAT	1740
	שם אוש שני אוש שני	d Lys Gly Ala	Tyr Gly Phe	Val Tyr Arg Asn Thr Phe Asn Val Asp	580
					360
1/4	GGT TCT GAA GTA ATA	A AAT ACT GGA	GTA GAC TTT	TTA GAT AGA GGT ACA GGA TTT AAT ACA	
58	Gly Ser Glu Val Ile	Asn Thr Gly	Val Asp Phe	LEU ASP ATG GLY THE GLY PHE ASE THE	1800
				ory ini Gry Phe Ash Thr	600 -
1801	GGT TTT AGA AAT GCA	ATA TTT GAS	AT ACA mam	AAC CTT GGC AGT AGA GCT TCA GAA ATT 1	•
601	Gly Phe Arg Asn Ala	Ile Phe Glu	OR The Total	AAC CTT GGC AGT AGA GCT TCA GAA ATT 1	860
	•	1 010 ,	ish the Typ)	Asn Leu Gly Ser Arg Ala Ser Glu Ile	620
1861	TCA ACT CCT CCT				
	Ser The Na Aug	AAA CAA GGT T	CT CCT GAA C	TAA ACT CAC GTT TGG GAT AAT ATT AGA 1	920
***	out int Ata Arg Lys	Lys Gln Gly S	er Pro Glu G	In Thr His Val Tro Non Non No.	540
					040
1921	AAC CCT AAT TOT GTT	GAT TTT CCA A	TA AGT GAT G	GT ACA GAA AAT CTA GTA AAT AAA TTC 19	
641	Asn Pro Asn Ser Val	Asp Phe Pro II	le Ser Asp G	OF ACA GAA AAT CTA STA AAT AAA TTC 19 ly Thr Glu Asn Leu Val Asn Lys Phe 6	980
			•	. The cra Ash Dec var Ash Lys Phe	560
1981	TGC CCA GAT TGG AAT	ATA GAA CCA TO	T 33T CC C	TA GAC GAA ACC AAC CAA GCA CCT ACA 20	
661	Cys Pro Asp Trp Asn	Ile Glu Pro Co	ve han bee w	AN GAO GAA ACC AAC CAA GCA CCT ACA 20 AN Asp Glu Thr Asn Gln Ala Pro Thr 6	40
	•		s Asi Pro Va	at Asp Glu Thr Asn Gln Ala Pro Thr 6	80
2041	ATA AGC TTC CTA TOT				
681	Ile Ser Pha Lau Cam	COT GIT AAC AA	T ATT ACT TI	NA GTT GAA GGT TAT AAT TTA CAA GTT 21	00
	our Fire Ded Ser	Pro Val Asn As	n Ile Thr Le	EU Val Glu Gly Tyr Asn Leu Gln Val 70	
2101	GAA GIT AAT GCT ACT C	BAT GCA GAT GG.	A ACT ATT GA	T AAT GTA AAA CTT TAT ATA GAT AAC 216	
/01	Glu Val Asn Ala Thr A	Asp Ala Asp Gl	y Thr Ile As	D Asn Val Tye tou many as	
				•	
2161	AAT TTA GTT AGG CAA A	TA AAT TOT ACT	TCA TAT AN	A TGG GGC CAT TCT GAT TCT CCA AAT 222	
721	Asn Leu Val Arg Gln I	le Asn Ser Thi	Ser Tur Lu	s Trp Gly His Ser Asp Ser Pro Asn 74	20
			· oct tyt by	s 11p Gly His Ser Asp Ser Pro Asn 74	0
2221	ACA GAT GAA CTT BAT C	CT CTT LON			
741	Thr Asp Glu Leu Ass C	No CIL ACA GAN	GGA ACT TAT	I ACC TTA AAA GCA ATT GCA ACT GAT 228	0
	r see act Asii G	TA Ded Lut Gld	Gly Thr Tyr	Thr Leu Lys Ala Ile Ala Thr As: 76	0
			,		
761	ACC GGG GCT TCT A	CA GAA ACG CAA	TTT ACG TTA	A ACT GTA ATA ACA GAA CAA AGT CCG 234	0
.01	nen Asp Gly Ala Ser Ti	hr Glu Thr Gln	Phe Thr Leu	Thr Val Tle The Clubs	
					U
2341	TCT GAG AAT TGT GAC T	IT AAT ACA CCT	TCT TCA ACT	GGT TTA GAA GAT TTT GAC ATT AAA 240	
781	Ser Glu Asn Cys Asp Pl	he Asn Thr Pro	Ser Ser The	Gly Leu Glu Asp Phe Asp Ile Lys 800	0
			1111	GIV Let Glu Asp Phe Asp Ile Lys 80	0
2401	AG TIT TOT AAC GET TO	TT CAC mms		•	
٠		GAG ITA GGA	TCT GGC GGA	CCA TCT TTA AGT AAT TTA AAA ACA 2460	0
		Tr./			

Figure 174(continued)

2521 AAC GGT GTA CCT GAT TAT TAT ATA AAT TTA AAA CCA AAA ATT ACC TTT CAG TTT AAA AAT ACC TTT AAA AAT ACC TTT CAG TTT AAA AAT ACC TTT CAG TTT AAA AAT ACC TTT AAA AAT ACC TTT CAG TTT AAA AAT ACC TTT AAA AAT AAA AT AAA AAT AAAA AAT AAA AAT AAA AAT AAAA AAT AAAA AAT AAA AAT AAAA AA)I. L'a	Phe	Ser .	Asn V	al Ph	e Glu	u Let	. Gly	/ Sez	r Gly	/ Gly	Pro	Ser	Leu	Ser	. Ası	ı Le	u L	/s Th	r 820
2521 AAC GGT GTA CCT GAT TAT TAT ATA AAT TTA AAA CCA AAA ATT ACC TTT CAG TTT AAA AAT 2580 841 Asn Gly Val Pro Asp Tyr Tyr Ile Asn Leu Lys Pro Lys Ile Thr Phe Gln Phe Lys Asn 860 2581 GCA AAT CCA GAA ATA TCT ATT AGC AAT AGC TTA ATT CCT AAT TTT GAT GGT GAT TAC TGG 2640 861 Ala Asn Pro Glu Ile Ser Ile Ser Asn Ser Leu Ile Pro Asn Phe Asp Gly Asp Tyr Trp 880 2641 GTA ACA TCA GAT AAC GGT AAT TTT GTG ATG GTA TCT AAA ACT AAT AAT TTT ACG ATA TAC 2700 881 Val Thr Ser Asp Asn Gly Asn Phe Val Met Val Ser Lys Thr Asn Asn Phe Thr Ile Tyr 900 2701 TTT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 2760 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 2761 ATT ACT GAT GAT TCT AGT ATT TAT TTT AGG CTT TAC CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940	246	1 TIT	ACT 2	ATT A	LAT TO	CG AA	TCG	CAS	73.0							•					
AAC GGT GTA CCT GAT TAT TAT ATA AAT TTA AAA CCA AAA ATT ACC TTT CAG TTT AAA AAT 2580 841 Asn Gly Val Pro Asp Tyr Tyr Ile Asn Leu Lys Pro Lys Ile Thr Phe Gln Phe Lys Asn 860 851 GCA AAT CCA GAA ATA TCT ATT AGC AAT AGC TTA ATT CCT AAT TTT GAT GGT GAT TAC TGG 2640 851 Ala Asn Pro Glu Ile Ser Ile Ser Asn Ser Leu Ile Pro Asn Phe Asp Gly Asp Tyr Trp 880 861 GTA ACA TCA GAT AAC GGT AAT TTT GTG ATG GTA TCT AAA ACT AAT AAT TTT ACG ATA TAC 2700 881 Val Thr Ser Asp Asn Gly Asn Phe Val Met Val Ser Lys Thr Asn Asn Phe Thr Ile Tyr 900 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 921 ATT ACT GAT GAT GAT TCT AGT ATT TAT AAG CTT TAC CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940	82	1 Phe	Thr 1	lle A	sn Ti	P Ası	1 Ser	Gln	Tyr	AAI	GGG	TTA	TAT	CAA	TIT	TCA	ATA	AA	C AC	A AA	2520
2581 GCA AAT CCA GAA ATA TCT ATT AGC AAT AGC TTA ATT CCT AAT TTT GAT GGT GAT TAC TGG 2640 861 Ala Asn Pro Glu Ile Ser Ile Ser Asn Ser Leu Ile Pro Asn Phe Asp Gly Asp Tyr Trp 880 2641 GTA ACA TCA GAT AAC GGT AAT TTT GTG ATG GTA TCT AAA ACT AAT AAT TTT ACG ATA TAC 2700 881 Val Thr Ser Asp Asn Gly Asn Phe Val Met Val Ser Lys Thr Asn Asn Phe Thr Ile Tyr 900 2701 TTT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 2760 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 2761 ATT ACT GAT GAT GAT TCT AGT ATT TTT AAG CTT TAC CCT AAT CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCT GAA GAT GAA ACT CTA ATT TTT GTG AGC GCT GAA GAT GAA ACT 2821 ATT TTT GTG AGC GCT GAA GAT GAA CTA CTA CTA CTA CTA CTA GAC GAA ACT 940																					
2581 GCA AAT CCA GAA ATA TCT ATT AGC AAT AGC TTA ATT CCT AAT TTT GAT GGT GAT TAC TGG 2640 861 Ala Asn Pro Glu Ile Ser Ile Ser Asn Ser Leu Ile Pro Asn Phe Asp Gly Asp Tyr Trp 880 2641 GTA ACA TCA GAT AAC GGT AAT TTT GTG ATG GTA TCT AAA ACT AAT AAT TTT ACG ATA TAC 2700 881 Val Thr Ser Asp Asn Gly Asn Phe Val Met Val Ser Lys Thr Asn Asn Phe Thr Ile Tyr 900 2701 TTT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 2760 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 2761 ATT ACT GAT GAT GAT TCT AGT ATT TTT AAG CTT TAC CCT AAT CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCT GAA GAT GAA ACT CTA ATT TTT GTG AGC GCT GAA GAT GAA ACT 2821 ATT TTT GTG AGC GCT GAA GAT GAA CTA CTA CTA CTA CTA CTA GAC GAA ACT 940	252	1 AAC	GGT G	TA C	CT GA	TAT	TAT	ATA	217	Torus N											
2581 GCA AAT CCA GAA ATA TCT ATT AGC AAT AGC TTA ATT CCT AAT TTT GAT GGT GAT TAC TGG 2640 861 Ala Asn Pro Glu Ile Ser Ile Ser Asn Ser Leu Ile Pro Asn Phe Asp Gly Asp Tyr Trp 880 2641 GTA ACA TCA GAT AAC GGT AAT TTT GTG ATG GTA TCT AAA ACT AAT AAT TTT ACG ATA TAC 2700 881 Val Thr Ser Asp Asn Gly Asn Phe Val Met Val Ser Lys Thr Asn Asn Phe Thr Ile Tyr 900 2701 TTT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 2760 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 2761 ATT ACT GAT GAT TCT AGT ATT TAT TTT AGG CTT TAC CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCA GAT GAT GAA GAT GAA ATA CTA GAT GAT TTT GTG AGC GCA GAT GAT GAA GAT GAA ANA CTA GCT GCT TTA GAC GAA ACT 940	84	l Asn	Gly V	al P	ro As	p Tyr	Tyr	Ile	Asn	Leu	Lys	Pro	AAA Lys	ATT Ile	ACC Thr	TTT Phe	CAG Gln	TTT	T.V.	AAT	2580
2641 GTA ACA TCA GAT AAC GGT AAT TTT GTG ATG GTA TCT AAA ACT AAT AAT TTT ACG ATA TAC 2700 881 Val Thr Ser Asp Asn Gly Asn Phe Val Met Val Ser Lys Thr Asn Asn Phe Thr Ile Tyr 900 2701 TTT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 2760 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 2761 ATT ACT GAT GAT TCT AGT ATT TAT TAAG CTT TAC CCT AAT CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCA GAT GAT GAA GAT GAA AAT GTA GAT GAA GAT GAA AAT GTA GAT TTT GTG AGC GCA GAT GAA ACT 2820	2581	GCA 8	NT C																~y.	ASII	860
2641 GTA ACA TCA GAT AAC GGT AAT TTT GTG ATG GTA TCT AAA ACT AAT AAT TTT ACG ATA TAC 881 Val Thr Ser Asp Asn Gly Asn Phe Val Met Val Ser Lys Thr Asn Asn Phe Thr Ile Tyr 900 2701 TTT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 922 2761 ATT ACT GAT GAT TCT AGT ATT AAT TTT AAG CTT TAC CCT AAT CCT GCT TTA GAC GAA ACT 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCT GAA GAT GAA AAA CTA GAT GAT GAT GAT GAT GAT GAT GAT GAT G	861	Ala A	sn Pr	-A GA	u Ile	A TCT	ATT	AGC . Ser .	AAT . Asn :	AGC Ser I	TTA . Leu :	ATT (Ile F	ro P	TAA	TTT (GAT (GGT Gly	GAT Asp	TAC	TGG	
2701 TIT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 2760 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 2761 ATT ACT GAT GAT TCT AGT ATT AAT TTT AAG CTT TAC CCT AAT CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCT GAA GAT GAA AAR CTA GCT TCT	2641	GTA A	CA TO	A CD	ሞ አክብ													•	-,-		880
2701 TIT AGT AAT GAC GCT ACT GCT CCT ATT TGT AAT GTT ACG CCT AGT AAC CAA ATA AGT AAA 2760 901 Phe Ser Asn Asp Ala Thr Ala Pro Ile Cys Asn Val Thr Pro Ser Asn Gln Ile Ser Lys 920 2761 ATT ACT GAT GAT TCT AGT ATT AAT TIT AAG CTT TAC CCT AAT CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCT GAA GAT GAA AAR CTA GCT TTA	881	Val Ti	ır Se	r As	Asn C	GL _y	AAT :	Phe V	TG A	IEC V	TA I	CT A	AA A Ys T	A TO	AT A sn A	AT T	TT ;	CG	ATA Ile	TAC Tyr	
2761 ATT ACT GAT GAT TCT AGT ATT AAT TTT AAG CTT TAC CCT AAT CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCT GAA GAT GAA AAR CTA GCT TTA		TIT AC	T AAT	C GAC	GCT	ACT (-cm -													•	
2761 ATT ACT GAT GAT TCT AGT ATT AAT TTT AAG CTT TAC CCT JAT CCT GCT TTA GAC GAA ACT 2820 921 Ile Thr Asp Asp Ser Ser Ile Asn Phe Lys Leu Tyr Pro Asn Pro Ala Leu Asp Glu Thr 940 2821 ATT TTT GTG AGC GCT GAA GAT GAA AAR CTA GCT TTA	901	Phe Se	r Asn	Asp	Ala	Thr A	Mia P	CT A	TT TO le Cy	GT AJ YS As	AT G: an Va	TT AC	CG CC	TT AC	ST AJ	AC CI	AA A	TA A	AGT .	AAA	_
2821 ATT TIT GTG AGC GCT GAA GAT GAA ANA CTA GCT TO	2761	ATT AC	T C > ~																	175	920
2821 ATT TIT GTG AGC GCT GAA GAT GAA AAA CTA GCT TO	921	Ile Th	Asp	Asp	Ser	AGT A Ser I	TT AS	AT TI	T AA e Ly	G CT	T TA u Ty	. 5. .C 00	T /la o As	.T CC	T GC	T TT	'A GA u As	C G	AA A	'CT	
941 The Phe Val Ser Ala Glu Asp Glu Lys Leu Ala Leu Val Leu Val Pro 956	2821	ATT TTT	GTG	200	c~ .		_												•		240
	941	Ile Phe	Val	Ser	Ala (SAA G	AT GA Sp Gl	u Ly	A CT.	A GC u Ala	T TT	G GT0 u Val	CT Lev	T GT;	A CC l Pro	A GT					

Figure 17d(continued)

Figure No. 180 Pyrococcus furiosus VC1(7EG1)

				•																
lea	der	se	que	nce	: a:	mino	ac	ida	1-24											
			•	9				18	1-24	,										
5 '	AT	G A	GC 2			א מ ב			 .		27			36			45		5	4
	Me	t S	er 1	320	Tue			IC G	TC A	TC	TA :	rct A	ATC 1	TA I	ACA A	ATC C	TT :	TTA C	STA CA	G.
				- y - S	Lys	ьпХ	S P	ne v	al I	le V	al S	Ser 1	le I	eu 1	hr I	le L	eu I	ieu V	TA CA al Gl	n .
				63				72			81			90			99		1.0	•
	GCA	(A)	T A	AT	TTT	GT.	A GA	LA AJ	AG TX	AT C	AT A	CC T	CT G	AG G	AC A		 .	CT TO	10 CA AA:	8 -
	Ala	. Il	e T	yr	Phe	Va:	1 G1	u Ly	/s T}	r H	is T	hr s	er G	lu A	en ti		~~ A	.C. 1	CA AA! er Ası	r
															ָנו עַנ	y a - 3 t	er 1.	nr se	er Ası	1
			1:	17			12	6		13	15		•							
ž	ACC	TC	A. To	T.	ACA	CCA	. ככ	C CA	A AC	ם מ	ים מי		14	14		15	3		162 G ATT	!
•	rhr	Se	r Se	er '	Thr	Pro	Pr	o Gi	ת תכ	~ ~\ - ~\	-A C	rr T(C AC	T AC	C AA	G GI	T C	IC AA	G ATT	•
						•			•• •••	_ 11	I Le	u Se	r Th	r Th	ir Ly	's Va	l Le	eu Ly	G ATT s Ile	
			17					_												
Δ.	.C.Σ	ጥአረ					180			18			19	8		20	7		216	
, n		7			AI	GAC	GG7	r GA	3 TG	G CC.	A GG	A GC	T CC	T AT	T GA	T AA	G GA	T GG	215 GAT	
^	.19	171	PI	O A	ζz	Asp	Gly	/ G1:	ı Tri	Pr	o Gl	y Al	a Pr	o Il	e As	p Ly:	s As	p Gly	. GAT / Asp	
																			•	
			22				234			243			25	2		263	1		270	
G	GG	AAC	CC	A G	AA '	TTC	TAC	ATT	GAA	AT	AA	CT	A TGO	AA E	רידע :	ن المناس	- 	E CO		
G	ly	Asn	Pro	G	lu :	Phe	Tyr	Ile	Glu	Ile	: Ası	ı Lei	ı Trr	Asr	. Tle	La		a Ala	ACT	
																. ມເເ	i Asi	ı Ala	rnr	
			279	9			288			297	,		300							
G	GA '	TT	GCT	G.	AG A	ATG		TAC					306			315		GTC	324	
G)	ly i	Phe	Ala	L G.	lu N	1et	Thr	TVF	Acn	Lou	The	AGC	. 666	GTC	CTT	CAC	TAC	GTC	CAA	
								- , -	Vall	Deu	TILL	ser	Gly	' Val	Leu	His	Tyr	Val	Gln	
			333				• 4 •													
C 2		ملعدات					342			351			360			369			378	
G1	- 7	-11	GAC	. A.	AC A	TT	GTC	TTG	AGG	GAT	AGA	AGT	AAT	TGG	GTG	CAT	GGA	TAC	CCC	
Gı	14 L	<i>i</i> eu	Asp	As	n I	le	Val	Leu	Arg	Asp	Arg	Ser	Asn	Trp	Val	His	Gly	Tyr	Pro	
																		-		
			387				396			405			414			423			433	
GA	A A	ATA	TTC	T.	T G	GA.	AAC	AAG	CCA	TGG	AAT	GCA	AAC	TAC	GCA	N CIC	עה ע	GGC	432	
G1	u I	le	Phe	Τy	r G	ly .	Asn	Lys	Pro	Trp	Asn	Ala	Asn	TVr	Ala	Th-	GW1	GGC	CCA	
										-		_		- / ~	~14	THE	ASp	GIÅ	PTO	
			441				450			459			466							
AT.	A C	CA	TTA	cc	C A			CTT	TC3				468			477			486	

ATA CCA TTA CCC AGT AAA GTT TCA AAC CTA ACA GAC TTC TAT CTA ACA ATC TCC Ile Pro Leu Pro Ser Lys Val Ser Asn Leu Thr Asp Phe Tyr Leu Thr Ile Ser

0

46/46

TAT AAA CTT GAG CCC AAG AAC GGC CTG CCA ATT AAC TTC GCA ATA GAA TCC TGG
Tyr Lys Leu Glu Pro Lys Asn Gly Leu Pro Ile Asn Phe Ala Ile Glu Ser Trp

TTA ACG AGA GAA GCT TGG AGA ACA ACA GGA ATT AAC AGC GAT GAG CAA GAA GTA
Leu Thr Arg Glu Ala Trp Arg Thr Thr Gly Ile Asn Ser Asp Glu Gln Glu Val

603 612 621 630 639 648

ATG ATA TGG ATT TAC TAT GAC GGA TTA CAA CCG GCT GGC TCC AAA GTT AAG GAG

Met Ile Trp Ile Tyr Tyr Asp Gly Leu Gln Pro Ala Gly Ser Lys Val Lys Glu

ATT GTA GTC CCA ATA ATA GTT AAC GGA ACA CCA GTA AAT GCT ACA TTT GAA GTA Ile Val Val Pro Ile Ile Val Asn Gly Thr Pro Val Asn Ala Thr Phe Glu Val

TIL 720 729 738 747 756

TGG AAG GCA AAC ATT GGT TGG GAG TAT GTT GCA TTT AGA ATA AAG ACC CCA ATC

Trp Lys Ala Asn Ile Gly Trp Glu Tyr Val Ala Phe Arg Ile Lys Thr Pro Ile

765 774 783 792 801 810
AAA GAG GGA ACA GTG ACA ATT CCA TAC GGA GCA TTT ATA AGT GTT GCA GCC AAC
Lys Glu Gly Thr Val Thr Ile Pro Tyr Gly Ala Phe Ile Ser Val Ala Ala Asn

819 828 837 846 855 864
ATT TCA AGC TTA CCA AAT TAC ACA GAA CTT TAC TTA GAG GAC GTG GAG ATT GGA
Ile Ser Ser Leu Pro Asn Tyr Thr Glu Leu Tyr Leu Glu Asp Val Glu Ile Gly

883 882 891 900 900 918

ACT GAG TTT GGA ACG CCA AGC ACT ACC TCC GCC CAC CTA GAG TGG TGG ATC ACA

Thr Glu Phe Gly Thr Pro Ser Thr Thr Ser Ala His Leu Glu Trp Trp Ile Thr

927 936 945 954

AAC ATA ACA CTA ACT CCT CTA GAT AGA CCT CTT ATT TCC TAA 3'

Asn Ile Thr Leu Thr Pro Leu Asp Arg Pro Leu Ile Ser *

Figure 18b(continued)

INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/22623

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :C07H 21/04; C12N 1/20, 1/14, 5/00, 9/38, 9/42; C08B 30/04 US CL :435/207, 209, 252.3, 254.11, 274, 275, 320.1, 325; 536/23.2 According to International Patent Classification (IPC) or to both national classification and IPC							
B. FIELDS SEARCHED							
Minimum o	Minimum documentation searched (classification system followed by classification symbols)						
U.S. : 435/207, 209, 252.3, 254.11, 274, 275, 320.1, 325; 536/23.2							
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched .							
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)							
Please See Extra Sheet.							
C. DOCUMENTS CONSIDERED TO BE RELEVANT							
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.				
X A X	GRABNITZ et al. Structure of the β Clostridium thermocellum: Sequence Ar of Cellulases and β-Glycosidases Includi Hydrolase. Eur. J. Biochem. Septemb pages 301-309, see entire document. VOORHORST et al. Characterization of β-Glucosidase from the Hyperthermore.	1-3, 5 species II 4, 6-11 1-3, 5 species I and III					
A	furiosus and Its Expression and Site-Direcoli. J. Bacteriol. December 1995, Vol 7111, see entire document.	ected Mutation in Escherichia	4, 6-11				
Furth	ner documents are listed in the continuation of Box C	. See patent family annex.					
A do	ecial categories of cited documents: cument defining the general state of the art which is not considered be of particular relevance	*T* later document published after the int date and not in conflict with the app the principle or theory underlying th	lication but cited to understand invention				
'E' cm	rlier document published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step					
cit	cument which may throw doubts on priority claim(s) or which is ad to establish the publication date of another citation or other	when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be					
O do	social reason (as specified) cument referring to an oral disclosure, use, exhibition or other sans	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art					
P do	cument published prior to the international filing date but later than a priority date claimed	'&' document member of the same patent family					
	actual completion of the international search	Date of mailing of the international search report 2 1 APR 1998					
Commissio	mailing address of the ISA/US oner of Patents and Trademarks	Authorized officer					
Box PCT Washingto	n, D.C. 20231	LISA J. HOBBS, PH.D.					
Esseimile N	No. (703) 305-3230	Telephone No. (703) 308-0196					

INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/22623

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)								
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:								
1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:								
2. Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:								
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).								
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)								
This International Searching Authority found multiple inventions in this international application, as follows:								
Please See Extra Sheet.								
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.								
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.								
3. X As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:								
1-11, species I-III								
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:								
Remark on Protest								
No protest accompanied the payment of additional search fees.								

INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/22623

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

APS and STN (Bioscience and Patent Indexes): Desulfurococc##, Staphylotherm##, Thermatoga, galactosidase#, glucosidase#, beta galactosidase#, beta glucosidase#, Genbank, EMBL, ESTs1-4, STS, N-Geneseq: Seq. ID Nos.: 1-3 and A-Geneseq, PIR, Swissprot: Seq ID Nos.: 15-17.

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION WAS LACKING This ISA found multiple inventions as follows:

This application contains claims directed to more than one species of the generic invention. These species are deemed to lack Unity of Invention because they are not so linked as to form a single inventive concept under PCT Rule 13.1. The species are as follows: there are 18 distinct enzymes disclosed in the description, as enumerated in Figs. 1-18 and Table 1.

The claims are deemed to correspond to the species listed above in the following manner: while all the claims form one Group for examination, each of the claims is generic to the 18 enzyme species disclosed.

The species listed above do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: each enzyme is a different product, thus has the special technical feature of the recited enzyme, which the other species lack.

THIS PAGE BLANK (USPTO)